


ADX

A520

ADX Stub Drill



d_1 R _{h8} Inch	d_1 R _{h8} mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-code	USD
	3.00	0.1181	16	46	A5203.0	11.45
	3.10	0.1220	18	49	A5203.1	11.95
1/8	3.18	0.1250	18	49	A5201/8	12.10
	3.20	0.1260	18	49	A5203.2	12.10
	3.30	0.1299	18	49	A5203.3	12.50
	3.40	0.1339	20	52	A5203.4	12.50
	3.50	0.1378	20	52	A5203.5	11.85
9/64	3.57	0.1406	20	52	A5209/64	17.00
	3.60	0.1417	20	52	A5203.6	12.50
	3.70	0.1457	20	52	A5203.7	13.20
	3.80	0.1496	22	55	A5203.8	13.20
	3.90	0.1535	22	55	A5203.9	13.20
5/32	3.97	0.1563	22	55	A5205/32	13.25
	4.00	0.1575	22	55	A5204.0	12.15
	4.10	0.1614	22	55	A5204.1	13.50
	4.20	0.1654	22	55	A5204.2	13.50
	4.30	0.1693	24	58	A5204.3	14.05
11/64	4.37	0.1719	24	58	A52011/64	17.10
	4.40	0.1732	24	58	A5204.4	14.95
	4.50	0.1772	24	58	A5204.5	13.95
	4.60	0.1811	24	58	A5204.6	15.25
	4.70	0.1850	24	58	A5204.7	15.25
3/16	4.76	0.1875	26	62	A5203/16	13.65
	4.80	0.1890	26	62	A5204.8	15.25
	4.90	0.1929	26	62	A5204.9	15.25
	5.00	0.1969	26	62	A5205.0	13.70

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	5.10	0.2008	26	62	A5205.1	15.60
13/64	5.16	0.2031	26	62	A52013/64	17.60
	5.20	0.2047	26	62	A5205.2	15.60
	5.30	0.2087	26	62	A5205.3	15.85
	5.40	0.2126	28	66	A5205.4	17.75
	5.50	0.2165	28	66	A5205.5	15.85
7/32	5.56	0.2188	28	66	A5207/32	16.50
	5.60	0.2205	28	66	A5205.6	17.75
	5.70	0.2244	28	66	A5205.7	17.75
	5.80	0.2283	28	66	A5205.8	17.75
	5.90	0.2323	28	66	A5205.9	17.75
15/64	5.95	0.2344	28	66	A52015/64	21.00
	6.00	0.2362	28	66	A5206.0	15.65
	6.10	0.2402	31	70	A5206.1	21.20
	6.20	0.2441	31	70	A5206.2	21.20
	6.30	0.2480	31	70	A5206.3	21.20
1/4	6.35	0.2500	31	70	A5201/4	19.30
	6.40	0.2520	31	70	A5206.4	21.20
	6.50	0.2559	31	70	A5206.5	20.70
	6.60	0.2598	31	70	A5206.6	22.80
	6.70	0.2638	31	70	A5206.7	22.80
17/64	6.75	0.2656	34	74	A52017/64	23.90
	6.80	0.2677	34	74	A5206.8	22.80
	6.90	0.2717	34	74	A5206.9	22.80
	7.00	0.2756	34	74	A5207.0	21.40
	7.10	0.2795	34	74	A5207.1	22.80
9/32	7.14	0.2813	34	74	A5209/32	22.35
	7.20	0.2835	34	74	A5207.2	24.70
	7.30	0.2874	34	74	A5207.3	24.70
	7.40	0.2913	34	74	A5207.4	24.70
	7.50	0.2953	34	74	A5207.5	23.50
19/64	7.54	0.2969	37	79	A52019/64	23.90
	7.60	0.2992	37	79	A5207.6	27.85
	7.70	0.3031	37	79	A5207.7	27.85
	7.80	0.3071	37	79	A5207.8	29.65
	7.90	0.3110	37	79	A5207.9	29.65
5/16	7.94	0.3125	37	79	A5205/16	22.15
	8.00	0.3150	37	79	A5208.0	27.15
	8.10	0.3189	37	79	A5208.1	29.65
	8.20	0.3228	37	79	A5208.2	29.65
	8.30	0.3268	37	79	A5208.3	37.10
21/64	8.33	0.3281	37	79	A52021/64	33.05
	8.40	0.3307	37	79	A5208.4	37.10
	8.50	0.3346	37	79	A5208.5	34.55
	8.60	0.3386	40	84	A5208.6	41.95
	8.70	0.3425	40	84	A5208.7	41.95

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
11/32	8.73	0.3438	40	84	A52011/32	26.50
	8.80	0.3465	40	84	A5208.8	41.95
	8.90	0.3504	40	84	A5208.9	41.95
	9.00	0.3543	40	84	A5209.0	39.50
	9.10	0.3583	40	84	A5209.1	49.50
23/64	9.13	0.3594	40	84	A52023/64	32.00
	9.20	0.3622	40	84	A5209.2	49.50
	9.30	0.3661	40	84	A5209.3	49.50
	9.40	0.3701	40	84	A5209.4	49.50
	9.50	0.3740	40	84	A5209.5	43.15
3/8	9.52	0.3750	43	89	A5203/8	28.55
	9.60	0.3780	43	89	A5209.6	49.50
	9.70	0.3819	43	89	A5209.7	49.50
	9.80	0.3858	43	89	A5209.8	49.50
	9.90	0.3898	43	89	A5209.9	49.50
25/64	9.92	0.3906	43	89	A52025/64	34.70
	10.00	0.3937	43	89	A52010.0	47.15
	10.10	0.3976	43	89	A52010.1	54.80
	10.20	0.4016	43	89	A52010.2	54.80
	10.30	0.4055	43	89	A52010.3	54.80
13/32	10.32	0.4063	43	89	A52013/32	37.25
	10.40	0.4094	43	89	A52010.4	54.80
	10.50	0.4134	43	89	A52010.5	49.60
	10.60	0.4173	43	89	A52010.6	54.80
	10.70	0.4213	47	95	A52010.7	54.80
27/64	10.72	0.4219	47	95	A52027/64	54.60
	10.80	0.4252	47	95	A52010.8	54.80
	10.90	0.4291	47	95	A52010.9	54.80
	11.00	0.4331	47	95	A52011.0	50.60
	11.10	0.4370	47	95	A52011.1	62.20
7/16	11.11	0.4375	47	95	A5207/16	38.40
	11.20	0.4409	47	95	A52011.2	62.20
	11.30	0.4449	47	95	A52011.3	62.20
	11.40	0.4488	47	95	A52011.4	62.20
	11.50	0.4528	47	95	A52011.5	55.90
29/64	11.51	0.4531	47	95	A52029/64	54.60
	11.60	0.4567	47	95	A52011.6	62.20
	11.70	0.4606	47	95	A52011.7	62.20
	11.80	0.4646	47	95	A52011.8	62.20
	11.90	0.4685	51	102	A52011.9	62.20
15/32	11.91	0.4688	51	102	A52015/32	47.05
	12.00	0.4724	51	102	A52012.0	51.60
	12.10	0.4764	51	102	A52012.1	69.30
	12.20	0.4803	51	102	A52012.2	69.30
	12.30	0.4843	51	102	A52012.3	69.30
31/64	12.30	0.4844	51	102	A52031/64	60.50

d ₁ R _{h8} Inch	d ₁ R _{h8} mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	USD
	12.40	0.4882	51	102	A52012.4	69.30
	12.50	0.4921	51	102	A52012.5	58.90
	12.60	0.4961	51	102	A52012.6	69.30
	12.70	0.5000	51	102	A52012.7	69.30
1/2	12.70	0.5000	51	102	A5201/2	51.60
	12.80	0.5039	51	102	A52012.8	69.30
	12.90	0.5079	51	102	A52012.9	69.30
	13.00	0.5118	51	102	A52013.0	67.10