



## PRODUCT DATA SHEET

Driller Red Grease Extreme Pressure Lithium Complex Grease, 35 Lbs  
Part Number: SL3650



Product Description	Driller Red Grease is a NLGI #2 Red Grease which offer superior protection to lubricate a wide variety of severe duty drilling, industrial, mining and construction equipment. Timken load of 80 lbs.
Applications	Drilling and Mining applications, backing plates, ball joints, chassis points, construction ball & roller bearings, idler bearings, industrial applications, pillow block bearings, sprocket bearings, U-joints, water pumps, wheel bearings
Unit Package Description	35 Pound Pail
Brand	CRC
Generic Description 1	Extreme Pressure Lithium Complex Grease
Net Fill	35 Lb
UPC Code	072213365009
Unit Dimensions	15H x 12W x 12D in
Units Per Case	1
Case Dimensions	15H x 12W x 12D in
Cases Per Pallet	36
Case Weight	40 lbs
I 2 of 5 Code	30072213365000
Appearance	Red, Smooth, Tacky
Base Type	Lithium Complex
Flash point (F)	302°F
Flash point (C)	150°C
Flammability Class - CPSC	None
Spec Gravity Concentrate	0.93
NLGI Grade	2
Timken OK Load Lbs.	80 Lbs
Plastic Safe	Yes
Dielectric Strength	Not Determined

Last revised: 3/20/2017  
Page 1 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



## PRODUCT DATA SHEET



Working Temp (F)	-10 to 400°F
Working Temp (C)	-23 to 204°C
4 Ball EP	315 Kgf
4 Ball Wear	0.45
Drop Point	550°F
Leakage	2.0
Low Temp Torque	Not Determined
Oil Separation	1.0
Oxidation Stability	Not Determined
Pour Point (F)	Not Determined
Pour Point (C)	Not Determined
Water Washout	2.5 at 175°F
Worked Penetration	265 to 295
Propellant	None
DOT Proper Shipping Name	Not Regulated
VOC % (Federal)	Not Determined
VOC g/L (Federal)	Not Determined
VOC Lbs./Gal. (Federal)	Not Determined
VOC Category	Not Regulated
Removal (How To)	Remove with a degreaser.

Last revised: 3/20/2017  
Page 2 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
[www.crcindustries.com](http://www.crcindustries.com)

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.