


R18P

Jobber Drill



General Purpose



d1 R Nr.	d1 decimal Inch	l2 Inch	l1 Inch	e-code	USD
97	0.0059	1/16	3/4	R18PN97	25.60
96	0.0063	1/16	3/4	R18PN96	25.60
95	0.0067	1/16	3/4	R18PN95	23.25
94	0.0071	1/16	3/4	R18PN94	23.25
93	0.0075	1/16	3/4	R18PN93	16.05
92	0.0079	1/16	3/4	R18PN92	16.05
91	0.0083	5/64	3/4	R18PN91	16.05
90	0.0087	5/64	3/4	R18PN90	16.05
89	0.0091	5/64	3/4	R18PN89	16.05
88	0.0095	5/64	3/4	R18PN88	16.05
87	0.0100	5/64	3/4	R18PN87	12.80
86	0.0105	3/32	3/4	R18PN86	12.80
85	0.0110	3/32	3/4	R18PN85	11.45
84	0.0115	3/32	3/4	R18PN84	11.45
83	0.0120	3/32	3/4	R18PN83	11.45
82	0.0125	3/32	3/4	R18PN82	9.99
81	0.0130	3/32	3/4	R18PN81	9.99
80	0.0135	1/8	3/4	R18PN80	4.93
79	0.0145	1/8	3/4	R18PN79	4.94
78	0.0160	3/16	7/8	R18PN78	4.12
77	0.0180	3/16	7/8	R18PN77	4.13
76	0.0200	3/16	7/8	R18PN76	4.12
75	0.0210	1/4	1"	R18PN75	4.12
74	0.0225	1/4	1"	R18PN74	4.13
73	0.0240	5/16	1.1/8	R18PN73	4.13

d ₁ R Nr.	d ₁ decimal Inch	l ₂ Inch	l ₁ Inch	e-code	USD
72	0.0250	5/16	1.1/8	R18PN72	4.13
71	0.0260	3/8	1.1/4	R18PN71	4.13
70	0.0280	3/8	1.1/4	R18PN70	3.29
69	0.0292	1/2	1.3/8	R18PN69	3.33
68	0.0310	1/2	1.3/8	R18PN68	3.02
67	0.0320	1/2	1.3/8	R18PN67	3.02
66	0.0330	1/2	1.3/8	R18PN66	3.02
65	0.0350	5/8	1.1/2	R18PN65	3.02
64	0.0360	5/8	1.1/2	R18PN64	3.02
63	0.0370	5/8	1.1/2	R18PN63	3.02
62	0.0380	5/8	1.1/2	R18PN62	3.02
61	0.0390	11/16	1.5/8	R18PN61	3.02
60	0.0400	11/16	1.5/8	R18PN60	2.84
59	0.0410	11/16	1.5/8	R18PN59	2.85
58	0.0420	11/16	1.5/8	R18PN58	2.85
57	0.0430	3/4	1.3/4	R18PN57	2.75
56	0.0465	3/4	1.3/4	R18PN56	2.76
55	0.0520	7/8	1.7/8	R18PN55	2.75
54	0.0550	7/8	1.7/8	R18PN54	2.75
53	0.0595	7/8	1.7/8	R18PN53	2.75
52	0.0635	7/8	1.7/8	R18PN52	2.75
51	0.0670	1"	2"	R18PN51	2.76
50	0.0700	1"	2"	R18PN50	2.75
49	0.0730	1"	2"	R18PN49	2.76
48	0.0760	1"	2"	R18PN48	2.76
47	0.0785	1"	2"	R18PN47	2.76
46	0.0810	1.1/8	2.1/8	R18PN46	2.76
45	0.0820	1.1/8	2.1/8	R18PN45	2.76
44	0.0860	1.1/8	2.1/8	R18PN44	2.73
43	0.0890	1.1/4	2.1/4	R18PN43	2.73
42	0.0935	1.1/4	2.1/4	R18PN42	2.76
41	0.0960	1.3/8	2.3/8	R18PN41	2.76
40	0.0980	1.3/8	2.3/8	R18PN40	2.73
39	0.0995	1.3/8	2.3/8	R18PN39	2.76
38	0.1015	1.7/16	2.1/2	R18PN38	2.76
37	0.1040	1.7/16	2.1/2	R18PN37	2.76
36	0.1065	1.7/16	2.1/2	R18PN36	2.73
35	0.1100	1.1/2	2.5/8	R18PN35	2.76
34	0.1110	1.1/2	2.5/8	R18PN34	2.76
33	0.1130	1.1/2	2.5/8	R18PN33	2.76
32	0.1160	1.5/8	2.3/4	R18PN32	2.76
31	0.1200	1.5/8	2.3/4	R18PN31	2.75
30	0.1285	1.5/8	2.3/4	R18PN30	2.76
29	0.1360	1.3/4	2.7/8	R18PN29	2.76
28	0.1405	1.3/4	2.7/8	R18PN28	2.85
27	0.1440	1.7/8	3"	R18PN27	3.05

d ₁ R Nr.	d ₁ decimal Inch	l ₂ Inch	l ₁ Inch	e-code	USD
26	0.1470	1.7/8	3"	R18PN26	3.07
25	0.1495	1.7/8	3"	R18PN25	3.04
24	0.1520	2"	3.1/8	R18PN24	3.21
23	0.1540	2"	3.1/8	R18PN23	3.21
22	0.1570	2"	3.1/8	R18PN22	3.21
21	0.1590	2.1/8	3.1/4	R18PN21	3.17
20	0.1610	2.1/8	3.1/4	R18PN20	3.44
19	0.1660	2.1/8	3.1/4	R18PN19	3.45
18	0.1695	2.1/8	3.1/4	R18PN18	3.50
17	0.1730	2.3/16	3.3/8	R18PN17	4.21
16	0.1770	2.3/16	3.3/8	R18PN16	4.21
15	0.1800	2.3/16	3.3/8	R18PN15	4.21
14	0.1820	2.3/16	3.3/8	R18PN14	4.21
13	0.1850	2.5/16	3.1/2	R18PN13	4.21
12	0.1890	2.5/16	3.1/2	R18PN12	4.31
11	0.1910	2.5/16	3.1/2	R18PN11	4.24
10	0.1935	2.7/16	3.5/8	R18PN10	4.55
9	0.1960	2.7/16	3.5/8	R18PN9	4.61
8	0.1990	2.7/16	3.5/8	R18PN8	4.64
7	0.2010	2.7/16	3.5/8	R18PN7	4.52
6	0.2040	2.1/2	3.3/4	R18PN6	5.23
5	0.2055	2.1/2	3.3/4	R18PN5	5.23
4	0.2090	2.1/2	3.3/4	R18PN4	5.23
3	0.2130	2.1/2	3.3/4	R18PN3	5.19
2	0.2210	2.5/8	3.7/8	R18PN2	5.76
1	0.2280	2.5/8	3.7/8	R18PN1	5.73