

SOCKETS & ACCESSORIES

DESIGNED TO IMPROVE PRODUCTIVITY

The new series of Blackhawk™ by Proto® pear head ratchets, available in both standard and quick-release styles feature a 72 tooth mechanism which allows greater workability in tight areas. When paired with our Blackhawk™ by Proto® sockets that apply contact on the flat edges of the fastener (not the points), this combination helps to increase the torque on the fastener, reduces rounding, and provides additional safety for the operator. Ratchets, sockets, and accessories are double-nickel chrome plated for a corrosion resistant, full polish finish.



1/4", 3/8" & 1/2" DRIVE 82 PIECE STANDARD AND METRIC SET

Item #: 9782-B

• Weight (lbs): 13.0



Contents	Description
GW-707M	12 Point Standard Metric Socket 1/4" Drive 7 mm
GW-708M	12 Point Standard Metric Socket 1/4" Drive 8 mm
GW-709M	12 Point Standard Metric Socket 1/4" Drive 9 mm
GW-710M	12 Point Standard Metric Socket 1/4" Drive 10 mm
GW-711M	12 Point Standard Metric Socket 1/4" Drive 11 mm
GW-712M	12 Point Standard Metric Socket 1/4" Drive 12 mm
GW-713M	12 Point Standard Metric Socket 1/4" Drive 13 mm
30612	6 Point Standard Inch Socket 3/8" Drive 3/8"
30614	6 Point Standard Inch Socket 3/8" Drive 7/16"
30616	6 Point Standard Inch Socket 3/8" Drive 1/2"
30618	6 Point Standard Inch Socket 3/8" Drive 9/16"
30620	6 Point Standard Inch Socket 3/8" Drive 5/8"
30622	6 Point Standard Inch Socket 3/8" Drive 11/16"
30624	6 Point Standard Inch Socket 3/8" Drive 3/4"
30626	6 Point Standard Inch Socket 3/8" Drive 13/16"
30012	12 Point Standard Inch Socket 3/8" Drive 3/8"
30014	12 Point Standard Inch Socket 3/8" Drive 7/16"
30016	12 Point Standard Inch Socket 3/8" Drive 1/2"
30018	12 Point Standard Inch Socket 3/8" Drive 9/16"
30020	12 Point Standard Inch Socket 3/8" Drive 5/8"
30022	12 Point Standard Inch Socket 3/8" Drive 11/16"
30024	12 Point Standard Inch Socket 3/8" Drive 3/4"
30026	12 Point Standard Inch Socket 3/8" Drive 13/16"
30412	12 Point Deep Inch Socket 3/8" Drive 3/8"
30414	12 Point Deep Inch Socket 3/8" Drive 7/16"
30416	12 Point Deep Inch Socket 3/8" Drive 1/2"
30418	12 Point Deep Inch Socket 3/8" Drive 9/16"
32009M	6 Point Standard Metric Socket 3/8" Drive 9 mm
32010M	6 Point Standard Metric Socket 3/8" Drive 10 mm
32011M	6 Point Standard Metric Socket 3/8" Drive 11 mm
32012M	6 Point Standard Metric Socket 3/8" Drive 12 mm
32013M	6 Point Standard Metric Socket 3/8" Drive 13 mm
32014M	6 Point Standard Metric Socket 3/8" Drive 14 mm
32015M	6 Point Standard Metric Socket 3/8" Drive 15 mm
32017M	6 Point Standard Metric Socket 3/8" Drive 17 mm
32019M	6 Point Standard Metric Socket 3/8" Drive 19 mm
34009M	12 Point Standard Metric Socket 3/8" Drive 9 mm
34010M	12 Point Standard Metric Socket 3/8" Drive 10 mm
34011M	12 Point Standard Metric Socket 3/8" Drive 11 mm
34012M	12 Point Standard Metric Socket 3/8" Drive 12 mm
34013M	12 Point Standard Metric Socket 3/8" Drive 13 mm
34014M	12 Point Standard Metric Socket 3/8" Drive 14 mm
34015M	12 Point Standard Metric Socket 3/8" Drive 15 mm
34016M	12 Point Standard Metric Socket 3/8" Drive 16 mm
34017M	12 Point Standard Metric Socket 3/8" Drive 17 mm
34019M	12 Point Standard Metric Socket 3/8" Drive 19 mm
34945B	3/8" Drive Round Head Knurled Reversible Ratchet

Contents	Description
34988	3/8" Drive 3" Extension
40116	12 Point Standard Inch Socket 1/2" Drive 1/2"
40118	12 Point Standard Inch Socket 1/2" Drive 9/16"
40120	12 Point Standard Inch Socket 1/2" Drive 5/8"
40124	12 Point Standard Inch Socket 1/2" Drive 3/4"
40126	12 Point Standard Inch Socket 1/2" Drive 13/16"
49945B	1/2" Drive Round Head Knurled Reversible Ratchet
GW-1506	6 Point Deep Inch Socket 1/4" Drive 3/16"
GW-1508	6 Point Deep Inch Socket 1/4" Drive 1/4"
GW-1509	6 Point Deep Inch Socket 1/4" Drive 9/32"
GW-1510	6 Point Deep Inch Socket 1/4" Drive 5/16"
GW-1605	6 Point Standard Inch Socket 1/4" Drive 5/32"
GW-1606	6 Point Standard Inch Socket 1/4" Drive 3/16"
GW-1607	6 Point Standard Inch Socket 1/4" Drive 7/32"
GW-1608	6 Point Standard Inch Socket 1/4" Drive 1/4"
GW-1609	6 Point Standard Inch Socket 1/4" Drive 9/32"
GW-1610	6 Point Standard Inch Socket 1/4" Drive 5/16"
GW-1611	6 Point Standard Inch Socket 1/4" Drive 11/32"
GW-1612	6 Point Standard Inch Socket 1/4" Drive 3/8"
GW-1614	6 Point Standard Inch Socket 1/4" Drive 7/16"
GW-1616	6 Point Standard Inch Socket 1/4" Drive 1/2"
GW-1706	12 Point Standard Inch Socket 1/4" Drive 3/16"
GW-1707	12 Point Standard Inch Socket 1/4" Drive 7/32"
GW-1708	12 Point Standard Inch Socket 1/4" Drive 1/4"
GW-1709	12 Point Standard Inch Socket 1/4" Drive 9/32"
GW-1710	12 Point Standard Inch Socket 1/4" Drive 5/16"
GW-1711	12 Point Standard Inch Socket 1/4" Drive 11/32"
GW-1712	12 Point Standard Inch Socket 1/4" Drive 3/8"
GW-1714	12 Point Standard Inch Socket 1/4" Drive 7/16"
GW-1716	12 Point Standard Inch Socket 1/4" Drive 1/2"
GW-604M	6 Point Standard Metric Socket 1/4" Drive 4 mm
GW-605M	6 Point Standard Metric Socket 1/4" Drive 5 mm
GW-606M	6 Point Standard Metric Socket 1/4" Drive 6 mm
GW-9945B	1/4" Drive Round Head Knurled Reversible Ratchet
HW-1520S	3/8" Drive Spark Plug Socket 5/8"



1/4" & 3/8" DRIVE 64 PIECE STANDARD AND METRIC SET

Item #: 97065

• Weight (lbs): 7.1



HAND SOCKETS

MIXED DRIVE SETS

Contents	Description
30012	12 Point Standard Inch Socket 3/8" Drive 3/8"
30014	12 Point Standard Inch Socket 3/8" Drive 7/16"
30016	12 Point Standard Inch Socket 3/8" Drive 1/2"
30018	12 Point Standard Inch Socket 3/8" Drive 9/16"
30020	12 Point Standard Inch Socket 3/8" Drive 5/8"
30022	12 Point Standard Inch Socket 3/8" Drive 11/16"
30024	12 Point Standard Inch Socket 3/8" Drive 3/4"
30612	6 Point Standard Inch Socket 3/8" Drive 3/8"
30614	6 Point Standard Inch Socket 3/8" Drive 7/16"
30616	6 Point Standard Inch Socket 3/8" Drive 1/2"
30618	6 Point Standard Inch Socket 3/8" Drive 9/16"
30620	6 Point Standard Inch Socket 3/8" Drive 5/8"
30622	6 Point Standard Inch Socket 3/8" Drive 11/16"
30624	6 Point Standard Inch Socket 3/8" Drive 3/4"
30626	6 Point Standard Inch Socket 3/8" Drive 13/16"
32010M	6 Point Standard Metric Socket 3/8" Drive 10 mm
32011M	6 Point Standard Metric Socket 3/8" Drive 11 mm
32012M	6 Point Standard Metric Socket 3/8" Drive 12 mm
32013M	6 Point Standard Metric Socket 3/8" Drive 13 mm
32014M	6 Point Standard Metric Socket 3/8" Drive 14 mm
32015M	6 Point Standard Metric Socket 3/8" Drive 15 mm
32017M	6 Point Standard Metric Socket 3/8" Drive 17 mm
32019M	6 Point Standard Metric Socket 3/8" Drive 19 mm
34945B	3/8" Drive Round Head Knurled Reversible Ratchet
34988	3/8" Drive 3" Extension
GW-1508	6 Point Deep Inch Socket 1/4" Drive 1/4"
GW-1509	6 Point Deep Inch Socket 1/4" Drive 9/32"
GW-1510	6 Point Deep Inch Socket 1/4" Drive 5/16"
GW-1511	6 Point Deep Inch Socket 1/4" Drive 11/32"
GW-1605	6 Point Standard Inch Socket 1/4" Drive 5/32"
GW-1606	6 Point Standard Inch Socket 1/4" Drive 3/16"
GW-1607	6 Point Standard Inch Socket 1/4" Drive 7/32"

Contents	Description
GW-1608	6 Point Standard Inch Socket 1/4" Drive 1/4"
GW-1609	6 Point Standard Inch Socket 1/4" Drive 9/32"
GW-1610	6 Point Standard Inch Socket 1/4" Drive 5/16"
GW-1611	6 Point Standard Inch Socket 1/4" Drive 11/32"
GW-1612	6 Point Standard Inch Socket 1/4" Drive 3/8"
GW-1614	6 Point Standard Inch Socket 1/4" Drive 7/16"
GW-1616	6 Point Standard Inch Socket 1/4" Drive 1/2"
GW-1706	12 Point Standard Inch Socket 1/4" Drive 3/16"
GW-1707	12 Point Standard Inch Socket 1/4" Drive 7/32"
GW-1708	12 Point Standard Inch Socket 1/4" Drive 1/4"
GW-1709	12 Point Standard Inch Socket 1/4" Drive 9/32"
GW-1710	12 Point Standard Inch Socket 1/4" Drive 5/16"
GW-1711	12 Point Standard Inch Socket 1/4" Drive 11/32"
GW-1712	12 Point Standard Inch Socket 1/4" Drive 3/8"
GW-1714	12 Point Standard Inch Socket 1/4" Drive 7/16"
GW-1716	12 Point Standard Inch Socket 1/4" Drive 1/2"
GW-604M	6 Point Standard Metric Socket 1/4" Drive 4 mm
GW-605M	6 Point Standard Metric Socket 1/4" Drive 5 mm
GW-606M	6 Point Standard Metric Socket 1/4" Drive 6 mm
GW-607M	6 Point Standard Metric Socket 1/4" Drive 7 mm
GW-608M	6 Point Standard Metric Socket 1/4" Drive 8 mm
GW-609M	6 Point Standard Metric Socket 1/4" Drive 9 mm
GW-610M	6 Point Standard Metric Socket 1/4" Drive 10 mm
GW-611M	6 Point Standard Metric Socket 1/4" Drive 11 mm
GW-612M	6 Point Standard Metric Socket 1/4" Drive 12 mm
GW-613M	6 Point Standard Metric Socket 1/4" Drive 13 mm
GW-9945B	1/4" Drive Round Head Knurled Reversible Ratchet
HW-1512	6 Point Deep Inch Socket 3/8" Drive 3/8"
HW-1514	6 Point Deep Inch Socket 3/8" Drive 7/16"
HW-1516	6 Point Deep Inch Socket 3/8" Drive 1/2"
HW-1518	6 Point Deep Inch Socket 3/8" Drive 9/16"
HW-1520S	3/8" Drive Spark Plug Socket 5/8"



44 PIECE 3/8" & 1/2" DRIVE COMBINATION SET**Item #: 978250**

- 44 piece fractional combination set with 3/8 inch drive sockets, 1/2 inch drive sockets, extensions, and pear head ratchet in a blow mold case.
- Weight (lbs): 12.88



Contents	Description
30010A	12 Point Standard Inch Socket 3/8" Drive 5/16"
30012	12 Point Standard Inch Socket 3/8" Drive 3/8"
30014	12 Point Standard Inch Socket 3/8" Drive 7/16"
30016	12 Point Standard Inch Socket 3/8" Drive 1/2"
30018	12 Point Standard Inch Socket 3/8" Drive 9/16"
30020	12 Point Standard Inch Socket 3/8" Drive 5/8"
30022	12 Point Standard Inch Socket 3/8" Drive 11/16"
30024	12 Point Standard Inch Socket 3/8" Drive 3/4"
30026	12 Point Standard Inch Socket 3/8" Drive 13/16"
30028	12 Point Standard Inch Socket 3/8" Drive 7/8"
300301	12 Point Standard Inch Socket 3/8" Drive 15/16"
300321	12 Point Standard Inch Socket 3/8" Drive 1"
34966	3/8" Drive 3/8" x 1/2" Adapter
34984L	3/8" Drive Locking Extension 10"
34987L	3/8" Drive Locking Extension 6"
34988L	3/8" Drive Locking Extension 3"
40112	12 Point Standard Inch Socket 1/2" Drive 3/8"
40114	12 Point Standard Inch Socket 1/2" Drive 7/16"
40116	12 Point Standard Inch Socket 1/2" Drive 1/2"
40118	12 Point Standard Inch Socket 1/2" Drive 9/16"
40120	12 Point Standard Inch Socket 1/2" Drive 5/8"
40122	12 Point Standard Inch Socket 1/2" Drive 11/16"

Contents	Description
40124	12 Point Standard Inch Socket 1/2" Drive 3/4"
40126	12 Point Standard Inch Socket 1/2" Drive 13/16"
40128	12 Point Standard Inch Socket 1/2" Drive 7/8"
40130	12 Point Standard Inch Socket 1/2" Drive 15/16"
40132	12 Point Standard Inch Socket 1/2" Drive 1"
40134	12 Point Standard Inch Socket 1/2" Drive 1-1/16"
40136	12 Point Standard Inch Socket 1/2" Drive 1-1/8"
40138	12 Point Standard Inch Socket 1/2" Drive 1-3/16"
40140	12 Point Standard Inch Socket 1/2" Drive 1-1/4"
40144A	12 Point Standard Inch Socket 1/2" Drive 1-1/2"
40416	6 Point Deep Inch Socket 1/2" Drive 1/2"
40418	6 Point Deep Inch Socket 1/2" Drive 9/16"
40420	6 Point Deep Inch Socket 1/2" Drive 5/8"
40422	6 Point Deep Inch Socket 1/2" Drive 11/16"
40424	6 Point Deep Inch Socket 1/2" Drive 3/4"
40426	6 Point Deep Inch Socket 1/2" Drive 13/16"
40428	6 Point Deep Inch Socket 1/2" Drive 7/8"
40430	6 Point Deep Inch Socket 1/2" Drive 15/16"
40432	6 Point Deep Inch Socket 1/2" Drive 1"
40434	6 Point Deep Inch Socket 1/2" Drive 1-1/16"
40436	6 Point Deep Inch Socket 1/2" Drive 1-1/8"
BP-1338QR	3/8" Drive Quick-Release Ratchet



44 PIECE 3/8" & 1/2" DRIVE METRIC COMBINATION SET

Item #: 978250M

- 44 piece metric combination set with 3/8 inch drive sockets, 1/2 inch drive sockets, extensions, and pear head ratchet in a blow mold case.
- Weight (lbs): 8.39



HAND SOCKETS

MIXED DRIVE SETS

Contents	Description
34007M	12 Point Standard Metric Socket 3/8" Drive 7 mm
34008M	12 Point Standard Metric Socket 3/8" Drive 8 mm
34009M	12 Point Standard Metric Socket 3/8" Drive 9 mm
34010M	12 Point Standard Metric Socket 3/8" Drive 10 mm
34011M	12 Point Standard Metric Socket 3/8" Drive 11 mm
34012M	12 Point Standard Metric Socket 3/8" Drive 12 mm
34013M	12 Point Standard Metric Socket 3/8" Drive 13 mm
34014M	12 Point Standard Metric Socket 3/8" Drive 14 mm
34015M	12 Point Standard Metric Socket 3/8" Drive 15 mm
34016M	12 Point Standard Metric Socket 3/8" Drive 16 mm
34017M	12 Point Standard Metric Socket 3/8" Drive 17 mm
34018M	12 Point Standard Metric Socket 3/8" Drive 18 mm
34966	3/8" Drive 3/8" x 1/2" Adapter
34984L	3/8" Drive Locking Extension 10"
34987L	3/8" Drive Locking Extension 6"
34988L	3/8" Drive Locking Extension 3"
42013M	6 Point Standard Metric Socket 1/2" Drive 13 mm
42014M	6 Point Standard Metric Socket 1/2" Drive 14 mm
42015M	12 Point Standard Metric Socket 1/2" Drive 15 mm
42016M	12 Point Standard Metric Socket 1/2" Drive 16 mm
42017M	12 Point Standard Metric Socket 1/2" Drive 17 mm
42018M	12 Point Standard Metric Socket 1/2" Drive 18 mm

Contents	Description
42019M	12 Point Standard Metric Socket 1/2" Drive 19 mm
42020M	12 Point Standard Metric Socket 1/2" Drive 20 mm
43010M	12 Point Standard Metric Socket 1/2" Drive 10 mm
43011M	12 Point Standard Metric Socket 1/2" Drive 11 mm
43012M	12 Point Standard Metric Socket 1/2" Drive 12 mm
43013M	12 Point Standard Metric Socket 1/2" Drive 13 mm
43014M	12 Point Standard Metric Socket 1/2" Drive 14 mm
43015M	12 Point Standard Metric Socket 1/2" Drive 15 mm
43017M	6 Point Standard Metric Socket 1/2" Drive 17 mm
43019M	6 Point Standard Metric Socket 1/2" Drive 19 mm
45010M	6 Point Deep Metric Socket 1/2" Drive 10 mm
45011M	6 Point Deep Metric Socket 1/2" Drive 11 mm
45012M	6 Point Deep Metric Socket 1/2" Drive 12 mm
45013M	6 Point Deep Metric Socket 1/2" Drive 13 mm
45014M	6 Point Deep Metric Socket 1/2" Drive 14 mm
45015M	6 Point Deep Metric Socket 1/2" Drive 15 mm
45016M	6 Point Deep Metric Socket 1/2" Drive 16 mm
45017M	6 Point Deep Metric Socket 1/2" Drive 17 mm
45018M	6 Point Deep Metric Socket 1/2" Drive 18 mm
45019M	6 Point Deep Metric Socket 1/2" Drive 19 mm
45020M	6 Point Deep Metric Socket 1/2" Drive 20 mm
BP-1338QR	3/8" Drive Quick-Release Ratchet



40 PIECE 3/8" & 1/2" DRIVE COMBINATION SET**Item #: 978240**

- 40 piece fractional combination set with 3/8 inch drive sockets, 1/2 inch drive sockets, extensions, and pear head ratchet in a blow mold case.
- Weight (lbs): 7.91



Contents	Description
30010	6 Point Standard Inch Socket 3/8" Drive 5/16"
30608	6 Point Standard Inch Socket 3/8" Drive 1/4"
30612	6 Point Standard Inch Socket 3/8" Drive 3/8"
30614	6 Point Standard Inch Socket 3/8" Drive 7/16"
30616	6 Point Standard Inch Socket 3/8" Drive 1/2"
30618	6 Point Standard Inch Socket 3/8" Drive 9/16"
30620	6 Point Standard Inch Socket 3/8" Drive 5/8"
30622	6 Point Standard Inch Socket 3/8" Drive 11/16"
30624	6 Point Standard Inch Socket 3/8" Drive 3/4"
30626	6 Point Standard Inch Socket 3/8" Drive 13/16"
30628	6 Point Standard Inch Socket 3/8" Drive 7/8"
30630	6 Point Standard Inch Socket 3/8" Drive 15/16"
30632	6 Point Standard Inch Socket 3/8" Drive 1"
34966	3/8" Drive 3/8" x 1/2" Adapter
34984L	3/8" Drive Locking Extension 10"
34987L	3/8" Drive Locking Extension 6"
34988L	3/8" Drive Locking Extension 3"
40612	6 Point Standard Inch Socket 1/2" Drive 3/8"
40614	1/2" Drive Standard Inch Socket 7/16"
40616	6 Point Standard Inch Socket 1/2" Drive 1/2"

Contents	Description
40618	6 Point Standard Inch Socket 1/2" Drive 9/16"
40620	6 Point Standard Inch Socket 1/2" Drive 5/8"
40622	6 Point Standard Inch Socket 1/2" Drive 11/16"
40624	6 Point Standard Inch Socket 1/2" Drive 3/4"
40626	1/2" Drive Standard Inch Socket 13/16"
40628	1/2" Drive Standard Inch Socket 7/8"
40630	6 Point Standard Inch Socket 1/2" Drive 15/16"
40632	6 Point Standard Inch Socket 1/2" Drive 1"
BP-1338QR	3/8" Drive Quick-Release Ratchet
HW-1510	6 Point Deep Inch Socket 3/8" Drive 5/16"
HW-1512	6 Point Deep Inch Socket 3/8" Drive 3/8"
HW-1514	6 Point Deep Inch Socket 3/8" Drive 7/16"
HW-1516	6 Point Deep Inch Socket 3/8" Drive 1/2"
HW-1518	6 Point Deep Inch Socket 3/8" Drive 9/16"
HW-1520	6 Point Deep Inch Socket 3/8" Drive 5/8"
HW-1522	6 Point Deep Inch Socket 3/8" Drive 11/16"
HW-1524	6 Point Deep Inch Socket 3/8" Drive 3/4"
HW-1526	6 Point Deep Inch Socket 3/8" Drive 13/16"
HW-1528	6 Point Deep Inch Socket 3/8" Drive 7/8"
HW-1530	6 Point Deep Inch Socket 3/8" Drive 15/16"

40 PIECE 3/8" & 1/2" DRIVE METRIC COMBINATION SET

Item #: 978240M

- 40 piece metric combination set with 3/8 inch drive sockets, 1/2 inch drive sockets, extensions, and pear head ratchet in a blow mold case.
- Weight (lbs): 6.43



HAND SOCKETS

MIXED DRIVE SETS

Contents	Description
32007M	6 Point Standard Metric Socket 3/8" Drive 7 mm
32008M	6 Point Standard Metric Socket 3/8" Drive 8 mm
32009M	6 Point Standard Metric Socket 3/8" Drive 9 mm
32010M	6 Point Standard Metric Socket 3/8" Drive 10 mm
32011M	6 Point Standard Metric Socket 3/8" Drive 11 mm
32012M	6 Point Standard Metric Socket 3/8" Drive 12 mm
32013M	6 Point Standard Metric Socket 3/8" Drive 13 mm
32014M	6 Point Standard Metric Socket 3/8" Drive 14 mm
32015M	6 Point Standard Metric Socket 3/8" Drive 15 mm
32016M	6 Point Standard Metric Socket 3/8" Drive 16 mm
32017M	6 Point Standard Metric Socket 3/8" Drive 17 mm
32018M	6 Point Standard Metric Socket 3/8" Drive 18 mm
32019M	6 Point Standard Metric Socket 3/8" Drive 19 mm
34966	3/8" Drive 3/8" x 1/2" Adapter
34984L	3/8" Drive Locking Extension 10"
34987L	3/8" Drive Locking Extension 6"
34988L	3/8" Drive Locking Extension 3"
42010M	6 Point Standard Metric Socket 1/2" Drive 10 mm
42011M	6 Point Standard Metric Socket 1/2" Drive 11 mm
42012M	6 Point Standard Metric Socket 1/2" Drive 12 mm

Contents	Description
42013M	6 Point Standard Metric Socket 1/2" Drive 13 mm
42014M	6 Point Standard Metric Socket 1/2" Drive 14 mm
43015M	12 Point Standard Metric Socket 1/2" Drive 15 mm
43017M	6 Point Standard Metric Socket 1/2" Drive 17 mm
43019M	6 Point Standard Metric Socket 1/2" Drive 19 mm
43021M	6 Point Standard Metric Socket 1/2" Drive 21 mm
43022M	6 Point Standard Metric Socket 1/2" Drive 22 mm
43023M	6 Point Standard Metric Socket 1/2" Drive 23 mm
BP-1338QR	3/8" Drive Quick-Release Ratchet
HW-1507M	6 Point Deep Metric Socket 3/8" Drive 7 mm
HW-1508M	6 Point Deep Metric Socket 3/8" Drive 8 mm
HW-1509M	6 Point Deep Metric Socket 3/8" Drive 9 mm
HW-1510M	6 Point Deep Metric Socket 3/8" Drive 10 mm
HW-1511M	6 Point Deep Metric Socket 3/8" Drive 11 mm
HW-1512M	6 Point Deep Metric Socket 3/8" Drive 12 mm
HW-1513M	6 Point Deep Metric Socket 3/8" Drive 13 mm
HW-1514M	6 Point Deep Metric Socket 3/8" Drive 14 mm
HW-1515M	6 Point Deep Metric Socket 3/8" Drive 15 mm
HW-1517M	6 Point Deep Metric Socket 3/8" Drive 17 mm
HW-1518M	6 Point Deep Metric Socket 3/8" Drive 18 mm



25 PIECE 3/8" & 1/2" COMBINATION SET

Item #: 978225

- 25 piece fractional combination set with 3/8 inch drive sockets, 1/2 inch drive sockets, extensions, and pear head ratchet in a blow mold case.
- Weight (lbs): 4.54



Contents	Description
30010A	12 Point Standard Inch Socket 3/8" Drive 5/16"
30012	12 Point Standard Inch Socket 3/8" Drive 3/8"
30014	12 Point Standard Inch Socket 3/8" Drive 7/16"
30016	12 Point Standard Inch Socket 3/8" Drive 1/2"
30018	12 Point Standard Inch Socket 3/8" Drive 9/16"
30020	12 Point Standard Inch Socket 3/8" Drive 5/8"
30022	12 Point Standard Inch Socket 3/8" Drive 11/16"
30024	12 Point Standard Inch Socket 3/8" Drive 3/4"
30026	12 Point Standard Inch Socket 3/8" Drive 13/16"
30028	12 Point Standard Inch Socket 3/8" Drive 7/8"
300301	12 Point Standard Inch Socket 3/8" Drive 15/16"
300321	12 Point Standard Inch Socket 3/8" Drive 1"
34966	3/8" Drive 3/8" x 1/2" Adapter
34984L	3/8" Drive Locking Extension 10"
34987L	3/8" Drive Locking Extension 6"
40112	12 Point Standard Inch Socket 1/2" Drive 3/8"
40114	12 Point Standard Inch Socket 1/2" Drive 7/16"
40116	12 Point Standard Inch Socket 1/2" Drive 1/2"
40118	12 Point Standard Inch Socket 1/2" Drive 9/16"
40120	12 Point Standard Inch Socket 1/2" Drive 5/8"
40122	12 Point Standard Inch Socket 1/2" Drive 11/16"
40124	12 Point Standard Inch Socket 1/2" Drive 3/4"
40126	12 Point Standard Inch Socket 1/2" Drive 13/16"
40128	12 Point Standard Inch Socket 1/2" Drive 7/8"
BP-1338QR	3/8" Drive Quick-Release Ratchet

25 PIECE 3/8" & 1/2" DRIVE METRIC COMBINATION SET

Item #: 978225M

- 25 piece metric combination set with 3/8 inch drive sockets, 1/2 inch drive sockets, extensions, and pear head ratchet in a blow mold case.
- Weight (lbs): 3.94



Contents	Description
34007M	12 Point Standard Metric Socket 3/8" Drive 7 mm
34008M	12 Point Standard Metric Socket 3/8" Drive 8 mm
34009M	12 Point Standard Metric Socket 3/8" Drive 9 mm
34010M	12 Point Standard Metric Socket 3/8" Drive 10 mm
34011M	12 Point Standard Metric Socket 3/8" Drive 11 mm
34012M	12 Point Standard Metric Socket 3/8" Drive 12 mm
34013M	12 Point Standard Metric Socket 3/8" Drive 13 mm
34014M	12 Point Standard Metric Socket 3/8" Drive 14 mm
34015M	12 Point Standard Metric Socket 3/8" Drive 15 mm
34016M	12 Point Standard Metric Socket 3/8" Drive 16 mm
34017M	12 Point Standard Metric Socket 3/8" Drive 17 mm
34018M	12 Point Standard Metric Socket 3/8" Drive 18 mm
34966	3/8" Drive 3/8" x 1/2" Adapter
34984L	3/8" Drive Locking Extension 10"
34987L	3/8" Drive Locking Extension 6"
42015M	12 Point Standard Metric Socket 1/2" Drive 15 mm
42016M	12 Point Standard Metric Socket 1/2" Drive 16 mm
42017M	12 Point Standard Metric Socket 1/2" Drive 17 mm
42018M	12 Point Standard Metric Socket 1/2" Drive 18 mm
43010M	12 Point Standard Metric Socket 1/2" Drive 10 mm
43011M	12 Point Standard Metric Socket 1/2" Drive 11 mm
43012M	12 Point Standard Metric Socket 1/2" Drive 12 mm
43013M	12 Point Standard Metric Socket 1/2" Drive 13 mm
43014M	12 Point Standard Metric Socket 1/2" Drive 14 mm
BP-1338QR	3/8" Drive Quick-Release Ratchet



Slim head design allows access to confined areas



Seventy-two tooth reversing ratchet mechanism features a five-degree turning arc

Ergonomically designed, full polish chrome handle features a comfortable grip in repetitive and high load applications

	DRIVE SIZE			
	1/4"	3/8"	1/2"	3/4"
RATCHETS Quick-Release Pear Head	BP-1214QR	BP-1338QR	BP-1412QR	X
Pear Head	BP-1214	BP-1338	BP-1412	69945P
Quick-Release Round Head	GW-9955B	34946B	49946B	X
Round Head	GW-9945B	34945B	49945B	X
Rotator™	GW-9946R	34950R	X	X
Bent Handle Flex Head	X	34947B	X	X
Flex Head	GW-9935B	34935B	X	X
Mini Flex Head	X	34948B	X	X

QUICK-RELEASE PEAR HEAD RATCHETS

- 72 tooth fine gear ratcheting mechanism. Foreign Object Debris (FOD) Compliant, sealed head design. Ultra-compact head design. Ergonomic grip with molded branding.



Drive Size (in)	Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
1/4	72	4-1/2	0.18	BP-1214QR
3/8	72	7-1/2	0.53	BP-1338QR
1/2	72	10-5/16	1.09	BP-1412QR

ASME B107.10

PEAR HEAD RATCHETS

- 72 tooth fine gear ratcheting mechanism. Foreign Object Debris (FOD) Compliant, sealed head design. Ultra-compact head design. Ergonomic grip with molded branding. (Does not apply to 69945P)



Drive Size (in)	Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
1/4	72	4-1/2	0.18	BP-1214
3/8	72	7-1/2	0.54	BP-1338
1/2	72	10-5/16	1.11	BP-1412
3/4	24	20	5.71	69945P

ASME B107.10



QUICK-RELEASE ROUND HEAD RATCHETS

- Full polish. Chrome plated positive grip ratchet. Works easily in confined areas. Knurled speed ring means you can start the fastener without turning the handle.



Drive Size (in)	Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
1/4	43	5-3/4	0.31	GW-9955B
3/8	41	10-5/64	0.76	34946B
1/2	45	10-3/32	1.22	49946B

ASME B107.10M

BENT HANDLE FLEX HEAD RATCHET

Drive Size (in)	Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
3/8	41	10-27/32	1.01	34947B

ROUND HEAD RATCHETS

- Chrome plated positive grip ratchet. Works easily in confined areas. Knurled speed ring means you can start the fastener without turning the handle.



Drive Size (in)	Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
1/4	43	5-51/64	0.41	GW-9945B
3/8	41	10-5/64	0.79	34945B
1/2	45	10-3/32	1.34	49945B

ASME B107.10M

FLEX HEAD RATCHETS

- Features the same design as our round head ratchet. No grooves or ball bearing to wear out in the hinge. Springs in each of the forks of the hinge allow for infinite angles.



Drive Size (in)	Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
1/4	43	6-11/16	0.38	GW-9935B
3/8	41	11-5/32	0.98	34935B

ROTATOR RATCHETS

- Handle rotates 360° in either direction for rapid "twist-action" nut and fastener application and removal. Pear head design. Quick-release switch for fast socket removal.



Drive Size (in)	Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
1/4	60	7-1/4	0.50	GW-9946R
3/8	60	8-51/64	1.0	34950R

ASME B107.10M

MINI FLEX HEAD RATCHET

- This compact flex head ratchet allows you to reach places inaccessible to standard ratchets. Head design is the same as the 34945B.



Drive Size (in)	Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
3/8	41	5-29/32	0.62	34948B



SOCKET SPINNER



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	6-1/8	0.15	ST-SS1

FLEXIBLE SPINNER

- Flexible shaft permits reaching around obstructions.



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	6-5/8	0.14	GW-9545

FLEX HANDLES



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	5-27/32	0.24	GW-9749B
3/8	9-51/64	0.67	34986B
1/2	16-31/64	1.76	49988B
3/4	19	4.20	69998

ASME B107.10M

HEAVY-DUTY SLIDE T-HANDLE

- For driving manually operated sockets. Large leverage handle for comfortable application of force. Movable/slidable square drive. Final tightening can be done with both hands.



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
3/4	20	3.20	69997

ASME B107.10M

SPEEDER HANDLE



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	15-1/2	0.92	34982
1/2	17-51/64	1.76	49992

ASME B107.10M

LOCKING EXTENSIONS

- Push button locking mechanism. Overmolded protection cap prevents dust & debris from jamming mechanism. Stamped logo, part number & size markings.



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	4	0.10	GW-9898L
1/4	5-29/32	0.14	GW-9899L
3/8	3	0.18	34988L
3/8	5-7/8	0.32	34987L
3/8	9-53/64	0.51	34984L
1/2	2-61/64	0.3	49964L
1/2	5-15/16	0.57	49966L
1/2	9-7/8	0.96	49990L



EXTENSIONS



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	3	0.08	GW-9898
1/4	6	0.16	GW-9899
3/8	1-7/8	0.10	34989
3/8	2-15/16	0.16	34988
3/8	5-15/16	0.32	34987
3/8	11-15/16	0.63	34984
3/8	20	1.07	34983
1/2	2	0.21	49964
1/2	5-1/8	0.46	49966
1/2	10	0.90	49990
1/2	19	1.92	49972
3/4	4	0.87	69993
3/4	8-1/8	1.36	69995
3/4	16	2.43	69994

ASME B107.10M

UNIVERSAL JOINTS



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	1-7/16	0.06	GW-9578A
3/8	1-7/8	0.14	34993A
1/2	2-45/64	0.29	49978A

ASME B107.10M

ADAPTERS



Drive Size (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4 Female x 3/8 Male	1	0.04	34960
3/8 Female x 1/4 Male	1-1/2	0.06	34963
3/8 Female x 1/2 Male	1-7/16	0.10	34966
1/2 Female x 3/8 Male	1-7/16	0.13	34965
1/2 Female x 3/4 Male	11/16	0.25	69992
3/4 Female x 1/2 Male	1-7/8	0.28	49991
1 Female to 3/4 Male	2-7/8	1.33	69990

ASME B107.10M



1/4" DRIVE 27 PIECE STANDARD AND METRIC SET

Item #: 1427

• Weight (lbs): 2.1



Contents	Size	Overall Length (in)	Point Count
GW-1508	1/4	1-29/32	6
GW-1509	9/32	1-29/32	6
GW-1510	5/16	1-29/32	6
GW-1511	11/32	1-29/32	6
GW-1512	3/8	1-29/32	6
GW-1514	7/16	1-29/32	6
GW-1706	3/16	51/64	12
GW-1707	7/32	51/64	12
GW-1708	1/4	51/64	12
GW-1709	9/32	51/64	12
GW-1710	5/16	51/64	12
GW-1711	11/32	51/64	12
GW-1712	3/8	51/64	12
GW-1714	7/16	51/64	12
GW-1716	1/2	51/64	12
GW-604M	4 mm	51/64	6
GW-605M	5 mm	51/64	6
GW-606M	6 mm	51/64	6
GW-707M	7 mm	51/64	12
GW-708M	8 mm	51/64	12
GW-709M	9 mm	51/64	12
GW-710M	10 mm	51/64	12
GW-711M	11 mm	51/64	12
GW-712M	12 mm	51/64	12
GW-713M	13 mm	51/64	12
GW-9898	1/4" Drive 3" Extension		
GW-9945B	1/4" Drive Round Head Knurled Reversible Ratchet		

1/4" DRIVE 12 PIECE METRIC SOCKET SET

Item #: 112-MNB

• Weight (lbs): 0.62



Contents	Size (mm)	Overall Length (in)	Point Count
GW-604M	4 mm	51/64	6
GW-645M	4.5 mm	51/64	6
GW-605M	5 mm	51/64	6
GW-655M	5.5 mm	51/64	6
GW-606M	6 mm	51/64	6
GW-607M	7 mm	51/64	6
GW-608M	8 mm	51/64	6
GW-609M	9 mm	51/64	6
GW-610M	10 mm	51/64	6
GW-611M	11 mm	51/64	6
GW-612M	12 mm	51/64	6
GW-613M	13 mm	51/64	6
Clip Rail			

1/4" DRIVE 10 PIECE STANDARD SOCKET SET

Item #: 110-A

• Weight (lbs): 0.5



Contents	Size (in)	Overall Length (in)	Point Count
GW-1705	5/32	51/64	12
GW-1706	3/16	51/64	12
GW-1707	7/32	51/64	12
GW-1708	1/4	51/64	12
GW-1709	9/32	51/64	12
GW-1710	5/16	51/64	12
GW-1711	11/32	51/64	12
GW-1712	3/8	51/64	12
GW-1714	7/16	51/64	12
GW-1716	1/2	51/64	12
Clip Rail			

1/4" DRIVE SOCKETS

1/4" DRIVE SETS



1/4" DRIVE 10 PIECE STANDARD SOCKET SET

Item #: 110-CNB

• Weight (lbs): 0.54



Contents	Size (in)	Overall Length (in)	Point Count
GW-1605	5/32	51/64	6
GW-1606	3/16	51/64	6
GW-1607	7/32	51/64	6
GW-1608	1/4	51/64	6
GW-1609	9/32	51/64	6
GW-1610	5/16	51/64	6
GW-1611	11/32	51/64	6
GW-1612	3/8	51/64	6
GW-1614	7/16	51/64	6
GW-1616	1/2	51/64	6
Clip Rail			

1/4" DRIVE 10 PIECE METRIC DEEP SOCKET SET

Item #: 110-CM

• Weight (lbs): 1.0



Contents	Size (mm)	Overall Length (in)	Point Count
GW-504M	4 mm	1-29/32	6
GW-505M	5 mm	1-29/32	6
GW-506M	6 mm	1-29/32	6
GW-507M	7 mm	1-29/32	6
GW-508M	8 mm	1-29/32	6
GW-509M	9 mm	1-29/32	6
GW-510M	10 mm	1-29/32	6
GW-511M	11 mm	1-29/32	6
GW-512M	12 mm	1-29/32	6
GW-513M	13 mm	1-29/32	6
Clip Rail			

1/4" DRIVE 10 PIECE METRIC SOCKET SET

Item #: 1412-6M

• Weight (lbs): 0.5



Contents	Size (mm)	Overall Length (in)	Point Count
GW-705M	5 mm	51/64	12
GW-755M	5.5 mm	51/64	12
GW-706M	6 mm	51/64	12
GW-707M	7 mm	51/64	12
GW-708M	8 mm	51/64	12
GW-709M	9 mm	51/64	12
GW-710M	10 mm	51/64	12
GW-711M	11 mm	51/64	12
GW-712M	12 mm	51/64	12
GW-713M	13 mm	51/64	12
Clip Rail			

1/4" DRIVE 9 PIECE METRIC DEEP SOCKET SET

Item #: 110-AM

• Weight (lbs): 1.0



Contents	Size (mm)	Overall Length (in)	Point Count
GW-1605M	5 mm	1-29/32	12
GW-1606M	6 mm	1-29/32	12
GW-1607M	7 mm	1-29/32	12
GW-1608M	8 mm	1-29/32	12
GW-1609M	9 mm	1-29/32	12
GW-1610M	10 mm	1-29/32	12
GW-1611M	11 mm	1-29/32	12
GW-1612M	12 mm	1-29/32	12
GW-1613M	13 mm	1-29/32	12
Clip Rail			



1/4" DRIVE 7 PIECE STANDARD DEEP SOCKET SET

Item #: 107-A

• Weight (lbs): 0.7



Contents	Size (in)	Overall Length (in)	Point Count
GW-1408	1/4	1-29/32	12
GW-1409	9/32	1-29/32	12
GW-1410	5/16	1-29/32	12
GW-1411	11/32	1-29/32	12
GW-1412	3/8	1-29/32	12
GW-1414	7/16	1-29/32	12
GW-1416	1/2	1-29/32	12
Clip Rail			

1/4" DRIVE 7 PIECE STANDARD DEEP SOCKET SET

Item #: 107-CNB

• Weight (lbs): 0.58



Contents	Size (in)	Overall Length (in)	Point Count
GW-1508	1/4	1-29/32	6
GW-1509	9/32	1-29/32	6
GW-1510	5/16	1-29/32	6
GW-1511	11/32	1-29/32	6
GW-1512	3/8	1-29/32	6
GW-1514	7/16	1-29/32	6
GW-1516	1/2	1-29/32	6
Clip Rail			

1/4" DRIVE PEAR HEAD QUICK-RELEASE RATCHET

• 72 tooth fine gear ratcheting mechanism. FOD Compliant, sealed head design. Ultra-compact head design. Ergonomic grip with molded branding.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
72	4-1/2	0.18	BP-1214QR

ASME B107.10

1/4" DRIVE ROUND HEAD QUICK-RELEASE RATCHET

• Full polish. Chrome plated positive grip ratchet. 43 tooth design, double pawl. 8.4 degrees of arc required for new "bite." Works easily in confined areas. Knurled speed ring means you can start the fastener without turning the handle.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
43	5-3/4	0.31	GW-9955B

ASME B107.10M

1/4" DRIVE PEAR HEAD RATCHET

• 72 tooth fine gear ratcheting mechanism. FOD Compliant, sealed head design. Ultra-compact head design. Ergonomic grip with molded branding.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
72	4-1/2	0.18	BP-1214

ASME B107.10

1/4" DRIVE ROUND HEAD RATCHET

• Chrome plated positive grip ratchet. 43 tooth design. Works easily in confined areas. Knurled speed ring means you can start the fastener without turning the handle.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
43	5-51/64	0.41	GW-9945B

ASME B107.10M



1/4" DRIVE FLEX HEAD RATCHET

- Features the same design as our standard ratchet (GW-9945B). No grooves or ball bearing to wear out in the hinge. Springs in each of the forks of the hinge allow for infinite angles.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
43	6-11/16	0.38	GW-9935B
	Repair Kit		GW-9945BR

1/4" DRIVE LOCKING EXTENSIONS

- Push button locking mechanism. Overmolded protection cap prevents dust & debris from jamming mechanism. Stamped logo, part number & size markings.



Overall Length (in)	Weight (lbs)	Item No.
4	0.10	GW-9898L
5-29/32	0.14	GW-9899L

1/4" DRIVE ROTATOR RATCHET

- Handle rotates 360° in either direction for rapid "twist-action" nut and fastener application and removal. Pear head design. Quick-release switch for fast socket removal.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
60	7-1/4	0.50	GW-9946R

ASME B107.10M

1/4" DRIVE EXTENSIONS



Overall Length (in)	Drive End Diameter (in)	Weight (lbs)	Item No.
3	1/2	0.08	GW-9898
6	1/2	0.16	GW-9899

ASME B107.10M

1/4" DRIVE FLEX HANDLE



Overall Length (in)	Weight (lbs)	Item No.
5-27/32	0.24	GW-9749B

ASME B107.10M

1/4" DRIVE FLEXIBLE SPINNER

- Flexible shaft permits reaching around obstructions.



Overall Length (in)	Weight (lbs)	Item No.
6-5/8	0.14	GW-9545

1/4" DRIVE SOCKET SPINNER



Tips	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Ball Lock	1/4	1-31/32	6-1/8	0.15	ST-SS1



1/4" DRIVE UNIVERSAL JOINT



Drive End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
1/2	1-7/16	0.06	GW-9578A

ASME B107.10M

1/4" DRIVE ADAPTER



Female/Male Diameter (in)	Drive End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4 to 3/8	1/2	1	0.04	34960

ASME B107.10M



1/4" DRIVE SOCKETS - 6 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
5/32	15/32	17/64	51/64	0.03	GW-1605
3/16	15/32	5/16	51/64	0.03	GW-1606
7/32	15/32	21/64	51/64	0.03	GW-1607
1/4	15/32	3/8	51/64	0.03	GW-1608
9/32	15/32	27/64	51/64	0.03	GW-1609
5/16	15/32	15/32	51/64	0.03	GW-1610
11/32	33/64	33/64	51/64	0.04	GW-1611
3/8	9/16	9/16	51/64	0.04	GW-1612
7/16	5/8	5/8	51/64	0.05	GW-1614
1/2	11/16	11/16	51/64	0.05	GW-1616

ASME B107.1

1/4" DRIVE METRIC SOCKETS - 6 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
4 mm	15/32	17/64	51/64	0.02	GW-604M
4.5 mm	15/32	5/16	51/64	0.03	GW-645M
5 mm	15/32	5/16	51/64	0.03	GW-605M
5.5 mm	15/32	21/64	51/64	0.03	GW-655M
6 mm	15/32	3/8	51/64	0.03	GW-606M
7 mm	15/32	27/64	51/64	0.03	GW-607M
8 mm	15/32	15/32	51/64	0.03	GW-608M
9 mm	33/64	33/64	51/64	0.03	GW-609M
10 mm	37/64	37/64	51/64	0.04	GW-610M
11 mm	5/8	5/8	51/64	0.06	GW-611M
12 mm	21/32	21/32	51/64	0.06	GW-612M
13 mm	11/16	11/16	51/64	0.06	GW-613M

ASME B107.5M

1/4" DRIVE DEEP SOCKETS - 6 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/16	29/64	5/16	1-29/32	0.06	GW-1506
7/32	29/64	11/32	1-29/32	0.06	GW-1507
1/4	29/64	25/64	1-29/32	0.06	GW-1508
9/32	29/64	7/16	1-29/32	0.06	GW-1509
5/16	29/64	29/64	1-29/32	0.06	GW-1510
11/32	1/2	1/2	1-29/32	0.08	GW-1511
3/8	9/16	9/16	1-29/32	0.09	GW-1512
7/16	39/64	39/64	1-29/32	0.10	GW-1514
1/2	11/16	11/16	1-29/32	0.12	GW-1516

ASME B107.1M



1/4" DRIVE DEEP METRIC SOCKETS - 6 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
4 mm	29/64	9/32	1-29/32	0.05	GW-504M
5 mm	29/64	5/16	1-29/32	0.06	GW-505M
6 mm	29/64	3/8	1-29/32	0.06	GW-506M
7 mm	29/64	27/64	1-29/32	0.06	GW-507M
8 mm	29/64	29/64	1-29/32	0.06	GW-508M
9 mm	33/64	33/64	1-29/32	0.07	GW-509M
10 mm	37/64	37/64	1-29/32	0.09	GW-510M
11 mm	5/8	5/8	1-29/32	0.10	GW-511M
12 mm	21/32	21/32	1-29/32	0.11	GW-512M
13 mm	45/64	45/64	1-29/32	0.11	GW-513M

ASME B107.5M

1/4" DRIVE SOCKETS - 8 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	15/32	15/32	51/64	0.02	GW-1208
5/16	9/16	9/16	51/64	0.04	GW-1210
3/8	21/32	21/32	51/64	0.06	GW-1212

ASME B107.1

1/4" DRIVE SOCKETS - 12 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
5/32	15/32	17/64	51/64	0.02	GW-1705
3/16	15/32	5/16	51/64	0.03	GW-1706
7/32	15/32	21/64	51/64	0.03	GW-1707
1/4	15/32	3/8	51/64	0.03	GW-1708
9/32	15/32	27/64	51/64	0.03	GW-1709
5/16	15/32	15/32	51/64	0.04	GW-1710
11/32	33/64	33/64	51/64	0.04	GW-1711
3/8	9/16	9/16	51/64	0.05	GW-1712
7/16	5/8	5/8	51/64	0.05	GW-1714
1/2	11/16	11/16	51/64	0.06	GW-1716

ASME B107.1



1/4" DRIVE METRIC SOCKETS - 12 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
5 mm	15/32	5/16	51/64	0.01	GW-705M
5.5 mm	15/32	5/16	51/64	0.02	GW-755M
6 mm	15/32	3/8	51/64	0.02	GW-706M
7 mm	15/32	27/64	51/64	0.02	GW-707M
8 mm	15/32	15/32	51/64	0.02	GW-708M
9 mm	33/64	33/64	51/64	0.03	GW-709M
10 mm	37/64	37/64	51/64	0.04	GW-710M
11 mm	5/8	5/8	51/64	0.05	GW-711M
12 mm	21/32	21/32	51/64	0.05	GW-712M
13 mm	11/16	11/16	51/64	0.06	GW-713M

ASME B107.5M

1/4" DRIVE DEEP SOCKETS - 12 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/16	29/64	5/16	1-29/32	0.02	GW-1406
7/32	29/64	11/32	1-29/32	0.02	GW-1407
1/4	29/64	25/64	1-29/32	0.02	GW-1408
9/32	29/64	7/16	1-29/32	0.02	GW-1409
5/16	29/64	29/64	1-29/32	0.02	GW-1410
11/32	1/2	1/2	1-29/32	0.02	GW-1411
3/8	9/16	9/16	1-29/32	0.03	GW-1412
7/16	5/8	5/8	1-29/32	0.03	GW-1414
1/2	11/16	11/16	1-29/32	0.04	GW-1416

ASME B107.1

1/4" DRIVE DEEP METRIC SOCKETS - 12 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
5 mm	29/64	5/16	1-29/32	0.07	GW-1605M
6 mm	29/64	3/8	1-29/32	0.09	GW-1606M
7 mm	29/64	27/64	1-29/32	0.09	GW-1607M
8 mm	29/64	29/64	1-29/32	0.15	GW-1608M
9 mm	33/64	33/64	1-29/32	0.06	GW-1609M
10 mm	37/64	37/64	1-29/32	0.04	GW-1610M
11 mm	5/8	5/8	1-29/32	0.04	GW-1611M
12 mm	21/32	21/32	1-29/32	0.10	GW-1612M
13 mm	45/64	45/64	1-29/32	0.11	GW-1613M

ASME B107.5M



3/8" DRIVE 34 PIECE STANDARD AND METRIC SET

Item #: 9934

• Weight (lbs): 8.2



3/8" DRIVE 30 PIECE METRIC SET WITH INDEXIBLE RATCHET

Item #: 9930X

• Weight (lbs): 8.1



Contents	Size	Overall Length (in)	Point Count
30010A	5/16	29/32	12
30012	3/8	29/32	12
30014	7/16	29/32	12
30016	1/2	29/32	12
30018	9/16	1	12
30020	5/8	1	12
30022	11/16	1	12
30024	3/4	1-3/32	12
30026	13/16	1-13/64	12
30028	7/8	1-13/64	12
34008M	8 mm	29/32	12
34009M	9 mm	29/32	12
34010M	10 mm	29/32	12
34011M	11 mm	29/32	12
34012M	12 mm	1	12
34013M	13 mm	1	12
34014M	14 mm	1	12
34015M	15 mm	1	12
34017M	17 mm	1	12
34018M	18 mm	1-3/32	12
34019M	19 mm	1-3/32	12
30412	3/8	1-51/64	12
30414	7/16	1-51/64	12
30416	1/2	1-51/64	12
30418	9/16	2	12
30420	5/8	2-3/32	12
30422	11/16	2-13/64	12
30424	3/4	2-13/64	12
30426	13/16	2-1/2	12
30428	7/8	2-1/2	12
34988	3/8" Drive 3" Extension		
34987	3/8" Drive 6" Extension		
34993A	3/8" Drive Universal Joint		
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		

Contents	Size	Overall Length (in)	Point Count
30608	1/4	29/32	6
30010	5/16	29/32	6
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
32010M	10 mm	29/32	6
32011M	11 mm	29/32	6
32012M	12 mm	1	6
32013M	13 mm	1	6
32014M	14 mm	1	6
32015M	15 mm	1	6
32016M	16 mm	1	6
32017M	17 mm	1	6
32018M	18 mm	1-3/32	6
32019M	19 mm	1-3/32	6
HW-1512	3/8	1-13/16	6
HW-1514	7/16	1-13/16	6
HW-1516	1/2	1-13/16	6
HW-1518	9/16	1-63/64	6
HW-1510M	10 mm	1-51/64	6
HW-1511M	11 mm	1-53/64	6
HW-1512M	12 mm	1-51/64	6
HW-1514M	14 mm	2-1/64	6
34950X	3/8" Drive Indexible Head Ratchet		
34987	3/8" Drive 6" Extension		

HAND TOOLS

3/8" DRIVE SETS



3/8" DRIVE 29 PIECE METRIC SET

Item #: 3829-M

• Weight (lbs): 8.1



Contents	Size (mm)	Overall Length (in)	Point Count
34008M	8 mm	29/32	12
34009M	9 mm	29/32	12
34010M	10 mm	29/32	12
34011M	11 mm	29/32	12
34012M	12 mm	1	12
34013M	13 mm	1	12
34014M	14 mm	1	12
34015M	15 mm	1	12
34016M	16 mm	1	12
34017M	17 mm	1	12
34018M	18 mm	1-3/32	12
34019M	19 mm	1-3/32	12
HW-1608M	8 mm	2-1/8	12
HW-1609M	9 mm	2-1/8	12
HW-1610M	10 mm	2-9/64	12
HW-1611M	11 mm	2-1/8	12
HW-1612M	12 mm	2-9/64	12
HW-1613M	13 mm	2-9/64	12
HW-1614M	14 mm	2-9/64	12
HW-1615M	15 mm	2-3/4	12
HW-1616M	16 mm	2-3/4	12
HW-1617M	17 mm	2-3/4	12
HW-1618M	18 mm	2-49/64	12
HW-1619M	19 mm	2-49/64	12
34987		3/8" Drive 6" Extension	
34988		3/8" Drive 3" Extension	
34993A		3/8" Drive Universal Joint	
34945B		3/8" Drive Round Head Knurled Reversible Ratchet	
34986B		3/8" Drive Flex Handle	

3/8" DRIVE 24 PIECE METRIC SET

Item #: 3824-MNB

• Weight (lbs): 0.75



Contents	Size (mm)	Overall Length (in)	Point Count
HW-1510M	10 mm	1-51/64	6
HW-1511M	11 mm	1-53/64	6
HW-1512M	12 mm	1-51/64	6
HW-1513M	13 mm	1-53/64	6
HW-1514M	14 mm	2-1/64	6
HW-1515M	15 mm	2-7/64	6
HW-1517M	17 mm	2-13/64	6
HW-1519M	19 mm	2-7/32	6
32007M	7 mm	29/32	6
32008M	8 mm	29/32	6
32009M	9 mm	29/32	6
32010M	10 mm	29/32	6
32011M	11 mm	29/32	6
32012M	12 mm	1	6
32013M	13 mm	1	6
32014M	14 mm	1	6
32015M	15 mm	1	6
32016M	16 mm	1	6
32017M	17 mm	1	6
32018M	18 mm	1-3/32	6
32019M	19 mm	1-3/32	6
HW-1520S		3/8" Drive Spark Plug Socket 5/8"	
34988		3/8" Drive 3" Extension	
34945B		3/8" Drive Round Head Knurled Reversible Ratchet	



3/8" DRIVE 20 PIECE STANDARD SET

Item #: 3820NB

• Weight (lbs): 5.5



3/8" DRIVE 20 PIECE STANDARD SET

Item #: 3820-S

• Weight (lbs): 5.5



Contents	Size (in)	Overall Length (in)	Point Count
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
30628	7/8	1-13/64	6
HW-1512	3/8	1-13/16	6
HW-1514	7/16	1-13/16	6
HW-1516	1/2	1-13/16	6
HW-1518	9/16	1-63/64	6
HW-1520	5/8	2-7/64	6
HW-1522	11/16	2-7/32	6
HW-1524	3/4	2-7/32	6
HW-1526	13/16	2-33/64	6
34987	3/8" Drive 6" Extension		
34988	3/8" Drive 3" Extension		
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		

Contents	Size (in)	Overall Length (in)	Point Count
30412	3/8	1-51/64	12
30414	7/16	1-51/64	12
30416	1/2	1-51/64	12
30418	9/16	2	12
30420	5/8	2-3/32	12
30422	11/16	2-13/64	12
30424	3/4	2-13/64	12
30426	13/16	2-1/2	12
30014	7/16	29/32	12
30016	1/2	29/32	12
30018	9/16	1	12
30020	5/8	1	12
30022	11/16	1	12
30024	3/4	1-3/32	12
30026	13/16	1-13/64	12
30012	3/8	29/32	12
30028	7/8	1-13/64	12
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		
34988	3/8" Drive 3" Extension		
34987	3/8" Drive 6" Extension		

HAND SCREWDRIVERS

3/8" DRIVE SETS



3/8" DRIVE 19 PIECE STANDARD SET

Item #: 3819-DS

• Weight (lbs): 4.3



Contents	Size (in)	Overall Length (in)	Point Count
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
30628	7/8	1-13/64	6
HW-1512	3/8	1-13/16	6
HW-1514	7/16	1-13/16	6
HW-1516	1/2	1-13/16	6
HW-1518	9/16	1-63/64	6
HW-1522	11/16	2-7/32	6
HW-1524	3/4	2-7/32	6
HW-1520S	3/8" Drive Spark Plug Socket 5/8"		
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		
34988	3/8" Drive 3" Extension		
34987	3/8" Drive 6" Extension		

3/8" DRIVE 18 PIECE METRIC SET

Item #: 3818-M

• Weight (lbs): 3.4



Contents	Size (mm)	Overall Length (in)	Point Count
32007M	7 mm	29/32	6
32008M	8 mm	29/32	6
32009M	9 mm	29/32	6
32010M	10 mm	29/32	6
32011M	11 mm	29/32	6
32012M	12 mm	1	6
32013M	13 mm	1	6
32014M	14 mm	1	6
32015M	15 mm	1	6
32016M	16 mm	1	6
32017M	17 mm	1	6
32018M	18 mm	1-3/32	6
32019M	19 mm	1-3/32	6
HW-1520S	3/8" Drive Spark Plug Socket 5/8"		
34987	3/8" Drive 6" Extension		
34988	3/8" Drive 3" Extension		
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		
34986B	3/8" Drive Flex Handle		



3/8" DRIVE 16 PIECE STANDARD AND METRIC SET

Item #: 3816-MS

• Weight (lbs): 9.6



Contents	Size	Overall Length (in)	Point Count
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
32010M	10 mm	29/32	6
32011M	11 mm	29/32	6
32012M	12 mm	1	6
32013M	13 mm	1	6
32014M	14 mm	1	6
32015M	15 mm	1	6
32017M	17 mm	1	6
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		
34988	3/8" Drive 3" Extension		

3/8" DRIVE 14 PIECE STANDARD SET

Item #: 3814ANB

• Weight (lbs): 1.1



Contents	Size (in)	Overall Length (in)	Point Count
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
30628	7/8	1-13/64	6
HW-1520S	3/8" Drive Spark Plug Socket 5/8"		
34988	3/8" Drive 3" Extension		
34987	3/8" Drive 6" Extension		
34986B	3/8" Drive Flex Handle		
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		

3/8" DRIVE 11 PIECE STANDARD SET

Item #: 3811NB

• Weight (lbs): 1.3



Contents	Size (in)	Overall Length (in)	Point Count
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
30628	7/8	1-13/64	6
34988	3/8" Drive 3" Extension		
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		

HAND SOCKETS

3/8" DRIVE SETS



3/8" DRIVE 11 PIECE METRIC SET

Item #: 3811-MNB

• Weight (lbs): 1.3



Contents	Size (mm)	Overall Length (in)	Point Count
32007M	7 mm	29/32	6
32008M	8 mm	29/32	6
32009M	9 mm	29/32	6
32010M	10 mm	29/32	6
32012M	12 mm	1	6
32013M	13 mm	1	6
32014M	14 mm	1	6
32017M	17 mm	1	6
32019M	19 mm	1-3/32	6
34988	3/8" Drive 3" Extension		
34945B	3/8" Drive Round Head Knurled Reversible Ratchet		

3/8" DRIVE 24 PIECE METRIC SOCKET SET

Item #: 8924MNB

• Weight (lbs): 3.34



Contents	Size (mm)	Overall Length (in)	Point Count
32007M	7 mm	29/32	6
32008M	8 mm	29/32	6
32009M	9 mm	29/32	6
32010M	10 mm	29/32	6
32011M	11 mm	29/32	6
32012M	12 mm	1	6
32013M	13 mm	1	6
32014M	14 mm	1	6
32015M	15 mm	1	6
32016M	16 mm	1	6
32017M	17 mm	1	6
32018M	18 mm	1-3/32	6
32019M	19 mm	1-3/32	6
32020M	20 mm	1-13/64	6
32021M	21 mm	1-13/64	6
32022M	22 mm	1-13/64	6
HW-1510M	10 mm	1-51/64	6
HW-1511M	11 mm	1-53/64	6
HW-1512M	12 mm	1-51/64	6
HW-1513M	13 mm	1-53/64	6
HW-1514M	14 mm	2-1/64	6
HW-1515M	15 mm	2-7/64	6
HW-1517M	17 mm	2-13/64	6
HW-1519M	19 mm	2-7/32	6

3/8" DRIVE 21 PIECE STANDARD SOCKET SET

Item #: 8921NB

• Weight (lbs): 3.85



Contents	Size (in)	Overall Length (in)	Point Count
30010	5/16	29/32	6
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
30628	7/8	1-13/64	6
30630	15/16	1-13/64	6
30632	1"	1-13/32	6
HW-1512	3/8	1-13/16	6
HW-1514	7/16	1-13/16	6
HW-1516	1/2	1-13/16	6
HW-1518	9/16	1-63/64	6
HW-1520	5/8	2-7/64	6
HW-1522	11/16	2-7/32	6
HW-1524	3/4	2-7/32	6
HW-1526	13/16	2-33/64	6
HW-1528	7/8	2-1/2	6



3/8" DRIVE 13 PIECE STANDARD SOCKET SET WITH INDEXIBLE RATCHET

Item #: 9913X

• Weight (lbs): 2.5



Contents	Size (in)	Overall Length (in)	Point Count
30010	5/16	29/32	6
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
30628	7/8	1-13/64	6
30630	15/16	1-13/64	6
34950X	3/8" Drive Indexible Head Ratchet		
34988	3/8" Drive 3" Extension		

3/8" 13 PIECE METRIC SOCKET SET

Item #: 213-BNB

• Weight (lbs): 1.0



Contents	Size (mm)	Overall Length (in)	Point Count
32007M	7 mm	29/32	6
32008M	8 mm	29/32	6
32009M	9 mm	29/32	6
32010M	10 mm	29/32	6
32011M	11 mm	29/32	6
32012M	12 mm	1	6
32013M	13 mm	1	6
32014M	14 mm	1	6
32015M	15 mm	1	6
32016M	16 mm	1	6
32017M	17 mm	1	6
32018M	18 mm	1-3/32	6
32019M	19 mm	1-3/32	6
Clip Rail			

3/8" DRIVE 12 PIECE METRIC SOCKET SET

Item #: 3812-M

• Weight (lbs): 0.95



Contents	Size (mm)	Overall Length (in)	Point Count
34008M	8 mm	29/32	12
34009M	9 mm	29/32	12
34010M	10 mm	29/32	12
34011M	11 mm	29/32	12
34012M	12 mm	1	12
34013M	13 mm	1	12
34014M	14 mm	1	12
34015M	15 mm	1	12
34016M	16 mm	1	12
34017M	17 mm	1	12
34018M	18 mm	1-3/32	12
34019M	19 mm	1-3/32	12
Clip Rail			

14mm sockets

3/8" DRIVE SETS



3/8" DRIVE 9 PIECE STANDARD SOCKET SET

Item #: 3809-6

• Weight (lbs): 1.2



Contents	Size (in)	Overall Length (in)	Point Count
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
30628	7/8	1-13/64	6
Clip Rail			

3/8" DRIVE 9 PIECE STANDARD DEEP SOCKET SET

Item #: 3809-D6

• Weight (lbs): 1.7



Contents	Size (in)	Overall Length (in)	Point Count
30412	3/8	1-51/64	12
30414	7/16	1-51/64	12
30416	1/2	1-51/64	12
30418	9/16	2	12
30420	5/8	2-3/32	12
30422	11/16	2-13/64	12
30424	3/4	2-13/64	12
30426	13/16	2-1/2	12
30428	7/8	2-1/2	12
Clip Rail			

3/8" DRIVE 9 PIECE STANDARD SOCKET SET

Item #: 3809-B

• Weight (lbs): 1.2



Contents	Size (in)	Overall Length (in)	Point Count
30012	3/8	29/32	12
30014	7/16	29/32	12
30016	1/2	29/32	12
30018	9/16	1	12
30020	5/8	1	12
30022	11/16	1	12
30024	3/4	1-3/32	12
30026	13/16	1-13/64	12
30028	7/8	1-13/64	12
Clip Rail			

3/8" DRIVE 9 PIECE STANDARD DEEP SOCKET SET

Item #: 3809-DS

• Weight (lbs): 1.7



Contents	Size (in)	Overall Length (in)	Point Count
HW-1512	3/8	1-13/16	6
HW-1514	7/16	1-13/16	6
HW-1516	1/2	1-13/16	6
HW-1518	9/16	1-63/64	6
HW-1520	5/8	2-7/64	6
HW-1522	11/16	2-7/32	6
HW-1524	3/4	2-7/32	6
HW-1526	13/16	2-33/64	6
HW-1528	7/8	2-1/2	6
Clip Rail			



3/8" DRIVE 8 PIECE STANDARD SOCKET SET

Item #: 208-M

• Weight (lbs): 1.1



Contents	Size (in)	Overall Length (in)	Point Count
30612	3/8	29/32	6
30614	7/16	29/32	6
30616	1/2	1	6
30618	9/16	1	6
30620	5/8	1	6
30622	11/16	1	6
30624	3/4	1-3/32	6
30626	13/16	1-13/64	6
Clip Rail			

3/8" DRIVE 8 PIECE METRIC DEEP SOCKET SET

Item #: 202-C

• Weight (lbs): 1.6



Contents	Size (mm)	Overall Length (in)	Point Count
HW-1610M	10 mm	2-9/64	12
HW-1611M	11 mm	2-1/8	12
HW-1612M	12 mm	2-9/64	12
HW-1613M	13 mm	2-9/64	12
HW-1614M	14 mm	2-9/64	12
HW-1615M	15 mm	2-3/4	12
HW-1617M	17 mm	2-3/4	12
HW-1619M	19 mm	2-49/64	12
Clip Rail			

3/8" DRIVE 8 PIECE STANDARD DEEP SOCKET SET

Item #: 209-CNB

• Weight (lbs): 1.5



Contents	Size (in)	Overall Length (in)	Point Count
HW-1512	3/8	1-13/16	6
HW-1514	7/16	1-13/16	6
HW-1516	1/2	1-13/16	6
HW-1518	9/16	1-63/64	6
HW-1520	5/8	2-7/64	6
HW-1522	11/16	2-7/32	6
HW-1524	3/4	2-7/32	6
HW-1526	13/16	2-33/64	6
Clip Rail			

3/8" DRIVE 8 PIECE METRIC DEEP SOCKET SET

Item #: 206-CNB

• Weight (lbs): 1.6



Contents	Size (mm)	Overall Length (in)	Point Count
HW-1510M	10 mm	1-51/64	6
HW-1511M	11 mm	1-53/64	6
HW-1512M	12 mm	1-51/64	6
HW-1513M	13 mm	1-53/64	6
HW-1514M	14 mm	2-1/64	6
HW-1515M	15 mm	2-7/64	6
HW-1517M	17 mm	2-13/64	6
HW-1519M	19 mm	2-7/32	6
Clip Rail			



3/8" DRIVE 5 PIECE STANDARD SOCKET SET

Item #: 218-BNB

• Weight (lbs): 0.58



Contents	Size (in)	Overall Length (in)	Point Count
31108	1/4	29/32	8
31110	5/16	29/32	8
31112	3/8	29/32	8
31114	7/16	29/32	8
31116	1/2	1	8
Clip Rail			

3/8" DRIVE 7 PIECE METRIC UNIVERSAL SOCKET SET

Item #: 207-M

• Weight (lbs): 1.2



Contents	Size (mm)	Overall Length (in)	Point Count
30209HAM	9 mm	1-45/64	6
30210HAM	10 mm	1-51/64	6
30211HAM	11 mm	1-51/64	6
30212HAM	12 mm	1-51/64	6
30213HAM	13 mm	1-29/32	6
30214HAM	14 mm	1-29/32	6
30215HAM	15 mm	2	6
Clip Rail			

3/8" DRIVE 7 PIECE UNIVERSAL SOCKET SET

Item #: 208-CNB

• Weight (lbs): 1.2



Contents	Size (in)	Overall Length (in)	Point Count
30212HA	3/8	1-45/64	6
30214HA	7/16	1-51/64	6
30216HA	1/2	1-51/64	6
30218HA	9/16	1-51/64	6
30220HA	5/8	1-29/32	6
30222HA	11/16	1-29/32	6
30224HA	3/4	2	6
Clip Rail			



10 PIECE 3/8" DRIVE CROWFOOT SET

Item #: BCF-50NB

• Weight (lbs): 1.27



Contents	Size (in)	Overall Length (in)
BCF-12	3/8	1-7/32
BCF-14	7/16	1-3/16
BCF-16	1/2	1-11/32
BCF-18	9/16	1-5/16
BCF-20	5/8	1-33/64
BCF-22	11/16	1-31/64
BCF-24	3/4	2-11/16
BCF-26	13/16	3-11/16
BCF-28	7/8	4-11/16
BCF-32	1	1-47/64
Clip Rail		

3/8" DRIVE 10 PIECE METRIC CROWFOOT SET

Item #: BCF-50MNB

• Weight (lbs): 1.11



Contents	Size (mm)	Overall Length (in)
BCF-10M	10 mm	1-7/32
BCF-11M	11 mm	1-7/32
BCF-12M	12 mm	1-11/32
BCF-13M	13 mm	1-11/32
BCF-14M	14 mm	1-11/32
BCF-15M	15 mm	1-33/64
BCF-17M	17 mm	1-33/64
BCF-19M	19 mm	1-11/16
BCF-21M	21 mm	1-11/16
BCF-22M	22 mm	1-11/16
Clip Rail		

12 PIECE 3/8" DRIVE HEX BIT SOCKET SET - SAE

Item #: HW-9412S

• Weight (lbs): 0.95



Contents	Size (in)	Overall Length (in)
HW-9438-2	1/16	1-51/64
HW-9439-2	5/64	1-13/16
HW-9440-2	3/32	1-53/64
HW-9441-2	7/64	1-13/16
HW-9442-2	1/8	1-13/16
HW-9443-2	9/64	1-53/64
HW-9444-2	5/32	1-53/64
HW-9449-2	3/16	1-53/64
HW-9448-2	7/32	1-13/16
HW-9447-2	1/4	1-13/16
HW-9446-2	5/16	1-13/16
HW-9445-2	3/8	1-13/16
Clip Rail		

12 PIECE 3/8" DRIVE HEX BIT SOCKET SET - METRIC

Item #: HW-9412MS

• Weight (lbs): 1.17



Contents	Size (mm)	Overall Length (in)
HW-9402M-2	2 mm	1-51/64
HW-94025M-2	2.5 mm	1-51/64
HW-9403M-2	3 mm	1-51/64
HW-9404M-2	4 mm	1-51/64
HW-9405M-2	5 mm	1-51/64
HW-9406M-2	6 mm	1-51/64
HW-9407M-2	7 mm	1-51/64
HW-9408M-2	8 mm	1-51/64
HW-9409M-2	9 mm	1-13/16
HW-9410M-2	10 mm	1-51/64
HW-9411M-2	11 mm	1-51/64
HW-9412M-2	12 mm	1-13/16
Clip Rail		

14MM SOCKET

3/8" DRIVE SETS

143



**7 PIECE 3/8" DRIVE LONG BALL
HEX BIT SOCKET SET**

Item #: HLB-9407S

• Weight (lbs): 1.08



Contents	Size (in)	Overall Length (in)
HLB-9418-2	1/8	6-1/8
HLB-9419-2	5/32	6-1/8
HLB-9420-2	3/16	6-7/64
HLB-9421-2	7/32	6-1/8
HLB-9422-2	1/4	6-9/64
HLB-9423-2	5/16	6-7/64
HLB-9424-2	3/8	6-7/64
Clip Rail		

**8 PIECE 3/8" DRIVE LONG BALL METRIC
HEX BIT SOCKET SET**

Item #: HLB-9408MS

• Weight (lbs): 1.38



Contents	Size (mm)	Overall Length (in)
HLB-9403M-2	3 mm	6-7/64
HLB-9404M-2	4 mm	6-1/8
HLB-9405M-2	5 mm	6-1/8
HLB-9406M-2	6 mm	6-7/64
HLB-9407M-2	7 mm	6-7/64
HLB-9408M-2	8 mm	6-9/64
HLB-9409M-2	9 mm	6-1/8
HLB-9410M-2	10 mm	6-9/64
Clip Rail		

**7 PIECE 3/8" DRIVE SLOTTED/PHILLIPS®
BIT SOCKET SET**

Item #: HW-9507S

• Weight (lbs): 0.59



Contents	Size	Overall Length (in)
HW-9450-2	#1	1-13/16
HW-9451-2	#2	1-53/64
HW-9452-2	#3	1-53/64
HW-9453-2	#4	1-53/64
HW-9504-2	3/16	1-53/64
HW-9505-2	1/4	1-53/64
HW-9506-2	5/16	1-27/32
Clip Rail		



3/8" DRIVE PEAR HEAD QUICK-RELEASE RATCHET

- 72 tooth fine gear ratcheting mechanism. FOD Compliant, sealed head design. Ultra-compact head design. Ergonomic grip with molded branding.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
72	7-1/2	0.53	BP-1338QR

ASME B107.10

3/8" DRIVE ROUND HEAD RATCHET

- Chrome plated positive grip ratchet. 41 tooth design. Works easily in confined areas. Knurled speed ring means you can start the fastener without turning the handle.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
41	10-5/64	0.79	34945B

ASME B107.10M

3/8" DRIVE PEAR HEAD RATCHET

- 72 tooth fine gear ratcheting mechanism. FOD Compliant, sealed head design. Ultra-compact head design. Ergonomic grip with molded branding.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
72	7-1/2	0.54	BP-1338

ASME B107.10

3/8" DRIVE BENT HANDLE FLEX-HEAD RATCHET



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
41	10-27/32	1.01	34947B
Repair Kit		0.23	34945BR

3/8" DRIVE ROUND HEAD QUICK-RELEASE RATCHET

- Full polish. Chrome plated positive grip ratchet. 41 tooth design, double pawl. 8.8 degrees of arc required for new "bite." Works easily in confined areas. Knurled speed ring means you can start the fastener without turning the handle.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
41	10-5/64	0.76	34946B

ASME B107.10M

3/8" DRIVE FLEX-HEAD RATCHET

- Same head design as the 34945B. No grooves or ball bearing to wear out in the hinge. Springs in each of the forks of the hinge allow for infinite angles.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
41	11-5/32	0.98	34935B
Repair Kit		0.23	34945BR



3/8" DRIVE MINI FLEX-HEAD RATCHET

- This compact flex head ratchet allows you to reach places inaccessible to standard ratchets. Head design is the same as the 34945B.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
41	5-29/32	0.62	34948B
Repair Kit		0.23	34945BR

3/8" DRIVE SPEEDER HANDLE



Overall Length (in)	Weight (lbs)	Item No.
15-1/2	0.92	34982

ASME B107.10M

3/8" DRIVE ROTATOR RATCHET

- Handle rotates 360° in either direction for rapid "twist-action" nut and fastener application and removal. Pear head design. Quick-release switch for fast socket removal.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
60	8-51/64	1.0	34950R

ASME B107.10M

3/8" DRIVE LOCKING EXTENSIONS

- Push button locking mechanism. Overmolded protection cap prevents dust & debris from jamming mechanism. Stamped logo, part number & size markings.



Overall Length (in)	Weight (lbs)	Item No.
3	0.18	34988L
5-7/8	0.32	34987L
9-53/64	0.51	34984L

3/8" DRIVE FLEX HANDLE



Overall Length (in)	Weight (lbs)	Item No.
9-51/64	0.67	34986B

ASME B107.10M

3/8" DRIVE EXTENSIONS



Overall Length (in)	Drive End Diameter (in)	Weight (lbs)	Item No.
1-7/8	45/64	0.10	34989
2-15/16	45/64	0.16	34988
5-15/16	45/64	0.32	34987
11-15/16	45/64	0.63	34984
20	21/32	1.07	34983

ASME B107.10M





3/8" DRIVE UNIVERSAL JOINT



Drive End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
7/16	1-7/8	0.14	34993A

ASME B107.10M

3/8" DRIVE ADAPTERS



Female/Male Diameter (in)	Drive End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/8 to 1/4	1-1/64	1-1/2	0.06	34963
3/8 to 1/2	3/4	1-7/16	0.10	34966

ASME B107.10M

3/8" DRIVE SPARK PLUG SOCKETS - 6 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
5/8	3/4	27/32	2-1/2	0.22	HW-1520S
13/16	1-5/64	1-5/64	2-3/4	0.33	HW-1526S

ASME B107.34M



3/8" DRIVE UNIVERSAL SPARK PLUG SOCKETS - 6 POINT

- Full polish universal spark plug socket.



Size (in)	Overall Length (in)	Weight (lbs)	Item No.
5/8	3-3/8	0.26	30320SA
13/16	3-1/2	0.41	30326A

ASME B107.34M

3/8" DRIVE UNIVERSAL SOCKETS - 6 POINT



Size (in)	Overall Length (in)	Weight (lbs)	Item No.
3/8	1-45/64	0.12	30212HA
7/16	1-51/64	0.13	30214HA
1/2	1-51/64	0.14	30216HA
9/16	1-51/64	0.14	30218HA
5/8	1-29/32	0.15	30220HA
11/16	1-29/32	0.17	30222HA
3/4	2	0.18	30224HA

ASME B107.1

3/8" DRIVE METRIC UNIVERSAL SOCKETS - 6 POINT



Size (mm)	Overall Length (in)	Weight (lbs)	Item No.
9 mm	1-45/64	0.12	30209HAM
10 mm	1-51/64	0.13	30210HAM
11 mm	1-51/64	0.14	30211HAM
12 mm	1-51/64	0.14	30212HAM
13 mm	1-29/32	0.14	30213HAM
14 mm	1-29/32	0.14	30214HAM
15 mm	2	0.15	30215HAM

ASME B107.5M



3/8" DRIVE SOCKETS - 6 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	43/64	25/64	29/32	0.05	30608
5/16	43/64	1/2	29/32	0.05	30010
3/8	43/64	9/16	29/32	0.05	30612
7/16	43/64	41/64	29/32	0.05	30614
1/2	47/64	47/64	1	0.07	30616
9/16	51/64	51/64	1	0.08	30618
5/8	3/4	55/64	1	0.1	30620
11/16	27/32	61/64	1	0.1	30622
3/4	61/64	1-1/32	1-3/32	0.13	30624
13/16	31/32	1-3/32	1-13/64	0.15	30626
7/8	1-1/16	1-3/16	1-13/64	0.2	30628
15/16	1-5/32	1-1/4	1-13/64	0.22	30630
1"	1-1/4	1-21/64	1-13/32	0.27	30632

ASME B107.1

3/8" DRIVE METRIC SOCKETS - 6 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
7 mm	43/64	27/64	29/32	0.05	32007M
8 mm	43/64	15/32	29/32	0.05	32008M
9 mm	43/64	33/64	29/32	0.05	32009M
10 mm	43/64	19/32	29/32	0.05	32010M
11 mm	43/64	41/64	29/32	0.06	32011M
12 mm	43/64	43/64	1	0.06	32012M
13 mm	47/64	47/64	1	0.07	32013M
14 mm	25/32	25/32	1	0.08	32014M
15 mm	27/32	27/32	1	0.09	32015M
16 mm	55/64	55/64	1	0.1	32016M
17 mm	59/64	59/64	1	0.12	32017M
18 mm	61/64	61/64	1-3/32	0.13	32018M
19 mm	1	1	1-3/32	0.14	32019M
20 mm	1-3/32	1-3/32	1-13/64	0.18	32020M
21 mm	1-3/32	1-3/32	1-13/64	0.17	32021M
22 mm	1-5/32	1-5/32	1-13/64	0.21	32022M

ASME B107.5M

3/8" DRIVE SOCKETS

3/8" DRIVE SOCKETS



3/8" DRIVE DEEP SOCKETS - 6 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
5/16	21/32	15/32	2-1/8	0.09	HW-1510
3/8	21/32	9/16	1-13/16	0.09	HW-1512
7/16	41/64	41/64	1-13/16	0.10	HW-1514
1/2	23/32	23/32	1-13/16	0.12	HW-1516
9/16	51/64	51/64	1-63/64	0.18	HW-1518
5/8	55/64	55/64	2-7/64	0.20	HW-1520
11/16	61/64	61/64	2-7/32	0.24	HW-1522
3/4	1-1/32	1-1/32	2-7/32	0.27	HW-1524
13/16	1-3/32	1-3/32	2-33/64	0.33	HW-1526
7/8	1-11/64	1-11/64	2-1/2	0.40	HW-1528
15/16	1-15/64	1-15/64	2-49/64	0.50	HW-1530
1	1-21/64	1-21/64	2-49/64	0.56	HW-1532

ASME B107.1

3/8" DRIVE METRIC DEEP SOCKETS - 6 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
7 mm	21/32	27/64	2-1/8	0.10	HW-1507M
8 mm	21/32	15/32	2-1/8	0.10	HW-1508M
9 mm	21/32	33/64	2-7/64	0.11	HW-1509M
10 mm	21/32	37/64	1-51/64	0.11	HW-1510M
11 mm	41/64	41/64	1-53/64	0.11	HW-1511M
12 mm	45/64	45/64	1-51/64	0.12	HW-1512M
13 mm	23/32	23/32	1-53/64	0.13	HW-1513M
14 mm	25/32	25/32	2-1/64	0.16	HW-1514M
15 mm	55/64	55/64	2-7/64	0.21	HW-1515M
17 mm	59/64	59/64	2-13/64	0.22	HW-1517M
18 mm	15/16	15/16	2-15/64	0.22	HW-1518M
19 mm	1-1/64	1-1/64	2-7/32	0.33	HW-1519M

ASME B107.1



3/8" DRIVE SOCKETS - 8 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
1/4	43/64	9/16	29/32	0.06	31108
5/16	43/64	19/32	29/32	0.06	31110
3/8	45/64	45/64	29/32	0.07	31112
7/16	13/16	13/16	29/32	0.10	31114
1/2	27/32	27/32	1	0.11	31116

ASME B107.1

3/8" DRIVE SOCKETS - 12 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
5/16	43/64	1/2	29/32	0.05	30010A
3/8	43/64	9/16	29/32	0.05	30012
7/16	43/64	41/64	29/32	0.05	30014
1/2	47/64	47/64	29/32	0.07	30016
9/16	51/64	51/64	1	0.09	30018
5/8	3/4	55/64	1	0.09	30020
11/16	27/32	61/64	1	0.10	30022
3/4	61/64	1-1/32	1-3/32	0.14	30024
13/16	31/32	1-3/32	1-13/64	0.15	30026
7/8	1-1/16	1-3/16	1-13/64	0.19	30028
15/16	1-5/32	1-1/4	1-13/64	0.30	300301
1	1-7/32	1-19/64	1-13/32	0.32	300321

ASME B107.1

3/8" DRIVE METRIC SOCKETS - 12 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
7 mm	43/64	27/64	29/32	0.05	34007M
8 mm	43/64	15/32	29/32	0.05	34008M
9 mm	43/64	33/64	29/32	0.06	34009M
10 mm	43/64	19/32	29/32	0.06	34010M
11 mm	43/64	41/64	29/32	0.06	34011M
12 mm	45/64	45/64	1	0.06	34012M
13 mm	47/64	47/64	1	0.08	34013M
14 mm	25/32	25/32	1	0.08	34014M
15 mm	27/32	27/32	1	0.10	34015M
16 mm	55/64	55/64	1	0.10	34016M
17 mm	59/64	59/64	1	0.13	34017M
18 mm	61/64	61/64	1-3/32	0.14	34018M
19 mm	1	1	1-3/32	0.14	34019M
20 mm	1-3/32	1-3/32	1-13/64	0.17	34020M
21 mm	1-3/32	1-3/32	1-13/64	0.18	34021M
22 mm	1-5/32	1-5/32	1-13/64	0.21	34022M

ASME B107.5M



3/8" DRIVE DEEP SOCKETS - 12 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/8	21/32	9/16	1-51/64	0.09	30412
7/16	41/64	41/64	1-51/64	0.09	30414
1/2	23/32	23/32	1-51/64	0.12	30416
9/16	13/16	13/16	2	0.16	30418
5/8	55/64	55/64	2-3/32	0.18	30420
11/16	15/16	15/16	2-13/64	0.23	30422
3/4	1-1/64	1-1/64	2-13/64	0.25	30424
13/16	1-3/32	1-3/32	2-1/2	0.32	30426
7/8	1-11/64	1-11/64	2-1/2	0.38	30428
15/16	1-1/4	1-1/4	2-1/2	0.47	30430
1	1-21/64	1-21/64	2-1/2	0.52	30432

ASME B107.1

3/8" DRIVE METRIC DEEP SOCKETS - 12 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
7 mm	21/32	7/16	2-9/64	0.10	HW-1607M
8 mm	21/32	15/32	2-1/8	0.10	HW-1608M
9 mm	21/32	33/64	2-1/8	0.11	HW-1609M
10 mm	21/32	37/64	2-9/64	0.11	HW-1610M
11 mm	21/32	21/32	2-1/8	0.12	HW-1611M
12 mm	45/64	45/64	2-9/64	0.12	HW-1612M
13 mm	23/32	23/32	2-9/64	0.16	HW-1613M
14 mm	25/32	25/32	2-9/64	0.16	HW-1614M
15 mm	55/64	55/64	2-3/4	0.24	HW-1615M
16 mm	55/64	55/64	2-3/4	0.24	HW-1616M
17 mm	15/16	15/16	2-3/4	0.27	HW-1617M
18 mm	15/16	15/16	2-49/64	0.27	HW-1618M
19 mm	1-1/64	1-1/64	2-49/64	0.31	HW-1619M

ASME B107.5M



3/8" DRIVE HEX BIT SOCKETS

• Zinc phosphate finish on bits. Pressed In, Foreign Object Debris (FOD) Compliant. Easy to read stamped markings.



Size (in)	Overall Length		Item No.
	(in)	Weight (lbs)	
1/16	1-51/64	0.06	HW-9438-2
5/64	1-13/16	0.06	HW-9439-2
3/32	1-53/64	0.06	HW-9440-2
7/64	1-13/16	0.06	HW-9441-2
1/8	1-13/16	0.07	HW-9442-2
9/64	1-53/64	0.07	HW-9443-2
5/32	1-53/64	0.07	HW-9444-2
3/16	1-53/64	0.08	HW-9449-2
7/32	1-13/16	0.09	HW-9448-2
1/4	1-13/16	0.09	HW-9447-2
5/16	1-13/16	0.10	HW-9446-2
3/8	1-13/16	0.14	HW-9445-2

3/8" DRIVE METRIC HEX BIT SOCKETS

• Zinc phosphate finish on bits. Pressed In, Foreign Object Debris (FOD) Compliant. Easy to read stamped markings.



Size (mm)	Overall Length		Item No.
	(in)	Weight (lbs)	
2 mm	1-51/64	0.06	HW-9402M-2
2.5 mm	1-51/64	0.06	HW-94025M-2
3 mm	1-51/64	0.06	HW-9403M-2
4 mm	1-51/64	0.06	HW-9404M-2
5 mm	1-51/64	0.08	HW-9405M-2
6 mm	1-51/64	0.09	HW-9406M-2
7 mm	1-51/64	0.09	HW-9407M-2
8 mm	1-51/64	0.10	HW-9408M-2
9 mm	1-13/16	0.13	HW-9409M-2
10 mm	1-51/64	0.14	HW-9410M-2
11 mm	1-51/64	0.15	HW-9411M-2
12 mm	1-13/16	0.15	HW-9412M-2

3/8" DRIVE LONG BALL HEX BIT SOCKETS

• Zinc phosphate finish on bits. Pressed In, Foreign Object Debris (FOD) Compliant. Easy to read stamped markings.



Size (in)	Overall Length		Item No.
	(in)	Weight (lbs)	
1/8	6-1/8	0.09	HLB-9418-2
5/32	6-1/8	0.10	HLB-9419-2
3/16	6-7/64	0.12	HLB-9420-2
7/32	6-1/8	0.14	HLB-9421-2
1/4	6-9/64	0.15	HLB-9422-2
5/16	6-7/64	0.19	HLB-9423-2
3/8	6-7/64	0.29	HLB-9424-2

1/4" DRIVE HEX BIT SOCKETS

3/8" DRIVE HEX BIT SOCKETS



3/8" DRIVE LONG BALL METRIC HEX BIT SOCKETS

• Zinc phosphate finish on bits. Pressed In, Foreign Object Debris (FOD) Compliant. Easy to read stamped markings.



Size (mm)	Overall Length		Item No.
	(in)	Weight (lbs)	
3 mm	6-7/64	0.09	HLB-9403M-2
4 mm	6-1/8	0.11	HLB-9404M-2
5 mm	6-1/8	0.12	HLB-9405M-2
6 mm	6-7/64	0.15	HLB-9406M-2
7 mm	6-7/64	0.17	HLB-9407M-2
8 mm	6-9/64	0.20	HLB-9408M-2
9 mm	6-1/8	0.25	HLB-9409M-2
10 mm	6-9/64	0.29	HLB-9410M-2

3/8" DRIVE SLOTTED SCREWDRIVER BIT SOCKETS

• Zinc phosphate finish on bits. Pressed In, Foreign Object Debris (FOD) Compliant. Easy to read stamped markings.



Size (in)	Overall Length		Item No.
	(in)	Weight (lbs)	
3/16	1-53/64	0.08	HW-9504-2
1/4	1-53/64	0.08	HW-9505-2
5/16	1-27/32	0.09	HW-9506-2

3/8" DRIVE PHILLIPS® BIT SOCKETS

• Zinc phosphate finish on bits. Pressed In, Foreign Object Debris (FOD) Compliant. Easy to read stamped markings.



Size	Overall Length		Item No.
	(in)	Weight (lbs)	
#1	1-13/16	0.08	HW-9450-2
#2	1-53/64	0.08	HW-9451-2
#3	1-53/64	0.09	HW-9452-2
#4	1-53/64	0.09	HW-9453-2



3/8" DRIVE CROWFOOT WRENCHES



Size (in)	Open-End Width (in)	Open-End Thickness (in)	Overall Length (in)	Weight (lbs)	Item No.
3/8	59/64	1/4	1-7/32	0.06	BCF-12
7/16	59/64	1/4	1-3/16	0.06	BCF-14
1/2	1-7/64	1/4	1-11/32	0.07	BCF-16
9/16	1-7/64	1/4	1-5/16	0.08	BCF-18
5/8	1-23/64	1/4	1-33/64	0.09	BCF-20
11/16	1-23/64	1/4	1-31/64	0.10	BCF-22
3/4	1-39/64	1/4	2-11/16	0.11	BCF-24
13/16	1-39/64	1/4	3-11/16	0.11	BCF-26
7/8	1-39/64	1/4	4-11/16	0.12	BCF-28
1	1-11/16	1/4	1-47/64	0.14	BCF-32

ASME B107.21

3/8" DRIVE METRIC CROWFOOT WRENCHES



Size (mm)	Open-End Width (in)	Open-End Thickness (in)	Overall Length (in)	Weight (lbs)	Item No.
10 mm	59/64	1/4	1-7/32	0.06	BCF-10M
11 mm	59/64	1/4	1-7/32	0.07	BCF-11M
12 mm	1-7/64	1/4	1-11/32	0.07	BCF-12M
13 mm	2-7/64	1/4	1-11/32	0.07	BCF-13M
14 mm	1-7/64	1/4	1-11/32	0.09	BCF-14M
15 mm	1-23/64	1/4	1-33/64	0.09	BCF-15M
16 mm	1-23/64	1/4	1-33/64	0.09	BCF-16M
17 mm	1-23/64	1/4	1-33/64	0.09	BCF-17M
19 mm	1-39/64	1/4	1-11/16	0.11	BCF-19M
21 mm	1-39/64	1/4	1-11/16	0.11	BCF-21M
22 mm	1-39/64	1/4	1-11/16	0.12	BCF-22M

ASME B107.21



1/2" DRIVE 26 PIECE STANDARD SET

Item #: 1226NB

• Weight (lbs): 14.0



1/2" DRIVE 17 PIECE STANDARD SET

Item #: 1217-S

• Weight (lbs): 9.9



Contents	Size (in)	Overall Length (in)	Point Count
40416	1/2	3-3/32	6
40418	9/16	3-3/32	6
40420	5/8	3-3/32	6
40422	11/16	3-3/32	6
40424	3/4	3-3/32	6
40426	13/16	3-3/32	6
40428	7/8	3-3/32	6
40430	15/16	3-3/32	6
40432	1	3-3/32	6
40614	7/16	1-1/2	6
40616	1/2	1-1/2	6
40618	9/16	1-1/2	6
40620	5/8	1-1/2	6
40622	11/16	1-1/2	6
40624	3/4	1-1/2	6
40626	13/16	1-1/2	6
40628	7/8	1-1/2	6
40630	15/16	1-1/2	6
40632	1	1-19/32	6
40634	1-1/16	1-45/64	6
40636	1-1/8	1-45/64	6
40640	1-1/4	1-51/64	6
49978A	1/2" Drive Universal Joint		
49966	1/2" Drive Extension - 5"		
49988B	1/2" Drive Flex Handle		
49945B	1/2" Drive Round Head Knurled Reversible Ratchet		

Contents	Size (in)	Overall Length (in)	Point Count
40126	13/16	1-1/2	12
40128	7/8	1-1/2	12
40130	15/16	1-1/2	12
40132	1	1-19/32	12
40134	1-1/16	1-45/64	12
40136	1-1/8	1-45/64	12
40140	1-1/4	1-51/64	12
40612	3/8	1-1/2	6
40614	7/16	1-1/2	6
40616	1/2	1-1/2	6
40618	9/16	1-1/2	6
40620	5/8	1-1/2	6
40622	11/16	1-1/2	6
40624	3/4	1-1/2	6
49988B	1/2" Drive Flex Handle		
49966	1/2" Drive Extension - 5"		
49945B	1/2" Drive Round Head Knurled Reversible Ratchet		



1/2" DRIVE 17 PIECE METRIC SET

Item #: 1217-MNB

• Weight (lbs): 9.0



1/2" DRIVE 17 PIECE STANDARD SET

Item #: 1218-S

• Weight (lbs): 9.9



Contents	Size (mm)	Overall Length (in)	Point Count
43010M	10 mm	1-1/2	12
43011M	11 mm	1-1/2	12
43012M	12 mm	1-1/2	12
43013M	13 mm	1-1/2	12
43014M	14 mm	1-1/2	12
42017M	17 mm	1-1/2	12
42019M	19 mm	1-1/2	12
42022M	22 mm	1-1/2	12
42023M	23 mm	1-1/2	12
42024M	24 mm	1-1/2	12
42025M	25 mm	1-19/32	12
42026M	26 mm	1-19/32	12
42027M	27 mm	1-45/64	12
42028M	28 mm	1-45/64	12
49945B	1/2" Drive Round Head Knurled Reversible Ratchet		
49988B	1/2" Drive Flex Handle		
49966	1/2" Drive Extension - 5"		

Contents	Size (in)	Overall Length (in)	Point Count
40612	3/8	1-1/2	6
40614	7/16	1-1/2	6
40616	1/2	1-1/2	6
40618	9/16	1-1/2	6
40620	5/8	1-1/2	6
40622	11/16	1-1/2	6
40624	3/4	1-1/2	6
40626	13/16	1-1/2	6
40628	7/8	1-1/2	6
40630	15/16	1-1/2	6
40632	1	1-19/32	6
40634	1-1/16	1-45/64	6
40636	1-1/8	1-45/64	6
40640	1-1/4	1-51/64	6
49988B	1/2" Drive Flex Handle		
49966	1/2" Drive Extension - 5"		
49945B	1/2" Drive Round Head Knurled Reversible Ratchet		

1/4" DRIVE SETS

1/2" DRIVE SETS



1/2" DRIVE 15 PIECE STANDARD SOCKET SET

Item #: 315-S

• Weight (lbs): 3.7



Contents	Size (in)	Overall Length (in)	Point Count
40112	3/8	1-1/2	12
40114	7/16	1-1/2	12
40116	1/2	1-1/2	12
40118	9/16	1-1/2	12
40120	5/8	1-1/2	12
40122	11/16	1-1/2	12
40124	3/4	1-1/2	12
40126	13/16	1-1/2	12
40128	7/8	1-1/2	12
40130	15/16	1-1/2	12
40132	1	1-19/32	12
40134	1-1/16	1-45/64	12
40136	1-1/8	1-45/64	12
40138	1-3/16	1-51/64	12
40140	1-1/4	1-51/64	12
Clip Rail			

1/2" DRIVE 15 PIECE METRIC SOCKET SET

Item #: 315-M

• Weight (lbs): 2.4



Contents	Size (mm)	Overall Length (in)	Point Count
43010M	10 mm	1-1/2	12
43011M	11 mm	1-1/2	12
43012M	12 mm	1-1/2	12
43013M	13 mm	1-1/2	12
43014M	14 mm	1-1/2	12
42015M	15 mm	1-1/2	12
42017M	17 mm	1-1/2	12
42018M	18 mm	1-1/2	12
42019M	19 mm	1-1/2	12
42021M	21 mm	1-1/2	12
42022M	22 mm	1-1/2	12
42024M	24 mm	1-1/2	12
42027M	27 mm	1-45/64	12
42030M	30 mm	1-45/64	12
42032M	32 mm	1-51/64	12
Clip Rail			

1/2" DRIVE 11 PIECE STANDARD SOCKET SET

Item #: 314-B

• Weight (lbs): 4.2



Contents	Size (in)	Overall Length (in)	Point Count
40612	3/8	1-1/2	6
40614	7/16	1-1/2	6
40616	1/2	1-1/2	6
40618	9/16	1-1/2	6
40620	5/8	1-1/2	6
40622	11/16	1-1/2	6
40624	3/4	1-1/2	6
40626	13/16	1-1/2	6
40628	7/8	1-1/2	6
40630	15/16	1-1/2	6
40632	1	1-19/32	6
Clip Rail			

1/2" DRIVE 11 PIECE STANDARD DEEP SOCKET SET

Item #: 314-C

• Weight (lbs): 4.0



Contents	Size (in)	Overall Length (in)	Point Count
40316	1/2	3-3/32	12
40318	9/16	3-3/32	12
40320	5/8	3-3/32	12
40322	11/16	3-3/32	12
40324	3/4	3-3/32	12
40326	13/16	3-3/32	12
40328	7/8	3-3/32	12
40330	15/16	3-3/32	12
40332	1	3-3/32	12
40334	1-1/16	3-3/32	12
40336	1-1/8	3-3/32	12
Clip Rail			



1/2" DRIVE 10 PIECE STANDARD SOCKET SET

Item #: 210-B

• Weight (lbs): 1.5



Contents	Size (in)	Overall Length (in)	Point Count
40114	7/16	1-1/2	12
40116	1/2	1-1/2	12
40118	9/16	1-1/2	12
40120	5/8	1-1/2	12
40122	11/16	1-1/2	12
40124	3/4	1-1/2	12
40126	13/16	1-1/2	12
40128	7/8	1-1/2	12
40130	15/16	1-1/2	12
40132	1	1-19/32	12
Clip Rail			

1/2" DRIVE 10 PIECE METRIC DEEP SOCKET SET

Item #: 310-C

• Weight (lbs): 3.7



Contents	Size (mm)	Overall Length (in)	Point Count
45010M	10 mm	3-3/32	6
45011M	11 mm	3-3/32	6
45012M	12 mm	3-3/32	6
45013M	13 mm	3-3/32	6
45014M	14 mm	3-3/32	6
45015M	15 mm	3-3/32	6
45016M	16 mm	3-3/32	6
45017M	17 mm	3-3/32	6
45018M	18 mm	3-3/32	6
45019M	19 mm	3-3/32	6
Clip Rail			

1/2" DRIVE 10 PIECE METRIC SOCKET SET

Item #: 310-MNB

• Weight (lbs): 3.42



Contents	Size (mm)	Overall Length (in)	Point Count
43010M	10 mm	1-1/2	12
43011M	11 mm	1-1/2	12
43012M	12 mm	1-1/2	12
43013M	13 mm	1-1/2	12
43014M	14 mm	1-1/2	12
42015M	15 mm	1-1/2	12
42016M	16 mm	1-1/2	12
42017M	17 mm	1-1/2	12
42018M	18 mm	1-1/2	12
42019M	19 mm	1-1/2	12
Clip Rail			

1/2" DRIVE 10 PIECE METRIC DEEP SOCKET SET

Item #: 309-M

• Weight (lbs): 3.7



Contents	Size (mm)	Overall Length (in)	Point Count
44010M	10 mm	3-3/32	12
44011M	11 mm	3-3/32	12
44012M	12 mm	3-3/32	12
44013M	13 mm	3-3/32	12
44014M	14 mm	3-3/32	12
44015M	15 mm	3-3/32	12
44016M	16 mm	3-3/32	12
44017M	17 mm	3-3/32	12
44018M	18 mm	3-3/32	12
44019M	19 mm	3-3/32	12
Clip Rail			



1/2" DRIVE 9 PIECE STANDARD DEEP SOCKET SET

Item #: 309-BS

• Weight (lbs): 3.6



Contents	Size (in)	Overall Length (in)	Point Count
40416	1/2	3-3/32	6
40418	9/16	3-3/32	6
40420	5/8	3-3/32	6
40422	11/16	3-3/32	6
40424	3/4	3-3/32	6
40426	13/16	3-3/32	6
40428	7/8	3-3/32	6
40430	15/16	3-3/32	6
40432	1	3-3/32	6
Clip Rail			

1/2" DRIVE 7 PIECE HEX BIT SOCKET SET - SAE

Item #: HW-9607S

• Weight (lbs): 1.89



Contents	Size (in)	Overall Length (in)
HW-9606-2	5/16	2-1/2
HW-9607-2	3/8	2-1/2
HW-9608-2	7/16	2-1/2
HW-9609-2	1/2	2-1/2
HW-9610-2	9/16	2-1/2
HW-9611-2	5/8	2-1/2
HW-9612-2	3/4	2-1/2
Clip Rail		

1/2" DRIVE 8 PIECE METRIC SOCKET SET

Item #: 308-M

• Weight (lbs): 1.6



Contents	Size (mm)	Overall Length (in)	Point Count
42010M	10 mm	1-1/2	6
42011M	11 mm	1-1/2	6
42012M	12 mm	1-1/2	6
42013M	13 mm	1-1/2	6
42014M	14 mm	1-1/2	6
43015M	15 mm	1-1/2	6
43017M	17 mm	1-1/2	6
43019M	19 mm	1-1/2	6
Clip Rail			

1/2" DRIVE 7 PIECE HEX BIT SOCKET SET - METRIC

Item #: HW-9507MS

• Weight (lbs): 1.88



Contents	Size (mm)	Overall Length (in)
HW-9606M-2	6 mm	2-1/2
HW-9608M-2	8 mm	2-1/2
HW-9610M-2	10 mm	2-1/2
HW-9612M-2	12 mm	2-1/2
HW-9614M-2	14 mm	2-1/2
HW-9617M-2	17 mm	2-1/2
HW-9619M-2	19 mm	2-1/2
Clip Rail		



1/2" DRIVE PEAR HEAD QUICK-RELEASE RATCHET

• 72 tooth fine gear ratcheting mechanism. FOD Compliant, sealed head design. Ultra-compact head design. Ergonomic grip with molded branding.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
72	10-5/16	1.09	BP-1412QR

ASME B107.10

1/2" DRIVE PEAR HEAD RATCHET

• 72 tooth fine gear ratcheting mechanism. FOD Compliant, sealed head design. Ultra-compact head design. Ergonomic grip with molded branding.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
72	10-5/16	1.11	BP-1412

ASME B107.10

1/2" DRIVE ROUND HEAD QUICK-RELEASE RATCHET

• Full polish. Chrome plated positive grip ratchet. 45 tooth design, double pawl. 8.0 degrees of arc required for new "bite." Works easily in confined areas. Knurled speed ring means you can start the fastener without turning the handle.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
45	10-3/32	1.22	49946B

ASME B107.10M

1/2" DRIVE ROUND HEAD RATCHET

• Chrome plated positive grip ratchet. 45 tooth design. Works easily in confined areas. Knurled speed ring means you can start the fastener without turning the handle.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
45	10-3/32	1.34	49945B

ASME B107.10M

1/2" DRIVE FLEX HANDLE



Overall Length (in)	Weight (lbs)	Item No.
16-31/64	1.76	49988B

ASME B107.10M

1/2" DRIVE SPEEDER HANDLE



Overall Length (in)	Weight (lbs)	Item No.
17-51/64	1.76	49992

ASME B107.10M



1/2" DRIVE LOCKING EXTENSIONS

- Push button locking mechanism. Overmolded protection cap prevents dust & debris from jamming mechanism. Stamped logo, part number & size markings.



Overall Length (in)	Weight (lbs)	Item No.
2-61/64	0.30	49964L
5-15/16	0.57	49966L
9-7/8	0.96	49990L

1/2" DRIVE EXTENSIONS



Overall Length (in)	Drive End Diameter (in)	Weight (lbs)	Item No.
2	57/64	0.21	49964
5-1/8	57/64	0.46	49966
10	57/64	0.90	49990
19	15/16	1.92	49972

ASME B107.10M


1/2" DRIVE ADAPTERS



Female/ Male	Overall Length (in)	Weight (lbs)	Item No.
1/2 to 3/8	1-7/16	0.13	34965
1/2 to 3/4	1-11/16	0.25	69992

ASME B107.10M


1/2" DRIVE UNIVERSAL JOINT



Overall Length (in)	Weight (lbs)	Item No.
2-45/64	0.29	49978A

ASME B107.10M





1/2" DRIVE DRAG LINK SOCKET

- A sturdy screwdriver type socket with bit for drag links, drain plugs, slotted nuts and screws.
- Will fit any standard 1/2" square drive too.



Width (in)	Item No.
15/16	49979

1/2" DRIVE SOCKETS - 6 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/8	55/64	37/64	1-1/2	0.10	40612
7/16	55/64	43/64	1-1/2	0.12	40614
1/2	55/64	3/4	1-1/2	0.13	40616
9/16	55/64	13/16	1-1/2	0.14	40618
5/8	55/64	55/64	1-1/2	0.14	40620
11/16	61/64	61/64	1-1/2	0.19	40622
3/4	59/64	1-1/32	1-1/2	0.19	40624
13/16	1	1-3/32	1-1/2	0.19	40626
7/8	1-3/64	1-3/16	1-1/2	0.24	40628
15/16	1-9/64	1-1/4	1-1/2	0.26	40630
1	1-3/16	1-21/64	1-19/32	0.30	40632
1-1/16	1-17/64	1-13/32	1-45/64	0.35	40634
1-1/8	1-11/32	1-31/64	1-45/64	0.42	40636
1-1/4	1-1/2	1-39/64	1-51/64	0.48	40640
1-1/2	1-5/8	2	2-19/64	1.12	40642A

ASME B107.1

1/2" DRIVE METRIC SOCKETS - 6 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
10 mm	55/64	19/32	1-1/2	0.10	42010M
11 mm	55/64	43/64	1-1/2	0.11	42011M
12 mm	55/64	23/32	1-1/2	0.12	42012M
13 mm	55/64	3/4	1-1/2	0.12	42013M
14 mm	55/64	13/16	1-1/2	0.12	42014M
15 mm	55/64	55/64	1-1/2	0.16	43015M
17 mm	61/64	61/64	1-1/2	0.16	43017M
19 mm	1-1/32	1-1/32	1-1/2	0.20	43019M
21 mm	1-1/16	1-1/16	1-1/2	0.21	43021M
22 mm	1-11/64	1-11/64	1-1/2	0.25	43022M
23 mm	1-13/64	1-13/64	1-1/2	0.26	43023M
24 mm	1-1/4	1-1/4	1-1/2	0.31	43024M
27 mm	1-13/32	1-13/32	1-45/64	0.44	43027M

ASME B107.5M



1/2" DRIVE DEEP SOCKETS - 6 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
1/2	55/64	3/4	3-3/32	0.27	40416
9/16	55/64	13/16	3-3/32	0.29	40418
5/8	7/8	7/8	3-3/32	0.27	40420
11/16	61/64	61/64	3-3/32	0.32	40422
3/4	1-3/64	1-3/64	3-3/32	0.41	40424
13/16	1-3/32	1-3/32	3-3/32	0.42	40426
7/8	1-11/64	1-11/64	3-3/32	0.50	40428
15/16	1-1/4	1-1/4	3-3/32	0.54	40430
1	1-5/16	1-5/16	3-3/32	0.62	40432
1-1/16	1-13/32	1-13/32	3-3/32	0.76	40434
1-1/8	1-31/64	1-31/64	3-3/32	0.79	40436

ASME B107.1

1/2" DRIVE DEEP METRIC SOCKETS - 6 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
10 mm	55/64	39/64	3-3/32	0.23	45010M
11 mm	55/64	45/64	3-3/32	0.28	45011M
12 mm	55/64	47/64	3-3/32	0.28	45012M
13 mm	55/64	3/4	3-3/32	0.28	45013M
14 mm	27/32	27/32	3-3/32	0.28	45014M
15 mm	55/64	55/64	3-3/32	0.28	45015M
16 mm	55/64	55/64	3-3/32	0.32	45016M
17 mm	61/64	61/64	3-3/32	0.33	45017M
18 mm	1	1	3-3/32	0.36	45018M
19 mm	1	1	3-3/32	0.37	45019M
20 mm	1-3/32	1-3/32	3-3/32	0.46	45020M
21 mm	1-7/64	1-7/64	3-3/32	0.47	45021M
22 mm	1-3/16	1-3/16	3-3/32	0.51	45022M
23 mm	1-13/64	1-13/64	3-3/32	0.51	45023M
24 mm	1-1/4	1-1/4	3-3/32	0.51	45024M
25 mm	1-5/16	1-5/16	3-3/32	0.62	45025M
26 mm	1-21/64	1-21/64	3-3/32	0.63	45026M
27 mm	1-25/64	1-25/64	3-3/32	0.65	45027M

ASME B107.5M

HAND SOCKETS

1/2" DRIVE SOCKETS



1/2" DRIVE SOCKETS - 12 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/8	1-5/32		1-1/2	0.11	40112
7/16	7/8	11/16	1-1/2	0.11	40114
1/2	7/8	3/4	1-1/2	0.12	40116
9/16	7/8	13/16	1-1/2	0.12	40118
5/8	7/8	7/8	1-1/2	0.12	40120
11/16	15/16	15/16	1-1/2	0.16	40122
3/4	15/16	1	1-1/2	0.16	40124
13/16	1	1-1/16	1-1/2	0.18	40126
7/8	1-1/16	1-3/16	1-1/2	0.22	40128
15/16	1-1/8	1	1-1/2	0.28	40130
1	1-3/16	1-5/16	1-19/32	0.30	40132
1-1/16	1-17/64	1-13/32	1-45/64	0.32	40134
1-1/8	1-11/32	1-31/64	1-45/64	0.39	40136
1-3/16	1-27/64	1-35/64	1-51/64	0.70	40138
1-1/4	1-1/2	1-39/64	1-51/64	0.70	40140
1-1/2	1-11/16	2	2-19/64	0.70	40144A

ASME B107.1

1/2" DRIVE METRIC SOCKETS - 12 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
10 mm	55/64	19/32	1-1/2	0.11	43010M
11 mm	55/64	3/4	1-1/2	0.11	43011M
12 mm	55/64	43/64	1-1/2	0.12	43012M
13 mm	55/64	3/4	1-1/2	0.12	43013M
14 mm	55/64	13/16	1-1/2	0.14	43014M
15 mm	55/64	55/64	1-1/2	0.12	42015M
16 mm	55/64	55/64	1-1/2	0.12	42016M
17 mm	61/64	61/64	1-1/2	0.17	42017M
18 mm	61/64	61/64	1-1/2	0.17	42018M
19 mm	1-1/32	1-1/32	1-1/2	0.18	42019M
20 mm	1-3/64	1-3/64	1-1/2	0.19	42020M
21 mm	1-3/32	1-3/64	1-1/2	0.20	42021M
22 mm	1-3/16	1-3/16	1-1/2	0.25	42022M
23 mm	1-13/64	1-13/64	1-1/2	0.26	42023M
24 mm	1-1/4	1-1/4	1-1/2	0.28	42024M
25 mm	1-5/16	1-5/16	1-19/32	0.30	42025M
26 mm	15/16	15/16	1-19/32	0.33	42026M
27 mm	1-13/32	1-13/32	1-45/64	0.37	42027M
28 mm	1-31/64	1-31/64	1-45/64	0.44	42028M
30 mm	1-9/16	1-9/16	1-45/64	0.48	42030M
32 mm	1-5/8	1-5/8	1-51/64	0.50	42032M
36 mm	1-31/32	1-31/32	2-13/64	0.96	42036M

ASME B107.5M

1/2" DRIVE SOCKETS

1/2" DRIVE SOCKETS



1/2" DRIVE DEEP SOCKETS - 12 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
1/2	55/64	3/4	3-3/32	0.26	40316
9/16	55/64	13/16	3-3/32	0.26	40318
5/8	7/8	7/8	3-3/32	0.26	40320
11/16	61/64	61/64	3-3/32	0.33	40322
3/4	1-3/64	1-3/64	3-3/32	0.39	40324
13/16	1-3/32	1-3/32	3-3/32	0.40	40326
7/8	1-11/64	1-11/64	3-3/32	0.47	40328
15/16	1-1/4	1-1/4	3-3/32	0.56	40330
1	1-21/64	1-21/64	3-3/32	0.58	40332
1-1/16	1-13/32	1-13/32	3-3/32	0.71	40334
1-1/8	1-31/64	1-31/64	3-3/32	0.72	40336

ASME B107.1

1/2" DRIVE DEEP METRIC SOCKETS - 12 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
10 mm	55/64	19/32	3-3/32	0.25	44010M
11 mm	55/64	45/64	3-3/32	0.31	44011M
12 mm	55/64	47/64	3-3/32	0.27	44012M
13 mm	55/64	3/4	3-3/32	0.27	44013M
14 mm	27/32	27/32	3-3/32	0.29	44014M
15 mm	55/64	55/64	3-3/32	0.25	44015M
16 mm	55/64	55/64	3-3/32	0.26	44016M
17 mm	61/64	61/64	3-3/32	0.33	44017M
18 mm	1	1	3-3/32	0.38	44018M
19 mm	1-3/64	1-3/64	3-3/32	0.41	44019M
20 mm	1-3/32	1-3/32	3-3/32	0.44	44020M
21 mm	1-7/64	1-7/64	3-3/32	0.39	44021M
22 mm	1-3/16	1-3/16	3-3/32	0.50	44022M
23 mm	1-13/64	1-13/64	3-3/32	0.56	44023M
24 mm	1-1/4	1-1/4	3-3/32	0.54	44024M
25 mm	1-5/16	1-5/16	3-3/32	0.63	44025M
26 mm	1-21/64	1-21/64	3-3/32	0.60	44026M
27 mm	1-25/64	1-25/64	3-3/32	0.55	44027M

ASME B107.5M

HAND SOCKETS

1/2" DRIVE SOCKETS



1/2" DRIVE SPARK PLUG SOCKETS - 6 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
5/8	13/16	7/8	2-1/2	0.22	40320S
13/16	1-5/64	1-5/64	2-45/64	0.36	40326S

ASME B107.34M

1/2" DRIVE HEX BIT SOCKETS

- Zinc phosphate finish on bits. Pressed In, Foreign Object Debris (FOD) Compliant. Easy to read stamped markings.



Size (in)	Overall Length (in)	Weight (lbs)	Item No.
5/16	2-1/2	0.16	HW-9606-2
3/8	2-1/2	0.18	HW-9607-2
7/16	2-1/2	0.21	HW-9608-2
1/2	2-1/2	0.26	HW-9609-2
9/16	2-1/2	0.30	HW-9610-2
5/8	2-1/2	0.32	HW-9611-2
3/4	2-1/2	0.46	HW-9612-2

1/2" DRIVE METRIC HEX BIT SOCKETS

- Zinc phosphate finish on bits. Pressed In, Foreign Object Debris (FOD) Compliant. Easy to read stamped markings.



Size (mm)	Overall Length (in)	Weight (lbs)	Item No.
6 mm	2-1/2	0.15	HW-9606M-2
8 mm	2-1/2	0.16	HW-9608M-2
10 mm	2-1/2	0.18	HW-9610M-2
12 mm	2-1/2	0.25	HW-9612M-2
14 mm	2-1/2	0.30	HW-9614M-2
17 mm	2-1/2	0.38	HW-9617M-2
19 mm	2-1/2	0.46	HW-9619M-2

HAND SOCKETS

1/2" DRIVE SPARK PLUG & HEX BIT SOCKETS

167



3/4" DRIVE 28 PIECE STANDARD SET

Item #: 428-BS

• Weight (lbs): 67.0



Contents	Size (in)	Overall Length (in)	Point Count
60026A	3/4	2	12
60027A	13/16	2	12
60028	7/8	2	12
60030	15/16	2	12
60032	1	2	12
60034	1-1/16	2	12
60036	1-1/8	2-9/32	12
60038	1-3/16	3-9/32	12
60040	1-1/4	2-11/32	12
60042	1-5/16	3-11/32	12
60044	1-3/8	4-11/32	12
60046	1-7/16	2-15/32	12
60048	1-1/2	2-15/32	12
60050	1-9/16	2-43/64	12
60052	1-5/8	3-43/64	12
60054	1-11/16	2-25/32	12
60056	1-3/4	3-25/32	12
60058	1-13/16	2-31/32	12
60060	1-7/8	3-31/32	12
60064	2	3-5/32	12
60068	2-1/8	3-9/32	12
60072	2-1/4	3-13/32	12
60076	2-3/8	3-43/64	12
69995		3/4" Drive 8" Extension	
69994		3/4" Drive 16" Extension	
69997		3/4" Drive Sliding-Tee	
69945P		3/4" Drive Pear Head Ratchet	
69993		3/4" Drive 4" Extension	

3/4" DRIVE 11 PIECE STANDARD SET

Item #: 411-BNB

• Weight (lbs): 22.11



Contents	Size (in)	Overall Length (in)	Point Count
60030	15/16	2	12
60032	1	2	12
60034	1-1/16	2	12
60036	1-1/8	2-9/32	12
60040	1-1/4	2-11/32	12
60044	1-3/8	4-11/32	12
60046	1-7/16	2-15/32	12
60048	1-1/2	2-15/32	12
60052	1-5/8	3-43/64	12
69945P		3/4" Drive Pear Head Ratchet	
69995		3/4" Drive 8" Extension	

3/4" DRIVE 15 PIECE STANDARD SET

Item #: 415-B

• Weight (lbs): 26.0



Contents	Size (in)	Overall Length (in)	Point Count
60028	7/8	2	12
60030	15/16	2	12
60032	1	2	12
60034	1-1/16	2	12
60036	1-1/8	2-9/32	12
60038	1-3/16	3-9/32	12
60040	1-1/4	2-11/32	12
60042	1-5/16	3-11/32	12
60044	1-3/8	4-11/32	12
60046	1-7/16	2-15/32	12
60048	1-1/2	2-15/32	12
60050	1-9/16	2-43/64	12
60052	1-5/8	3-43/64	12
69945P		3/4" Drive Pear Head Ratchet	
69995		3/4" Drive 8" Extension	



3/4" DRIVE PEAR HEAD RATCHET

- 24 tooth gear design provides 15° ratcheting angle.
- Thin head design. Reversing lever for one handed operation.



Number of Teeth	Overall Length (in)	Weight (lbs)	Item No.
24	20	5.71	69945P

ASME B107.10

3/4" DRIVE HEAVY-DUTY FLEX HANDLE



Overall Length (in)	Weight (lbs)	Item No.
19	4.20	69998

ASME B107.10M

3/4" DRIVE HEAVY-DUTY SLIDE T-HANDLE

- For driving manually operated sockets. Large leverage handle for comfortable application of force. Movable/slidable square drive. Final tightening can be done with both hands.



Overall Length (in)	Weight (lbs)	Item No.
20	3.20	69997

ASME B107.10M

3/4" DRIVE HEAVY-DUTY EXTENSIONS



Drive End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
1-13/32	4	0.87	69993
1-13/32	8-1/8	1.36	69995
1-13/32	16	2.43	69994

ASME B107.10M

3/4" DRIVE HEAVY-DUTY ADAPTERS



Female/Male	Drive End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/4 to 1/2	1-1/4	1-7/8	0.28	49991
1 to 3/4	2	2-7/8	1.33	69990

ASME B107.10M



3/4" DRIVE HEAVY-DUTY SOCKETS - 12 POINT



Size (in)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/4	1-1/4	1-1/4	2	0.32	60026A
13/16	1-5/16	1-5/16	2	0.38	60027A
7/8	1-5/16	1-5/16	2	0.42	60028
15/16	1-7/16	2-7/16	2	0.51	60030
1	1-1/2	1-1/2	2	0.59	60032
1-1/16	1-9/16	1-9/16	2	0.63	60034
1-1/8	1-1/2	1-5/8	2-9/32	0.68	60036
1-3/16	1-1/2	1-10/16	3-9/32	0.60	60038
1-1/4	1-11/16	1-7/8	2-11/32	0.95	60040
1-5/16	1-11/16	1-7/8	3-11/32	0.90	60042
1-3/8	1-11/16	1-7/8	4-11/32	0.86	60044
1-7/16	1-11/16	2-1/16	2-15/32	1.10	60046
1-1/2	1-11/16	2-1/16	2-15/32	1.06	60048
1-9/16	1-3/4	2-4/16	2-43/64	1.45	60050
1-5/8	1-3/4	2-1/4	3-43/64	1.36	60052
1-11/16	1-13/16	2-3/8	2-25/32	1.57	60054
1-3/4	1-3/4	2-3/8	3-25/32	1.49	60056
1-13/16	1-3/4	2-9/16	2-31/32	1.81	60058
1-7/8	1-3/4	2-9/16	3-31/32	1.81	60060
2	2	2-3/4	3-5/32	2.31	60064
2-1/8	2-1/16	2-15/16	3-9/32	2.66	60068
2-3/16	2-1/16	2-15/16	3-9/32	2.91	60070
2-1/4	2-1/16	3-1/8	3-13/32	3.15	60072
2-3/8	2-7/16	3-1/4	3-43/64	3.84	60076

ASME B107.1

3/4" DRIVE METRIC HEAVY-DUTY SOCKETS - 12 POINT



Size (mm)	Drive End Diameter (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
19 mm	1-5/16	1-5/16	2	0.36	61019M
21 mm	1-5/16	1-5/16	2	0.37	61021M
22 mm	1-5/16	1-5/16	2	0.39	61022M
23 mm	1-7/16	1-7/16	2	0.50	61023M
24 mm	1-7/16	1-7/16	2	0.51	61024M
25 mm	1-1/2	1-1/2	2-1/32	0.53	61025M
26 mm	1-1/2	1-1/2	2-1/32	0.54	61026M
27 mm	1-1/2	1-9/16	2-1/32	0.61	61027M
28 mm	1-1/2	1-5/8	2-7/32	0.68	61028M
29 mm	1-1/2	1-5/8	2-7/32	0.69	61029M
30 mm	1-1/2	1-5/8	2-9/32	0.71	61030M
31 mm	1-1/2	1-3/4	2-9/32	0.77	61031M
32 mm	1-1/2	1-13/16	2-9/32	0.80	61032M
35 mm	1-11/16	1-7/8	2-11/32	0.86	61035M
36 mm	1-11/16	2-1/16	2-15/32	1.11	61036M
38 mm	1-11/16	2-1/16	2-15/32	1.22	61038M
41 mm	1-3/4	2-1/4	2-43/64	1.38	61041M
42 mm	1-3/4	2-3/8	2-25/32	1.81	61042M
46 mm	1-3/4	2-9/16	2-31/32	1.87	61046M
50 mm	2	2-3/4	3-5/32	2.36	61050M
54 mm	2-1/16	2-15/16	3-9/32	2.43	61054M
55 mm	2-1/16	2-15/16	3-9/32	2.58	61055M

ASME B107.5M

