



Products That Make the Workzone Safer



CORTINA SAFETY PRODUCTS

Solutions for every workzone...

Whether your workzone is along a stretch of highway, airport, parade route, distribution center, hotel lobby, parking facility, amusement park or any other workzone where vehicular or pedestrian traffic is present, Cortina has the People, Products and Processes that set us apart from the competition!

People - A privately held American company since 1969. Our people make the difference. For generations Cortina has grown from a small manufacturer of plastic products into a leading manufacturer of products for consumer, industrial, commercial, heavy duty truck and lawn and garden markets.

Products - With North America's broadest offering of safety product solutions, we are your one source for workzone products designed to meet a wide variety of application requirements. We set the standard for "Best-in-Class" with products like; TrailBossTM, PlastxTM, Quadra FlexTM, LambaTM, Pack N PopTM, BargardTM, TrailBlazerTM, Grip N GoTM, EZ-GrabTM, and Strato-LiteTM.

Processes – Investments in technology, equipment, and software allow us to control all aspects of the product cycle. Our ISO Certified, vertically integrated manufacturing facilities and state-of-the-art distribution center ensure products are made to exacting standards and delivered on time.

This catalog represents our current product offering and is intended as a resource guide in helping you identify and select the right solutions for your specific workzone. Put our nearly 50 years of experience to work for you.







DW SERIES TRAFFIC CONES

DW SERIES ORANGE



- Wide body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM#	SIZE	WT
03-500-09	12"	2 lbs
03-500-05	18"	3 lbs
03-500-07	28"	7 lbs
03-500-08	36"	10 lbs
03-500-18	28"	10 lbs
03-500-19	36"	12 lbs

DW SERIES WHITE



- Wide body design
 Injection molded PVC black rugged base
 Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM#	SIZE	WT	
03-500-66	28"	7 lbs	

DW SERIES YELLOW



- Wide body designInjection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM# WT 03-500-67 28" 7 lbs

DW SERIES FLUORESCENT GREEN



- Wide body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM#	SIZE	VVT
03-500-65	28"	7 lbs
03-500-0811	36"	10 lbs

DW SFRIFS BLUF



- Wide body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM# WT 03-500-64 7 lbs

DW SLIM LINE



- Narrow body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

SIZE ITEM# WT 03-500-44-1 28" 5 lbs 03-500-45-1 28" 7 lbs 03-500-49-1 10 lbs With 6"/4" 3M Collars 03-500-503M 28" 5 lbs 03-500-513M 28" 7 lbs 03-500-523M 28" 10 lbs



DW SERIES TRAFFIC CONES

DW SERIES ORANGE



- Wide body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM#	SIZE	WT
03-500-10	28"	7 lbs
03-500-103M	28"	7 lbs
03-500-24	28"	10 lbs
03-500-243M	28"	10 lbs
03-500-063M	36"	10 lbs
03-500-06	36"	10 lbs
03-500-26	36"	12 lbs
l .		

DW SERIES WHITE



- Wide body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM#	SIZE	WT
03-500-77	28"	7 lbs

DW SERIES YELLOW



- Wide body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

SIZE ITEM# WT 03-500-75 7 lbs

DW SERIES BLUE



- Wide body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM# 03-500-69 28" 7 lbs

DW SERIES LIME



- Wide body design
- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD StandardsCustom Imprinting Available
- ITEM# SIZE WT

03-500-68 7 lbs 03-500-06LI 36" 10 lbs

DW SERIES ORANGE



Wide body design

ITEN 1 #

- Injection molded PVC black rugged base
- Meets NCHRP-350 Certification

CIZE

- Meets MUTCD Standards
- Custom Imprinting Available

ITEM#	SIZE	WT
03-500-20	18" w 4" Collar	3 lbs
03-500-21	18" w 6" Collar	3 lbs
03-500-01	28" w 4" Collar	7 lbs



W SERIES TRAFFIC CONES

W SERIES ORANGE



- Wide body design
- Injection molded PVC with rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

IIEM#	SIZE	VV I
03-500-050	18"	3 lbs
03-500-070	28"	7 lbs
03-500-07OR	28"	7 lbs recessed
03-500-080	36"	10 lbs

W SERIES WHITE



- Wide body design
- Injection molded PVC with rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM # SIZE WT 03-500-62 18" 3 lbs

W SERIES YELLOW



- Wide body design
- Injection molded PVC with rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

<u>ITEM# SIZE WT</u> 03-500-63 18" 3 lbs

W SERIES LIME



- Wide body design
- Injection molded PVC with rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM#	SIZE	VVT
03-500-05LI	18"	2.5 lbs

W SERIES BLUE



- Wide body design
- Injection molded PVC with rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

ITEM# SIZE WT 03-500-60 18" 3 lbs

W SERIES ORANGE



- Wide body design
- Injection molded PVC with rugged base
- Meets NCHRP-350 Certification
- Meets MUTCD Standards
- Custom Imprinting Available

 TEM#
 SIZE
 WT

 03-500-21O
 18"
 3 lbs-6" Collar

 03-500-10O
 28"
 7 lbs-6"/4" Collars

 03-500-10OR
 28"
 7 lbs-6"/4" Collars (Recessed)

 03-500-06O
 36"
 10 lbs-6"/4" Collars

See Price List for 3M Collars


SPORT CONES






















PÁCK N POP™ COLLAPSIBLE CONES

PACK N POP HEAVY DUTY COLLAPSIBLE CONE SINGLE PACK



- Meets MUTCD Standards
- 30" Pack N Pop Cones
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with orange waterproof Nylon
- Operates on 2 AAA Batteries (included)

ITEM# DESCRIPTION

03-501-04 Black Rubber Base 6U 4L

PACK N POP HEAVY DUTY COLLAPSIBLE CONE MULTI PACK



- Meets MUTCD Standards
- 30" Pack N Pop Cones
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
- Endures 300 hours in flashing mode and 120 hours in steady mode
- Constructed with orange waterproof Nylon
- Operates on 2 AAA Batteries (included)

ITEM# DESCRIPTION

03-501-05 Black Rubber Base 6U 4L (5/CS)





PACK N POP™ COLLAPSIBLE CONE

PACK N POP PORTABLE COLLAPSIBLE CONE SINGLE PACK



- Meets MUTCD Standards
- Meets MUTCD Standards
 Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
 Operates on 2 AAA Batteries (included)
 Endures 300 hours in flashing mode and 120 hours in steady mode
 Constructed with orange waterproof Nylon
 Collapses to 2" height for easy storage
 Quick and easy set up and take down
 Durable heavy duty ABS base with rubber feet
 Highly reflective permanent collars
 850' visibility at night

ITEM# DESCRIPTION

03-501-01 28" Orange with Light & Rubber Feet Plastic Base 6U 4L

PACK N POP PORTABLE COLLAPSIBLE CONE MULTI PACKS



- Meets MUTCD Standards
- Internal Cone Light Features 4 LEDs with 2 Settings: Steady & Flashing
 Operates on 2 AAA Batteries (included)
 Endures 300 hours in flashing mode and 120 hours in steady mode

- Constructed with orange waterproof Nylon
 Collapses to 2" height for easy storage
 Quick and easy set up and take down
 Durable heavy duty ABS base with rubber feet
 Highly reflective permanent collars

- 850' visibility at night

ITEM# **DESCRIPTION**

03-501-06 18" Orange without Feet - Plastic Base (4/CS) 03-501-02

28" Orange with Light & Rubber Feet Plastic Base 6U 4L- (4/CS) 28" Orange with Light & Rubber Feet Plastic Base 6U 4L- (5/CS) 03-501-03

PACK N POP ECONOMY COLLAPSIBLE CONE SINGLE PACK




- 28" Portable, Collapsible Reflective Cone
- Collapses to 2" height for easy storage
- Quick and easy set up and take down
- Heavy duty Polyester construction resistant to most chemicals
- Durable heavy duty plastic base
- Highly reflective permanent collars
- Removable LED Safety Light
- 850' visibility at night

DESCRIPTION ITEM# 03-500-80 28" Reflective with LED Light 03-500-80NL 28" Reflective without LED Light 03-500-80Ll Replacement Light

PACK N POP FCONOMY COLLAPSIBLE CONF. MULTI PACKS





- Quick and easy set up and take down
- Heavy duty Polyester construction resistant to most chemicals
- Durable heavy duty plastic base
- Highly reflective permanent collars
- High Density orange Vinyl case
- 850' visibility at night

DESCRIPTION ITEM#

03-500-80-5 28" Reflective with LED Light (5/cs) 03-500-80KT 28" Reflective without LED Light (5/cs)



CONE SIGNS















- Injection molded one piece design
- Clean crisp edges
- No flaking or splintering
- Will not warp or bend
- Excellent surface for adhesive application or screening
- Longer life than aluminum
- UV color protection package
- High impact ABS resin .125 thick
- Excellent in extreme weather conditions















CONE ACCESSORIES

BARRICONE



- Barricone PVC with Steel rings
- Available in 4' and 6' lengths
- Plain or Caution with reflective

ITEM#	DESCRIPTION
03-550-BRCH4	4' Yellow Caution
03-550-BRP4	4' Yellow Plain
03-550-BRCR	6' Yellow Caution
03-550-BRP	6' Yellow Plain

CONE LIGHTS



- 360° LED Light Circuit
- Run on 6V Battery
- Steady flashing light
- Easy application simply slide ring over top of cone
- Copolymer resin housing
- High impact resistant

| ITEM# DESCRIPTION |
03-10-CLG Amber Cone Light |
03-10-CLGR Red Cone Light |


BARRICADE TAPE CLIP



- Fits all manufacturers traffic cones
- Provides a quick visual barrier around hazardous areas
- Easy to set up and apply

ITEM# DESCRIPTION
03-500-BTC Tape Clip
5 Packs Only

RETRACTABLE CONE BAR



- Use with any and all PVC Traffic Cones
- Extremely versatile for road and utility work sites
- Perfect for parking lots and pedestrian crossways
- Convenient and fast unique barrier system

ITEM#	DESCRIPTION	RING DIAMETER
03-824CB	Orange - Extends 5'-9'	5"
03-824CB-B	Blue	3"
03-824CB-G	Green	3"
03-824CB-R	Red	3"
03-824CB-Y	Yellow	3"
03-824CB-BLK	Black	3"
03-823CB	Orange	3"

CONE CART



- Heavy duty construction holds up to 500 lbs
- Easy roll design makes working around tight spaces simple and saves time
- Easy roll reduces the potential for injury
- Cones can be mixed or matched for easy transport
- Heavy Duty long wearing maintenance free wheels
- Measures 47" H x 24.5" W x 24" D

ITEM# DESCRIPTION 03-500-CC Cone Cart






RÓLL-UP SIGNS

ROLL-UP SIGN MATERIALS

- Cortina Roll-Up Signs are available in a variety of materials
- Meets MUTCD Standards
- NCHRP-350 Certified
- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs
- 36" x 36" or 48" x 48" sizes



MATERIAL	ORANGE	PINK	WHITE	LIME	YELLOW
Mesh Nonreflective	\checkmark				
Vinyl Nonreflective	\checkmark				
Superbright Reflective	\checkmark		\checkmark		\checkmark
Superbright Fluorescent	\checkmark	\checkmark			
Marathon Fluorescent	\checkmark		\checkmark	\checkmark	
Diamond Grade Reflective	\checkmark		\checkmark		

ROLL-UP SIGN FEATURES





ROLL-UP SIGNS

ROLL-UP SIGNS



Mesh Nonreflective



Superbright Reflective



Diamond Grade Reflective



Nonreflective Vinyl



Standard Overlays attach to signs with Velcro.



Meets MUTCD Standards

- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs
- 36" x 36" or 48" x 48" sizes

DESCRIPTION

Be Prepared To Stop Construction Ahead **Detour Ahead** Flagger Ahead Flagger Symbol Fresh Oil Men Working Men Working Symbol Merge Left Symbol Merge Right Merge Right Symbol Mowing Ahead One Lane Road Ahead Right Lane Closed Ahead Right Shoulder Closed Road Closed Ahead Road Construction Ahead Road Work Ahead Shoulder Work Ahead Signal Work Ahead Slow Survey Crew Survey Crew Ahead Trucks Entering Highway Utility Work Ahead Work Area Ahead

Workers Ahead

36" MESH	OVERLAYS	48" MESH OVERLAYS		
ITEM#	DESCRIPTION	ITEM#	DESCRIPTION	
07-800-3167	1 MILE	07-800-4167	1 MILE	
07-800-3168	2 MILE	07-800-4168	2 MILE	
07-800-3769	3 MILE	07-800-4169	3 MILE	
07-800-3170	4 MILE	07-800-4170	4 MILE	
07-800-3108	LEFT	07-800-4296	LEFT	
07-800-3162	CENTER	07-800-4295	CENTER	
07-800-3163	BLANK	07-800-4294	BLANK	
07-800-3164	Single Head Arrow	07-800-4297	Single Head Arrow	
07-800-3109	500 FT	07-800-4291	500 FT	
07-800-3110	1000 FT	07-800-4292	1000 FT	
07-800-3111	1500 FT	07-800-4293	1500 FT	

CUSTOM LEGENDS AVAILABLE SEE PRICE LIST FOR ADDITIONAL LEGENDS



ROLL-UP SIGNS

ROLL-UP SIGNS



- 75 CM X 75 CM / 29.5" X 29.5" or 90 CM X 90 CM / 36" X 36"
- Fiberglass Ribsets are included and are ready for use
- Ribs are coated to prevent splinters and fraying
- Overlays available for changeable message signs

ITEM#	DESCRIPTION
75 CM X 75 CI	M / 29.5" X 29.5"
07-800-0123	Men at Work Symbol
07-800-0124	Arrow 45° Symbol
07-800-1235	Merge Left Symbol
07-800-35103	Stop Light Symbol
07-800-35102	Man in Bucket Symbol
07-800-35106	Lentement Symbol
07-800-35101	Do Not Pass Symbol

90 CM X 90 CM / 36" X 36"

 07-800-3026-L
 Men at Work Symbol

 07-800-3028-L
 Construction Ahead

 07-800-3044-L
 Merge Right Symbol

 07-800-3051-L
 Merge Left Symbol

 07-800-3060-L
 Traffic Control Person Symbol

 07-800-3058-L
 Arrow 45° Symbol

 07-800-30104
 Yield Ahead Symbol

 07-800-3600-C
 Emergency Scene Ahead

 07-800-3600-C
 Do Not Pass Symbol

ROLL-UP SIGNS

ITEM#	DESCRIPTION
07-800-3057-L	90 CM x 120 CM / 36" x 48" Road Closed
07-800-3056-L	36" x 48" Yield Pictogram on Oncoming Traffic
07-800-35104	60 CM x 75 CM / 24" x 30" Ligne D'Arrêt









ROLL-UP SIGNS


EMERGENCY ROLL-UP SIGNS



- Meets MUTCD Standards
- Superbright fluorescent pink provides maximum visibility
- Ribsets are included and are ready for use
- 36" x 36" or 48" x 48"

ITEM#	<u>DESCRIPTION</u>
07-800-30104	36" Emergency Scene Ahead
07-800-30106	36" Sobriety Checkpoint
07-800-30107	36" Incident Ahead
07-800-40105	48" Accident Ahead

QUADRA FLEX[™] EMERGENCY RESPONSE SYSTEM





SIGN STANDS & SIGN HOLDERS


QUADRA FLEXTM VI DUAL SPRING SIGN STANDS



- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify set up
- One person deployment without tools
- Allows deployment of Roll-Up and Rigid Signs from 14" to 6' from ground surface
- Dual-spring base with strong initial tension resists twisting and turning of sign in high wind gusts

ITEM#	DESCRIPTION
07-801-1	Holds 36" or 48" sign 14" off the ground
07-805-1	Holds 36" or 48" sign 5' off the ground
07-809	Rigid brackets convert QF VI to hold rigid signs
07-824-2	QF VR holds rigid signs 3' off the ground

QUADRA FLEXTM VI SINGLE SPRING STAND



SCREW LOCK SIGN STANDS



- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps
- Steel base and spring components specially coated to withstand 500 hours of salt spray
- Designed to withstand strong wind gusts
- Adjustable legs for stability on curbs or uneven terrain
- Kick-release legs simplify set up
- One person deployment without tools
- Allows deployment of Roll-Up and Rigid Signs from 14" to 6' from ground surface
- For use with Roll-Up signs
- Includes bracket
- Features telescoping legs

ITEM#	<u>DESCRIPTION</u>
07-819-1	QLV-W No spring - holds 36" or 48" Roll-Up Signs
07-816-1	QFV-W Single Spring - holds 36" or 48" Roll-Up Signs



SIGN STANDS & SIGN HOLDERS

QUADRA FLEXTM ACCESSORIES



ITEM#	DESCRIPTION
07-806	Mast for 36" Roll-Up Sign
07-807	Mast for 48" Roll-Up Sign
07-808	Telescoping Mast for 36" and 48" Roll-Up Signs
07-809	Adapter for rigid and semi rigid sign
03-229-3417	18" x 18" Vinyl flag with 24" dowel - standard pack of 50

VEHICLE MOUNT HITCH ADAPTER FOR ROLL UP SIGNS





- Fits any 2" square hitch receiver
- Sign deploys quickly and safely
- Can be rotated 45° in either direction, telescoping upright
- Release button for easy dismantling
- Provides effective communication to upstream vehicles
- Communicates direction of the transition

ITEM# DESCRIPTION

07-826 Vehicle Mount Bracket Hitch

VEHICLE MOUNT SIGN HOLDER





- Another level of protection to your advance warning signage and traffic incident management
- Mounts easily to grab bar, enhances safe positioning
- Increases conspicuity and visibility
- Sign deploys quickly and safely
- Stores in place, ready for immediate release

<u>ITEM# DESCRIPTION</u> 07-827 Vehicle Sign Holder



SIGN STANDS & SIGN HOLDERS

ECONO TRIPOD & T-STAND



• Tripod or T-Stand are for use with Roll-Up and Rigid Signs

TEM# DESCRIPTION
07-822 Tripod
07-823 T-Stand

COMPACT ROLL UP SIGN AND STAND BAGS



- Nylon bag securely holds Roll-Up Sign and stand for easy transport
- 3 lb light weight bag

| TEM# | DESCRIPTION | 07-835 | 36" Compact Sign and Stand Bag - Black | 07-836 | 48" Compact Sign and Stand Bag - Black |

COMPACT ROLL UP SIGN BAGS









STOP SLOW SIGNS

STOP/SLOW PADDLES



- Paddles meet MUTCD Requirements
- Silk Screened or reflective with Engineer Grade, HI-Intensity, or Diamond Grade Sheeting
- Letter size 8" for 24" Paddles or 6" for 18" Paddles
- 18" x 18" Silk Screened Aluminum or ABS hand held Paddles
- Ideal for school crossing guards, police and plant security guards
- .080 Aluminum with scratch resistant paint finish or extremely durable ABS material

ITEM#	DESCRIPTION
03-822SW	24" Stop/Slow EG Sheeting Paddle Only
03-822P	24" Stop/Slow EG Sheeting w 81" Plastic Handle
03-823SW	24" Stop/Slow HI Sheeting Paddle Only
03-823P	24" Stop/Slow HI Sheeting w 81" Plastic Handle
03-826	24" Stop/Slow DG Sheeting Paddle Only
03-826P	24" Stop/Slow DG Sheeting w 81" Plastic Handle
03-827	24" Stop/Slow Silk Screened Nonreflective Paddle Only
03-827P	24" Stop/Slow Silk Screened Nonreflective w 81" Plastic Handle
03-835	18" Stop/Slow EG Sheeting Paddle Only
03-836SW	18" Stop/Slow HI Sheeting Paddle Only
03-837SW	18" Stop/Slow DG Sheeting Paddle Only
03-838SW	18" Stop/Slow Silk Screened Nonreflective Paddle Only
03-851	18" Stop/Slow Silk Screened Nonreflective w 9" Polygrip Handle
03-852	18" Stop/Slow EG Sheeting w 9" Polygrip Handle
03-853	18" Stop/Slow HI Sheeting w 9" Polygrip Handle
03-854	18" Stop/Stop Silk Screened Nonreflective w 9" Polygrip Handle
03-855	18" Stop/Stop EG Sheeting w 9" Polygrip Handle
03-856	18" Stop/Stop HI Sheeting w 9" Polygrip Handle
03-858ON	18" Stop/Slow Plastic DG Sheeting - Ontario

HANDLES AND COMPONENTS

03-850	9" Polygrip Handle Only
03-824HD	Heavy Duty Plastic Handle - 81"
03-650	18" Stop/ Slow Paddle Blank
03-601	24" Stop/Slow Paddle Blank
03-601B	24" Stop/Slow Paddle Blank - Black
13-01-01	Bolt Kit for Paddle

QUICK DEPLOY STOP SIGN

- Quick set up and easy to use
- Effective traffic control system designed for use in industrial plants, 4-way intersections, parking lots, schools, airports, hospitals, and places where stop light is inoperable due to natural disasters, etc.
- Highly visible
- Kit includes 1 white delineator post, 1 15 lb recycled rubber base, and 2 18" ABS STOP signs

ITEM# DESCRIPTION
03-747QD Nonreflective

03-747QDHI15 18" HI-Intensity Reflective 03-747QDDG15 18" Fluorescent Prismatic

Bases Also Sold Separately

03-730 10 lb Square Base 03-731 15 lb Hex Base





TOP /SLOW SIGNS

LED STOP/SLOW PADDLES



- Meets/exceeds all DOT FMVSS125 Requirements
- Easy push button ON/OFF feature
- Steady burn / flashing mode
- Lithium ION rechargeable/interchangeable battery and charger included

ITEM#	DESCRIPTION
03-816	12" Stop/Stop w 6" Paddle Handle
03-817	12" Stop/Stop w 6" Paddle Handle (Canada)
03-818	18" Stop/Stop w 6" Paddle Handle
03-819	18" Stop/Slow w 6" Paddle Handle
03-812-Y	Handle, Telescoping 4-8ft Yellow w/sign holder for LED Paddles (12"&18")

NON REFLECTIVE HAND HELD ABS PADDLE WITH HANDLE



- Meets MUTCD Requirements
- Available nonreflective Silk Screened or reflective Engineer Grade, HI-Intensity, or Diamond Grade sheeting
- Ideal for school crossing guards, flaggers, and plant security guards
- Heavy duty ABS

		•
1	TEM#	DESCRIPTION
0	3-820FO	18" Stop/Go Aluminum Paddle - Nonreflective w/9" Polygrip Handle
0	3-851	18" Stop/Slow Silk Screened with Polygrip Handle
0	3-836	8" Stop/Slow HIP Sheeting with Polygrip Handle
0	3-837SW	18" Stop/Slow Diamond Grade Sheeting with Polygrip Handle
0	3-838SW	18" Stop/Slow Silk-Screened with Polygrip Handle

ALUMINUM PADDLES WITH HANDLE



- Meets MUTCD Requirements
- Available nonreflective Silk Screened or reflective Engineer Grade, HI-Intensity, or Diamond Grade sheeting

Ideal for school crossing guards, flaggers, and plant security guards ITEM# DESCRIPTION 03-850 9" Polygrip Handle only for Stop/Slow Paddle 03-830 18" Stop/Slow with 9" Polygrip Handle 18" Stop/Stop with 9" Polygrip Handle 03-831 03-851-1 15" Stop/Stop, Silk Screened, with 9" Polygrip Handle 18" Stop/Slow with Aluminum Handle 03-863 18" Stop/Slow with Wood Handle 03-864

ELECTRONIC SAFETY BATONS




- Pulsating high intensity LED lights
- Water and impact resistant construction
- Battery Operated

,		
	ITEM#	DESCRIPTION
	03-300	12" C-Cell Steady On / Slow Flash / Fast Flash
	03-301	9" C-Cell Steady On / Fast Flash
	03-303	12" D-Cell Steady On / Fast Flash
•		



FLAGS - BANNERS - WINDSOCKS













SEE PRICE LIST FOR ADDITIONAL OPTIONS





PLASTX™ BARRICADES





REPLACEABLE PANELS AVAILABLE IN ENGINEERING OR HI-INTENSITY SHEETING AND IS EASY TO MOUNT RECESSED LIGHT BRACKET PROVIDES ADDED SECURITY AND IS EASY TO MOUNT RECESSED PANELAREA PROVIDES SHEETING PROTECTION FROM SCRATCHING RECESSED PANELAREA PROVIDES SHEETING PROTECTION FROM SCRATCHING IN-MOLD OR STENCILING IDENTIFICATION AVAILABLE SUPERIOR HIGH-STRENGTH RESIN WITHSTANDS TEMPERATURE EXTREMES AND HAS A UV PROTECTION PACKAGE FOR VEAR-ROUND USE





M-CADE BARRICADES

M-CADE TYPE I



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 12" x 24" top sheeted panel 8" x 24" panel / 6" sand bar
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy duty design to provide maximum use

ITEM# **DESCRIPTION**

97-11-001-11 12T/8B Prismatic Fluorescent Orange w Directional Arrow 97-11-001-44 12T/8B Unsheeted Bottom Panel w/sandbar EGR 97-11-001-45 12T/8B Unsheeted Bottom Panel w/sandbar HIP

M-CADE TYPE II



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 8" x 24" top sheeted panels / 6" sand bar
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy duty design to provide maximum use

ITENA#	DESCRIPTION
ITEM#	DESCRIPTION
97-11-002-11	8/8 Prismatic Fluorescent Orange w Directional Arrow
97-11-003	12T/8B Plain
97-11-003-11	12T/8B Prismatic Fluorescent Orange w Directional Arrow
97-11-003-44	12T/8B EGR
97-11-003-45	12T/8B HIP

M-CADE TYPE I BALLAST



- Meets MUTCD Standards / NCHRP-350 Certified
- Folds flat for easy nesting and stacking
- 12" X 24" top sheeted panel
- 12" x 24" ballast panel for added weight
- Unique knuckle lock prevents sag in the field Injection molded with high impact resin
- Rugged heavy duty design to provide maximum use

ITEM# **DESCRIPTION**

97-12-001-44 EG Type I Sheeted Top, Plain Bottom 97-12-001-45 HIP Type I Sheeted Top, Plain Bottom

M-CADE TYPE II BALLAST



- Meets MUTCD Standards / NCHRP-350 Certified
- 8" X 24" top sheeted panel
- 12" x 24" ballast panel for added weight
- Folds flat for easy nesting and stacking
- Unique knuckle lock prevents sag in the field
- Injection molded with high impact resin
- Rugged heavy duty design to provide maximum use

ITEM# **DESCRIPTION**

97-12-002-44 EGR Type II Sheeted Top & Bottom 97-12-002-45 HIP Type II Sheeted Top & Bottom

STEELCAD





- NCHRP-350 Certified
- Meets MUTCD Specifications
- 14 gauge powder coated legs
- M-Cade panels won't decay or splinter
- Aluminum rivet construction

ITEM#	<u>DESCRIPTION</u>
97-03-001	12T/8B EGR top only
97-03-001-01	12T/8B HIP top only
97-03-001-11	12T/8B Prismatic Fluorescent Orange

with Directional Arrow

TYPE II STEELCADE



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 14 gauge powder coated legs
- M-Cade panels won't decay or splinter
- Aluminum rivet construction

II EIVI #	DESCRIPTION
97-03-002	8T/8B EGR
97-03-002-01	8T/8B HIP
97-03-003-01	Eliminator 12T/8B EGR
07 02 002 04 44	10T/0D Driamatic Fluores

97-03-003-01-11 12T/8B Prismatic Fluorescent Orange

with Directional Arrow

97-03-003-02 12T/8B HIP

TYPE I STEELCADE XL



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 36" W x 8" Panels
- 14 gauge powder coated legs
- Extruded PVC panels won't decay or splinter
- Aluminum rivet construction

ITEM# **DESCRIPTION**

97-03-001-36G EGR Top Panel w Unsheeted Bottom Panel

TYPE II STEELCADE XL



- NCHRP-350 Certified
- Meets MUTCD Specifications
- 936" W x 8" Panels
- 14 gauge galvanized legs
- Extruded PVC panels won't decay or splinter
- Aluminum rivet construction

ITEM# **DESCRIPTION**

97-03-002-36G EGR Top Panel w EGR Bottom Panel



36" N-CADE



- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 36" tall x 12" wide
- 12" x 24" sheeted panel
- Recessed and replaceable panels

ITEM#	DESCRIPTION
97-01-006	EGR Sheeting
97-01-006-01	Plain- No Sheeting
97-01-006-02	HIP Sheeting

44" N-CADE



- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 44" tall x 12" wide
- 12" x 24" sheeted panel
- Recessed and replaceable panels

ITEM#	DESCRIPTION
97-01-007	EGR Sheeting
97-01-007-01	HIP Sheeting
97-01-007-03	Plain - No Sheeting

N-CADE 36 LEGEND

- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 36' tall x 12" wide
- Recessed and replaceable panels
- Customizable and standard legend 12"x 24" panels

<u>ITEM# DESCRIPTION</u> 97-01-006-05 School X-ing Lime



N-CADE 44 LEGEND

- Meets MUTCD Standards
- NCHRP-350 Certified
- Injection molded high impact resin
- Ideal for narrow applications
- 44' tall x 12" wide
- Recessed and replaceable panels
- Customizable and standard legend 12"x 24" panels

ITEM# DESCRIPTION 97-01-007-03SX School X-ing Lime





ROLLED GOODS

TEMPORARY PAVEMENT TAPE



 Available Engineer Grade or Construction Grade

ITEM#	DESCRIPTION
03-10-103	4" x 50 Yards EGR - White
03-10-104	4" x 50 Yards EGR - Yellow
03-10-105	4" x 50 Yards CG - White
03-10-106	4" X 50 Yards CG - Yellow
03-10-107	4" x 100 Yards - Yellow
03-10-108	4" x 100 Yards CG - White

BARRICADE TAPE



 Available Engineer Grade or HI-Intensity Prismatic

ITEM#	DESCRIPTION
03-10-008-04-1	8" x 50 Yards Left Stripe HI
03-10-008-05-1	8" x 50 Yards Right Stripe HI
03-10-008-06-1	12" x 50 Yards Left Stripe HI
03-10-008-07-1	12" x 50 Yards Right Stripe HI
03-10-008-19-1	8" x 50 Yards Left Stripe EGR
03-10-008-20-1	8" x 50 Yards Right Stripe EGR
03-10-008-21-1	12" x 50 Yards Left Stripe EGR
03-10-008-22-1	12" x 50 Yards Right Stripes
03-10-008-38-1	6" x 50 Yards Left Stripe EGR
03-10-008-39-1	6" x 50 Yards Right Stripe EGR

BARREL & CHANNELIZER TAPE



 Available HI-Intensity Prismatic or Engineer Grade

ITEM#	DESCRIPTION
03-500-100	4" x 150 Yards HI - White
03-500-101	4" x 150 Yards HI - Orange
03-500-103	6" x 150 Yards HI - Orange
03-500-104	6" x 150 Yards HI - White
03-500-107	4" x 150 Yards EGR - Orange
03-500-108	4" x 150 Yards EGR - White
03-500-109	6" x 150 Yards EGR - Orange
03-500-110	6" x 150 Yards EGR - White

CONE COLLARS



 ITEM#
 DESCRIPTION

 03-512
 6" Upper for 18" Cone

 03-502
 6" Upper for 28" Cone
 03-503 4" Lower for 28" Cone 4" Upper for 28" Cone w self adhesive (Canada 03-509 only) 03-524 6" Upper for 28" Cone w self adhesive

03-526 4" Lower for 28" Cone w self adhesive 6" Upper for 36" Cone 03-510

03-508 4" Lower for 36" Cone

CONSPICUITY TAPE



ITEM# **DESCRIPTION** 7 Year - 150' 03-500-82 03-500-92 3 Year - 150'

SHEETING



Available HI-Intensity or Engineer Grade

ITEM#	DESCRIPTION
03-10-008-11	8" HI Yellow/Lime
03-10-008-30	18" HI White
03-10-008-31	18" HI Orange
03-10-008-51	18" HI Lime/Yellow
03-10-008-45	18" EGR Orange
03-10-008-46	18" EGR White





PLASTX™ BARRIERS

P-CADE PEDESTRIAN BARRICADE KIT



- ADA Compliant to MUTCD
- Quick, easy set up for any environment
- Injection molded legs using high impact resin
- Plank Boards extruded EXTERIOR GRADE PVC superior to Polyethylene
- Kit includes two legs and boards

ITEM#	DESCRIPTION
97-01-004-011G	(2) P-Cade Legs (1) 2"x8"x6' EG 1 sided T-Board
97-01-004-012G	(2) P-Cade Legs (2) 2"x8"x6' EG 1 sided T-Boards
97-01-004-013G	(2) P-Cade Legs (1) 2"x8"x8' EG 1 sided T-Board
97-01-004-014G	(2) P-Cade Legs (2) 2"x8"x8' EG 1 sided T-Boards

A FRAME BARRICADE KITS



- Robust heavy duty design
- Quick, easy set up and deployment
- Complete kit ready for any environment
- Injection molded legs using high impact resin
- Plank Boards extruded EXTERIOR GRADE PVC superior to Polyethylene
- Kit includes two legs and boards

ITEM#	<u>DESCRIPTION</u>
97-01-004-011	(2) A-Frame Legs (1) 2"x8"x6' EG 1 sided T-Board
97-01-004-012	(2) A-Frame Legs (2) 2"x8"x6' EG 1 sided T-Boards
97-01-004-013	(2) A-Frame Legs (1) 2"x8"x8' EG 1 sided T-Board
97-01-004-014	(2) A-Frame Legs (2) 2"x8"x8' EG 1 sided T-Boards

P-CADE BARRIER SYSTEM STARTER KIT



- ADA Compliant to MUTCD
- Quick, easy set up and deployment
- Complete kit ready for any environment
- Injection molded legs using high impact resin
- Plank Boards extruded EXTERIOR GRADE PVC superior to Polyethylene
- Kit includes 3 legs and 4 6' boards

ITEM# DESCRIPTION

97-1700-6G (3) P-Cade Legs (4) 2" x 8" x 6' Plank Boards Striped 2 Sides EG

- P-Cade[™] meets ADA Guidelines to MUTCD Standards
- Total versatility. Modular system allows for complete flexibility, use in a straight line or around man holes and workzones
- Provides a continuous, obstruction free guidance system through workzones, lower rail will not trap canes
- Easy to assemble no hardware or tools required
- Quick set up and tear down
- Accepts all barricade lights





A-FRAMES AND BEAMS

A-FRAMES



- Injection molded with high impact resin
- Universal slots accept a wide variety of boards
- Reinforced ribbing for added strength and stability
- Molded light mount and stacking features

 ITEM#
 DESCRIPTION

 97-01-004
 2 Board, White

 97-01-004O
 2 Board, Orange

 97-01-004-02
 1 Board, White

ADA Compliant Injection molded with high impact resin Universal slots accept a wide variety of boards Reinforced ribbing for added strength and stability Molded light mount and stacking features

DESCRIPTION

Leg Only

2 X 8 PLASTX T-BOARD



- Extruded exterior grade PVC in white or black
- Does not require flame treating
- Won't crack, splinter or warp
- Fits both A-Frame and P-Cade Systems
- Available in 4', 6', 8', 10' and 12' lengths
- SEE PRICE LIST FOR COMPLETE OFFERING

ITEM#	DESCRIPTION
97-01-0213	2x8x4 ft Plain
97-01-029B	2x8x4 ft Plain Black
97-01-029B-02	2x8x4 ft Black -2 Sides HIP
97-01-0213-01	2x8x4 ft 1 Side EGR
97-01-0213-02	2x8x4 ft 2 Sides EGR
97-01-0213-03	2x8x4 ft 1 Side HIP
97-01-0213-04	2x8x4 ft 2 Sides HIP

1 X 8 PLASTX T-BOARD

ITEM#

97-01-1600



- Extruded exterior grade PVC in white
- Does not require flame treating
- Won't crack, splinter or warp
- Fits both A-Frame and P-Cade Systems
 Available in 4', 6', 8', 10' and 12' lengths
- SEE PRICE LIST FOR COMPLETE OFFERING

ITEM#	DESCRIPTION
97-01-0113	1x8x4 ft Plain
97-01-0113-01	1x8x4 ft 1 Side EGR
97-01-0113-02	1x8x4 ft 2 Sides EGR
97-01-0113-03	1x8x4 ft 1 Side HIP
97-01-0113-04	1x8x4 ft 2 Sides HIP



TELESPAR TYPE III BARRICADE

TELESPAR TYPE III BARRICADES



- NCHRP-350 Certified
- Meets MUTCD Standards
- Galvanized steel tubing for superior corrosion protection
- Uprights and feet are 14 gauge, hot rolled carbon steel
- Angle iron feet, mill finish
- Universal mounting holes prepunched 7/16"
- Square shape provides superior wind load capabilities and inhibits warping
 Reflective Engineer or HI-Intensity Prismatic Sheeting on one or both sides
- Quick removal of uprights from feet
- Short term or permanent placement
- Easy to assemble
- Accepts 2 flashing lights
- SEE PRICE LIST FOR COMPLETE OFFERING

ITEM#	DESCRIPTION
97-1700-6EG	6' Boards, 1 Side EGR
97-1700-6HIP	6' Boards, 1 Side HIP
97-1700-8EG	8' Board, 1 Side EGR
97-1700-8HIP	8' Board, 1 Side HIP

M-CADE TYPE III KITS



- Meets MUTCD Standards
- All plastic construction
- Uses standard Cortina I-Beams, A-Frames, and M-Cade legs
- 3 Boards overall Height 60" High
- SEE PRICE LIST FOR COMPLETE OFFERING

ITEM#	DESCRIPTION
97-1300-61-E	6' Boards, 1Side EGR
97-1300-61-H	6' Boards, 1 Side HIP
97-1300-62-E	6' Boards, 2 Sides EGR
97-1300-81-E	8' Boards, 1 Side EGR
97-1300-82-H	8' Boards, 1 Side HIP





BARRICADE LIGHTS

STRATO-LITETM 6V



- Meets MUTCD Standards
- ITE Certified
- 3-way (flashing, steady burn, off)
- Weather resistant circuit chip
- 7" Polycarbonate Lens extremely durable
- Attach to all barricades, drums, panels, etc.
- State-of-the-Art Optics
- UV Stabilized
- 6V or D-cell with Photocell

ITEM# DESCRIPTION 03-10-3WAY6V Yellow with Amber Lens 03-10-3WRY6V Yellow with Red Lens

STRATO-LITETM LED



- Meets MUTCD Standards
- ITE Certified
- 12 Volt configuration
- 3-way (flashing, steady burn, off)
- Weather resistant circuit chip
- 7" Polycarbonate Lens extremely durable
- Attach to all barricades
- State-of-the-Art Optics
- UV Stabilized
- D-cell with Photocell

DESCRIPTION 03-10-3WAYDC Yellow with Amber Lens 03-10-3WRYDC Yellow with Red Lens

B LIGHT



- Meets MUTCD Standards
- ITE Certified
- 12 Volt configuration
- 3-way (flashing, steady burn, off)
- Weather resistant circuit chip
- 7" Polycarbonate Lens extremely durable
- Attach to all barricades
- State-of-the-Art Optics
- UV Stabilized
- 6V or D-cell with Photocell

DESCRIPTION ITEM# 03-10-BLAYDC Yellow with Amber Lens 03-10-BLRYDC Yellow with Red Lens 03-10-BLAY6V Yellow with Amber Lens 03-10-BLRY6V Yellow with Red Lens

SOLAR LIGHT



- Solar Module 0.3 w / Mono Crystalline Panel
- Battery 1.2 V / 1800 mAh Ni-MH Battery
- Non-replaceable S.T.
- Battery life 500 Xs Recharging Cycle
- Operation Current 60 mA
- 13.38" H X 7.28" W X 3.78" D Built in Circuit Board
- Battery included

ITEM# **DESCRIPTION** 03-10-SBLG Yellow with Amber Lens 03-10-RSBL Yellow with Red Lens

BOCA LIGHT



- Solar Module 0.3 w / Mono Crystalline Panel
- Battery 1.2 V / 1800 mAh Ni-MH Battery
- Non-replaceable S.T.
- Battery life 1000 Xs Recharging Cycle
- Operation Current 60 mA
- 13.38" H X 7.28" W X 3.78" D
- Built in Circuit Board
- Battery included

DESCRIPTION FOR AVAILABILITY **CONTACT CUSTOMER SERVICE**

LED SUNDOWNER



- Meets MUTCD Standards
- ITE Certified
- Operates with 4 D-cell Batteries
- 3-way (flashing, steady burn, off)
- LED lights located in strongest area of the case
- Simple one piece battery compartment Durable protected LED lighting assembly

ITEM# **DESCRIPTION** 03-10-WAYDC Yellow with Amber Lens





TrailBOSS™ / TrailGUIDE BASES

TrailBOSS CHANNELIZER DRUM HDPE



- High Density Polyethylene (HDPE) with UV Inhibitors
- Two base options
- Available Plain or with Engineer Grade, Diamond Grade, HI-Intensity Prismatic sheeting
- Meets US Standards

ITEM#	DESCRIPTION
03-780	Plain
03-780-4EG	Engineer Grade 4" Stripes
03-780-6EG	Engineer Grade 6" Stripes
03-780-4HI	HI-Intensity Prismatic 4" Stripes
03-780-6HI	HI-Intensity Prismatic 6" Stripes
03-780-4FP3M 03-780-6FP3M	Diamond Grade 4" Stripes Diamond Grade 6" Stripes

TrailBOSS CHANNELIZER DRUM LDPE



- Low Density Polyethylene (LDPE) with UV Inhibitors
- Two base options

- Available Plain or with Engineer Grade, Diamond Grade, HI-Intensity Prismatic sheeting
- Meets US Standards

ITEM#	DESCRIPTION
03-782	Plain
03-782-4EG	4" Engineer Grade 4" Stripes
03-782-6EG	6" Diamond Grade 6" Stripes
03-782-4HI	4" HI-Intensity Prismatic Stripes
03-782-6HI	6" HI-Intensity Prismatic Stripes
03-782-4FP3M	4" Diamond Grade Stripes
03-782-6FP3M	6" Diamond Grade Stripes

TrailGUIDE CHANNELIZER DRUM



- Meets NCHRP-350 crash test requirements
- High Density Polyethylene (HDPE) with UV Inhibitors
- Withstands repeated impacts and temperature extremes
- EZ-Grab handle design makes moving and stacking a breeze
- Available with HI-Intensity or Fluorescent Prismatic Sheeting in 4" and 6" configurations
- BLACK approved for use in Ontario and Newfoundland
- ORANGE approved for use in Nova Scotia and Manitoba

ITEM #	DESCRIPTION
03-755-P	Orange Plain / No Sheeting
03-755-4HI	Orange (4) - 4" High Intensity Prismatic Sheeting
03-755-6FP	Orange 4-6" Fluorescent Stripes
03-755-QCFP	Orange F1 Prismatic Sheeting (TRVMTQ)
03-756-P	Black Plain
03-756-4HIO	Black 4 - 4" HI Fluorescent Orange Stripe (T54,MTO)



TrailBOSS™ / TrailGUIDE BASES

MOLDED RUBBER BASE



- Snaps on to barrel bottom
- Recycled rubber

ITEM#	DESCRIPTION	FITS
03-732-25	25 lb Base, Round	TrailBOSS
03-732-30	30 lb Base, Round	TrailBOSS
03-732-40	40 lb Base, Round	TrailBOSS

TIRE RING BASE



- Tire ring slides over top of barrel
- Recycled rubber

ITEM# **DESCRIPTION**

22.5 lb Tire Ring Base 22" ID 03-750-TRG

18 lb Tire Ring Base 16" ID (For use with TrailGUIDE Only) 03-732-WR





GRIP N GO™ CHANNELIZERS

GRIP N GO ORANGE



- Meets MUTCD Standards & NCHRP-350 Certified
- High Visibility Orange
- Molded High Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base

ITEM#	DESCRIPTION
03-750	Plain
03-750-4EG	4 EGR Stripes
03-750-4FP	4 - 4" DG Stripes
03-750-4HI	4 - 4" HI Stripes
03-750-6EG	4 - 6" EGR Stripes
03-750-6FP	4 - 6" DG Stripes
03-750-6HI	4 - 6" HI Stripes
03-750-6HIFP	4 - 6" HI Stripes
03-750-64HI	1 - 6" / 4" HI Stripes

EZ GRAB GRIP N GO CHANNELIZER CONES



- NCHRP-350 Certified
- High Visibility
- Molded High Density Polyethylene with UV Color Stabilization
- 49.8" Overall Height, 42" Conical Height, and 7.56" Conical Width at Base
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

 TEM#
 DESCRIPTION

 03-750BLK
 Black -Plain

 03-750-6Y
 Yellow - 6" HI Stripe

 03-750-6B
 Blue - 6" HI Stripe

 03-750-64HLG
 Lime - 6" / 4" HI Stripes

GRIP N GO BASES



• Recycled rubber bases fit Grip N Go and EZ Grab Grip N Go Channelizers

ITEM#	DESCRIPTION
03-752-10	10 lb square base for Grip N Go only
03-752-16	16 lb hexagon base for Grip N Go only
03-752-30	30 lb rectangular base for Grip N Go & Guardian Channelizers

GUARDIANTM ROOF WARNING LINE PERIMETER

ARE YOU OSHA COMPLIANT?


In accordance with OSHA 1926.502(f), and other applicable regulations to warn of leading edge hazards, this device shall be used only by a qualified competent person. The warning line shall be staged and supported in such a way that it is no less than 34 inches from the walking/working surface at its lowest point and no more than 39 inches at its highest point.





UARDIAN™ ROOF WARNING LINE PERIMETER

Use the Cortina Safety Products Roof Warning Line Perimeter on roof tops, construction sites, in parking lots, manufacturing plants, and office buildings. This simple to assemble Roof Warning Line Perimeter, with it's easy pennant flag tie off system, is easy to set up and remove quickly, and stores easily!



GUARDIAN ROOF WARNING LINE PERIMETER

- OSHA 1926.502(f) Compliant
- Cortina EZ Grab Guardian high visibility orange
- Molded High Density Polyethylene with UV Color Stabilization
- OSHA Compliant Pennants 500 lb tensile strength
- Guardian accepts warning light or sign
- Does not conduct
- Meets fall protection system requirements
- Easy BASE drop over assembly
- Stackable for storage
- 100% recycled rectangular 30 lb rubber base mark free and skid resistant

ITEM#	<u>DESCRIPTION</u>
03-765RBC	Kit - 50 EZ Grab Guardian Channelizers w 50 Bases
03-765	EZ Grab Guardian Channelizer
03-752-30	30 lb Rubber Base
OSHA Complian	t 105' Pennants
03-400-105	Red
03-405-105	Yellow
03-407-105	Red/Yellow Alternating





TRAILBLAZER™ VERTICAL PANELS

TRAILBLAZER VERTICAL PANEL



- Meets MUTCD Standards
- EG or HIP Reflective Sheeting
- Stackable made from Polyethylene
- Recessed panels protect sheeting
- Easy set up and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM# **DESCRIPTION** 03-760 Plain - no sheeting 03-760-EG Engineer Sheeting 2 sides 03-760-HI HIP Prismatic Sheeting 2 sides

TRAILBLAZER RESERVED HANDICAP



- HIP Reflective SheetingStackable made from Polyethylene
- Recessed panels protect sheeting
- Easy set up and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM# DESCRIPTION 03-760-WR White Reserved

TRAILBLAZER VALET PARKING



- HIP Reflective Sheeting
- Stackable made from Polyethylene
- Recessed panels protect sheeting
- Easy set up and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

DESCRIPTION ITFM# 03-760-BLKVP Black Valet Parking

TRAILBLAZER PEDESTRIAN CROSSING



- Meets MUTCD Standards
- HIP Reflective Sheeting
- Stackable made from Polyethylene
- Recessed panels protect sheeting
- Easy set up and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM# 03-760LIPX

DESCRIPTION

State Law

Stop for Pedestrians Within Crosswalk

VERTICAL PANEL BASE



Recycled rubber bases

ITEM# **DESCRIPTION** 03-760-15 15 lb 18.5"W x 22"L x 1.3"H 20 lb 18.5"W x 22"L x 1.3"H 03-760-20 03-760-30 30 lb 18.5"W x 22"L x 2.6"H

CUSTOM LEGENDS



CUSTOM OPTIONS AVAILABLE





STACKER ROUND-TOP CHANNELIZER CONES


















EZ GRAB™ DELINEATOR

EZ GRAB DELINEATOR POST KIT



NCHRP-350 Certified

- Complete kit includes one post and base
- Rubber base is 100% recycled crumb rubber
- Square design adds high friction for improved wind stability
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-734RBC	Orange Posts w 2-3" Collars & 1-10 lb base
03-747YRBC	Yellow Posts w 2-3" Collars & 1-10 lb base
03-747WRBC	White Posts w 2-3" Collars & 1-10 lb base
03-747BRBC	Blue Posts w 2-3" Collars & 1- 10 lb base
03-747LIRBC	Lime Posts w 2-3" Collars & 1-10 lb base
03-747GRBC	Forest Green Posts w 2-3" Collars & 1-10 lb base
03-747BLKRBC	Black Posts w 2-3" Collars & 1-10 lb base

EZ GRAB STROBE DELINEATOR POST KIT



EZ GRAB PERMANENT MOUNT BASE KIT



- Heavy duty reinforced plastic bases for rugged durability
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM# DESCRIPTION

03-746ABC 41" Orange Post (2) 4" Collars & Base w Clamp 03-733-1 Fiberglass Reinforced Plastic Base w Channel Clamp

EZ GRAB 5 POST CURB BASE SYSTEM KIT

03-739-1 Blue Flared Post w 2-4" HIP Collars & 2 sided blue strobe light



- 100% Recycled 7 ft 25 lb rubber base 18" x 90"
- Creates a strong visual barrier around hazardous work areas
- Easy to relocate
- Quick and easy set up

ITEM# DESCRIPTION

03-729-5 5 Orange Posts with Base



EZ GRAB™ DELINEATOR

EZ GRAB ORANGE



- NCHRP-350 Certified
- 100% Impact resistant Polyethylene
- UV Inhibitors resist fading
- 2-3" or 4" HI Reflective recessed bands
- Base sold separately

ITEM# DESCRIPTION

Plain - no sheeting 03-740 Orange w 2-3"HIP Collars 03-734 Orange w 2-3" HIP Collars & 03-737 2 Amber Reflectors

03-747 Orange w 2-4" HIP Collars

PERMANENT MOUNT 03-735

Orange w 2-4" HIP Collars 03-745AB Orange w 2-3" HIP Collars &

Base w clamp 03-746ABC Orange w 2-4" HIP Collars &

Base w clamp

EZ GRAB WHITE



- NCHRP-350 Certified
- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- 2-3" or 4" HI Reflective recessed bands
- Base sold separately

ITEM# **DESCRIPTION**

PORTABLE

03-740W Plain - no sheeting White w 2-3" HIP Collars 03-747W PERMANENT MOUNT

03-735W White w 2-4" HIP Collars 03-746WABC White w 2-4" HIP Collars & Base w clamp

NCHRP-350 Certified

- 100% Impact resistant Polyethylene
- Portable easy to move

EZ GRAB YELLOW

- UV Inhibitors resist fading
- 2-3" or 4" HI Reflective recessed bands
- Base sold separately

DESCRIPTION ITEM#

03-740Y Plain - no sheeting Yellow w 2-3" HIP Collars 03-747Y PERMANENT MOUNT

03-735Y Yellow w 2-4" HIP Collars 03-746YABC Yellow w 2-4" HIP Collars & Base w clamp

EZ GRAB BLUE



- NCHRP-350 Certified
- 100% Impact resistant Polyethylene
- Portable easy to move UV Inhibitors resist fading
- 2-3" or 4" HI Reflective recessed bands

ITEM# DESCRIPTION

PORTABLE

03-740B Plain - no sheeting 03-747B Blue w 2-3" HIP Collars

Blue w 2-4" HIP Collars 03-735B 03-746BABC Blue w 2-4" HIP Collars & Base w clamp

EZ GRAB FOREST GREEN



- NCHRP-350 Certified
- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- 2-3" or 4" HI Reflective recessed bands
- Base sold separately

ITEM# DESCRIPTION

03-740FG Plain - no sheeting 03-747FG Forest Green w 2-3"HIP Collars PERMANENT MOUNT

03-735FG Forest Green w 2-4"HIP Collars

Forest Green w 2-4" HIP Collars & Base w clamp

EZ GRAB LIME



- NCHRP-350 Certified
- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- 2-3" or 4" HI Reflective recessed bands
- Base sold separately

ITEM# **DESCRIPTION**

03-740LI Plain - no sheeting 03-747LI Lime w 2-3"HIP Collars PERMANENT MOUNT

Lime w 2-4" HIP Collars 03-73511 03-746LIABC Lime w 2-4" HIP Collars &

Base w clamp

EZ GRAB BLACK



- NCHRP-350 Certified
- 100% Impact resistant Polyethylene
- Portable easy to move
- UV Inhibitors resist fading
- 2-3" or 4" HI Reflective recessed bands
- Base sold separately

ITEM#

03-747BLK

03-747BLKABC

Black w 2-3"HIP Collars Black w 2-4" HIP Collars & Base w clamp

DESCRIPTION

EZ GRAB BASES



 Rubber bases slide perfectly over top of F7 Grab handle

Permanent Mount Base secures to bottom

ITEM# **DESCRIPTION** 03-730 10 lb Square Base

03-731 15 lb Hex Base 03-733-1 Permanent Mount Base




TUBULAR MARKERS




















LAMBA SAFETY FLOOR SIGN



- LAMBA 2 x 4 Safety Floor Sign 6/packs
- Lock-in' Arm technology for easy set up and extra stability
- 4 sided caution messages display clear warnings from every angle
- 24" high sign folds quickly & easily for storage in spaces as narrow as 3"
- Custom printing available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-600-33	Plain
03-600-34	Caution Wet Floor
03-600-36	Wet Floor (Eng/Span)
03-600-37	No Entry Restroom Closed
03-600-38	Caution Watch Your Step
03-600-41	Out of Service
03-600-43	Caution

LAMBA LOCK IN SIGNS



- LAMBA 8" x 8" plastic sign that can be placed in top of Lamba cones to display message labels
- Message labels are 8" x 8" adhesive backed Vinyl
- Messages are limitless
- Customization available

ITEM#	DESCRIPTION
03-600-31	Red Sign - Blank
03-600-21	Watch Your Step
03-600-22	Restroom Closed No Entry
03-600-23	Wet Floor Please Walk to the Right
03-600-24	Wet Floor Please Walk to the Left
03-600-25	Caution Wet Floor
03-600-26	Wet Floor (Eng/Span)



LAMBA CONES - 25" WITH LEGENDS



- Available 25" imprinted with stock legends
- International languages
- 25" Cone dimensions: 10" base, 4-3/4" middle, 3-1/4" top
- Custom imprinting available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-600-12	Yellow Plain

03-600-07 Yellow Wet Floor (Eng/Span)

03-600-12CAU Yellow Caution

03-600-12WF Yellow Caution Wet Floor 03-600-06 Yellow Caution Safety First

LAMBA CONES - 36" WITH LEGENDS



- Available 36" heights imprinted with stock legends
- International languages
- 36" Cone dimensions: 12" base, 6" middle, 3-1/2" top
- Custom imprinting available
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM#	DESCRIPTION
03-600-09	Yellow Wet Floor (Eng/Span)
03-600-09L	Lime Wet Floor (Eng/Span)
03-600-11A	Yellow Caution Slippery
03-600-05	Orange Caution Wet Floor
03-600-09	Yellow Caution Wet Floor (Eng/Span)
03-600-10	Yellow Caution Slippery (Eng/French)
03-600-11	Yellow No Parking

LAMBA CONES - PLAIN



- Available 25" or 36" heights plain or imprinted with stock legends
- International languages
- 25" Cone dimensions: 10" base, 4-3/4" middle, 3-1/4" top
- 36" Cone dimensions: 12" base, 6" middle, 3-1/2" top
- Custom imprinting available

ITEM#	DESCRIPTION
03-600-12	25" Yellow Plain
03-600-00	36" Yellow Plain
13-600-36L	36" Lime Plain





CABLE PROTECTO

DROPOVER 1 CHANN

- An economical alternative to cable guards
- Offers a 4" channel width
- Quick easy solution to cover wires, hoses and pipes
- Available Black or Red
- Alternative to cable protectors
- 8,850 lb load rating

ITEM# **DESCRIPTION**

2080-DP-B 36" x 10.5" x 1.5" Black - 6 lbs 2080-DP-R 36" x 10.5" x 1.5" Red - 6 lbs



LITEGUARD 3 CHANNEL

- Offers 1.25" channel width
- Significant load bearing strength
- Compact size 36" L x 13" W
- Used in vehicle or pedestrian settings
- 14,000 lb load rating

ITEM# **DESCRIPTION**

2070-3 36" x 13" x 1.75" Cable Guard - 16 lbs





ULTRAGUARD 5 CHANNEL

- Offers 1.38" channel width
- Versatile across all industries
- Light to heavy duty projects
- Low profile cable ramp
- Used in vehicle or pedestrian settings
- Exclusive lid design button fasteners
- 20,000 lb load rating

DESCRIPTION ITEM#

2070-5 36" x 20" x 1.75" Cable Guard 24 lbs





ULTRAGUARD 7 CHANNEL

- Offers 1.38" channel width
- Versatile across all industries
- Light to heavy duty projects
- Low profile cable ramp
- Used in vehicle or pedestrian settings
- Exclusive lid design button fasteners
- 18,000 lb load rating

ITEM# **DESCRIPTION**

36" x 24" x 1.75" Cable Guard 30 lbs 2070-7





MIGHTYGUARD 3 CHANNEL ADA

- Constructed with a solid cast Polyurethane base and lid
- Lid connected with reinforced fiberglass rod that won't rust or corrode
- Withstands natural and man-made elements
- Compliant with safety requirements
- Offers 1.25" channel width
- 12,250 lb load rating

ITEM# **DESCRIPTION**

36" x 19" x 2.5" ADA Compliant Cable Guard 28.50 lbs 2071-3



ULTRAGUARD 5 CHANNEL ADA

- Versatile across all industries applicable in light to heavy duty projects
- Offers low profile cable ramp designed for easy vehicle and pedestrian traffic
- Constructed with solid cast Polyurethane base and lid
- Secure lid design enhances the safety of your product • Lid's push button fasteners ensure the lid is properly closed and secure at all times
- ADA Compliant easy to transport and install
- Offers 1.38" channel width
- 20,000 lb load rating

ITEM# **DESCRIPTION**

19" x 52.5" x 1.75" ADA Compliant Cable Guard 24 lbs 2071-5







GLOW CABLE PROTECTORS

DROPOVER 1 CHANNEL

- An economical alternative to cable guards
- Offers a 4" channel width
- Quick easy solution to cover wires, hoses and pipes
- Available Black or Red
- Alternative to cable protectors
- 8,850 lb load rating

ITEM# DESCRIPTION

2075-1B 36" x 10.5" x 1.5" Black - 6 lbs 2075-1R 36" x 10.5" x 1.5" Red - 6 lbs



LITEGUARD 2 CHANNEL

- Offers 1.25" channel width
- Significant load bearing strength
- Ompact size 36" L x 13" W
- Used in vehicle or pedestrian settings
- 12,500 lb load rating

ITEM# DESCRIPTION

2072-2 36" x 11.25" x 1.75" - 13 lbs



MIGHTYGUARD 3 CHANNEL

- Offers 2" channel width
- Versatile across all industriesLight to heavy duty projects
- Low profile cable ramp
- Used in vehicle or pedestrian settings
- Exclusive lid design button fasteners
- 12,250 lb load rating

ITEM# DESCRIPTION

2072-3 36" x 19" x 2.5" - 28.50 lbs



ULTRAGUARD 5 CHANNEL

- Offers 1.38" channel width
- Versatile across all industries
- Light to heavy duty projects
- Low profile cable ramp
- Used in vehicle or pedestrian settings
- Exclusive lid design button fasteners
- 20,000 lb load rating

ITEM# DESCRIPTION

2072-5 36" x 20" x 1.75" - 24 lbs









PARKING AIDS

PARKING BLOCKS



- Maintenance free
- Extremely durable recycled rubber will not warp, crack, or decay
- Resistant to oil, UV rays and moisture
- Stands up in wide temperature extremes
- Painted yellow reflective stripes

ITEM# DESCRIPTION

2049PB 4' Striped Yellow Rubber 2050PB 6' Striped Yellow Rubber 2057PB 3' Striped Yellow Rubber 2053S 14" Painted Steel Spike

SPEED BUMPS



- Maintenance free
- Extremely durable recycled rubber will not warp, crack, or decay
- Withstands wide temperature extremes
- Painted yellow reflective stripes
- Built with cat eye reflectors for added visibility

ITEM# DESCRIPTION

2054SB 4' Striped Yellow Rubber 2055SB 6' Striped Yellow Rubber 2053S 14" Painted Steel Spike

TRAILBLAZER VERTICAL PANELS



- Meets MUTCD Standards
- HI Reflective Sheeting
- Stackable made from Polyethylene
- Recessed panels protect sheeting
- Easy set up and relocation
- SEE PRICE LIST FOR ADDITIONAL OPTIONS

ITEM# DESCRIPTION

03-760-WNP No Parking Legend 03-760-WR Reserved Handicap 03-760-BLKVP Valet Parking

03-760-BERVI Valet Faiking
03-760-IPX Pedestrian Crossing - Lime
03-760-HIG Orange/White Reflective

RUBBER BASE

03-760-15 Rubber Base 15 lb 03-760-20G Rubber Base 20 lb

PENNANTS



ITEM # DESCRIPTION 03-407 60' Red DANGER

03-400-60 60' Red 03-401-60 60' Red/White 03-402-60 60' Orange

03-404-60

03-405-60 60' Yellow 03-406 60' Red/Yellow alternating legends - Danger

Keep Out/Safety First/Danger Ahead/

60' Orange/White

Be Careful/Safety Always 03-403-60 60' Multi 03-400 100' Red 100' Red/White 03-401 100' Orange 03-402 03-403 100' Multi 03-404 100' Orange/White 03-405 100' Yellow 105' Red- OSHA 03-400-105 105' Yellow - OSHA 03-405-105 03-407-105 105' Red/Yellow - OSHA

DRIVEWAY MARKERS



- Available in 4 colors
- 48" stake lengths
- Reflector housing is unbreakable ABS
- Lens is sonic welded and locks out moisture
- Sold 72 per case

 ITEM#
 DESCRIPTION

 05-099-02-A
 Amber

 05-099-02-B
 Blue

 05-099-02-C
 Clear

 05-099-02-R
 Red

WHEEL CHOCKS



- Maximum durability and skid protection
- Withstands adverse weather conditions
- Zinc plated eye bolt
- Weighs 9 lbs

ITEM# DESCRIPTION

2048C 12' 10 lb Jack Chain 2048WC Heavy Duty Wheel Chock 2048WCC Wheel Chock w 12' Chain



TEAR DROP LIGHTS



- Meets / exceeds SAE Requirements
- Industries highest quality and dependable Rotating Halogen Light
- Low Profile Tear Drop Light

ITEM# **DESCRIPTION** 22-56525 Amber

22-56526 Red 22-56527 Blue

PULSATOR LED



- Fourteen selectable flash patterns
 LED technology for 0 maintenance
 No bulbs or strobe tubes to replace
- Multi voltage12-24 VDC, Class 2, Five year LED warranty

ITEM# **DESCRIPTION** 22-56530 Amber Perm Mount 22-56531 Amber Magnet Mount

FIREBOLT LED



- Fourteen selectable flash patternsPolycarbonate dome & base

- Multi voltage12-24 VDC, Class 2, Five year LED warranty

ITEM# **DESCRIPTION** Amber Magnet Mount 22-56532

WARNING LIGHTS

PULSATOR 451 LED



- Fourteen selectable flash patterns
- LED technology for 0 maintenance
- No bulbs or strobe tubes to replace
- Multi-voltage
- 12-24 VDC, Class 2, Five year LED warranty

ITEM# DESCRIPTION

22-56533 Amber Short Perm Mount

SENTRY



- 95 FPM
- Large parabolic reflector & 55-att Halogen bulb
- 80,000 candelas per flash
- Rugged Polycarbonate housing
- Twist off dome for easy maintenance
- Class 1 Five year LED warranty

ITEM# DESCRIPTION
22-56535 12 VDC Magnet Mount

VISIBEAM II



- High power spotlight
- Graduated start for pinpoint light beam placement
- Continuous 360º horizontal and 140º vertical adjustment
- FCC approved
- Three year warranty

ITEM# DESCRIPTION
22-56537 12 VDC Surface Mount

HIGHLIGHTER LED ECONOMY



- High output Solaris LED reflector technology
- ROC (Reliable Onboard Circuitry) reduces potential failure points
- Low profile
- 2.6" tall, Class 1, Five year warranty

ITEM# DESCRIPTION

22-56540 Amber Suction Cup Magnet Mount 22-56541 Amber Permanent Mount

LATITUDE



- High output Solaris LED reflector technology
- ROC (Reliable Onboard Circuitry) reduces potential failure points
- Ten flash patterns and one test pattern
- Polycarbonate, moisture resistant housing
- Class 1, Five year LED warranty

ITEM# DESCRIPTION

22-56543 Latitude LED Flashing, Amber 12-14 VDC, Surface Mount Latitude SignalMaster LED, Amber, 12-14 VDC, Surface Mount





219 EMERGENCY WARNING TRIANGLE KIT



- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Opaque container protects fluorescent color from UV deterioration
- Unique Living Hinge Box, wire support and tabs are available ONLY by Cortina
- Living Hinge Box ensures the lid will not separate from the box
- Weighted base ensures Triangles will not move by wind gusts caused by passing traffic

ITEM#	DESCRIPTION
95-03-009	Three (3) Triangles in Living Hinge Box - 1/pack
95-03-010	Three (3) Triangles in Living Hinge Box - 4/pack

319 EMERGENCY WARNING TRIANGLE KIT WITH HANDLE



- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Opaque container protects fluorescent color from UV deterioration
- Unique Living Hinge Box, wire support and tabs are available ONLY by Cortina
- Living Hinge Box ensures the lid will not separate from the box
- Weighted base ensures Triangles will not move by wind gusts caused by passing traffic

<u>ITEM# DESCRIPTION</u> 95-02-002-03 Three (3) Triangles in Plastic Box with handle

FLEET EMERGENCY KIT



- Meets/exceeds all DOT FMVSS125 Requirements
- High quality powder coated steel box ensures years of use
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Weighted base ensures Triangles will not move by wind gusts caused by passing traffic

DESCRIPTION

95-04-001-02 Fleet Safety Kit w light sticks

95-04-002 Fleet Safety Kit w/o fire extinguisher

95-04-004 Fleet Safety Kit 2.5 lb fire extinguisher w bracket

INDIVIDUAL REFLECTIVE TRIANGLE KIT



- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Opaque container protects fluorescent color from UV deterioration
- Unique Living Hinge Box, wire support and tabs are available ONLY by Cortina
- Living Hinge Box ensures the lid will not separate from the box
- Weighted base ensures Triangles will not move by wind gusts caused by passing traffic

ITEM #	<u>DESCRIPTION</u>
95-02-001	Single (1) Triangle Flare
95-02-002-01	Single (1) Triangle in Plastic Box
95-02-002-02	Two (2) Triangles in Plastic Box



WARNING KITS

ROADSIDE EMERGENCY KIT

Kit contains 79 pieces in Nylon Carrying Case - Nonhazardous
 Unit weight 6.75 lbs

Emergency Signaling & Lighting

3 20-Minute Flares; 1 Reflective Triangle; 1 Light Stick; 1 Flashlight; Batteries

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 1 Shop Cloth; 1 Nylon Carrying Case

Automotive Accessories

1 Premium Jumper Cab (8' 10 Gauge); 1 Combination Tool; Survival Products; 1 Emergency Blanket

First Aid Products

ITEM# **DESCRIPTION**

95-07-57 Deluxe Roadside Emergency Kit



EMERGENCY HIGHWAY FLARE KIT

• Kit contains 19 pieces in Nylon Carrying Case - Nonhazardous • Unit weight 5.20 lbs.

Emergency Signaling & Lighting 5 20-Minute Flares; 1 Light Stick

Personal Accessories

1 Bright Safety Vest; 2 Shop Cloths; 1 Nylon Carrying Case

Automotive Accessories

1 Premium Jumper Cable (8' 10 Gauge)

First Aid Products

ITEM# **DESCRIPTION**

95-07-58 Emergency Highway Flare Kit PLUS



BASIC ROADSIDE FLARE EMERGENCY KIT

• Kit contains 50 pieces in Nylon Carrying Case - Nonhazardous • Unit weight 2.75 lbs **Emergency Signaling & Lighting**

3 15-Minute Flares; 1 Emergency Signal Flag; 2 Light Sticks

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 3 Shop Cloths; 1 Nylon Carrying Case

First Aid Products

ITEM# **DESCRIPTION** 95-07-60 Basic Roadside Flare Kit



PREMIUM ROADSIDE FLARE EMERGENCY KIT

 Kit contains 60 pieces in Nylon Carrying Case - Nonhazardous ● Unit weight 4.75 lbs **Emergency Signaling & Lighting**

3 15-Minute Flares; 2 Light Sticks

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 3 Shop Cloths; 2 Knit Gloves; 1 Nylon Carrying Case **Automotive Accessories**

1 Premium Jumper Cable (8' 10 Gauge); 1 Combination Tool; 1 Roll Duct Tape / 6 Cable Ties

First Aid Products

ITEM# **DESCRIPTION**

Premium Roadside Flare Emergency Kit 95-07-61



WARNING KI

VISIBILITY KIT

• Kit contains 14 pieces in Nylon Carrying Case - Nonhazardous • Unit weight 1 lb **Emergency Signaling & Lighting**

3 – 15 Minute Red Emergency Flares; 1 Flare Deployment & Safety Guide; 1 Light Stick; 1 LED Flashlight;

2 AA Batteries; 1 Wide Mouth Bag w/Reflective Triangle

Personal Accessories

2 Bright Safety Vests; 2 Rain Ponchos; 1 Nylon Carry Case

Automotive Accessories

Roadside Assistance Membership ITEM# **DESCRIPTION** 95-07-62 Visibility Kit



BASIC AUTO SAFETY KIT

Kit contains 49 pieces in Nylon Carrying Case - Nonhazardous
 Unit weight 1.44 lbs

Emergency Signaling & Lighting 1 Flashlight; 2 Batteries; 2 Light Sticks

Personal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 3 Shop Cloths; 1 Nylon Carrying Case

First Aid Products

ITEM# **DESCRIPTION**

95-07-63 Basic Auto Safety Kit (Non Pyro)



PREMIUM AUTO SAFETY KIT

• Kit contains 66 pieces in Nylon Carrying Case - Nonhazardous • Unit weight 3.13 lbs

Emergency Signaling & Lighting

1 Light Stick / 1 Flashlight; 2 Batteries

rsonal Accessories

1 Bright Safety Vest; 1 Rain Poncho; 4 Towelettes / 1 Shop Cloth; 1 Emergency Blanket; 2 Knit Gloves;

1 Emergency Signal Flag; 1 Nylon Carrying Case

Automotive Accessories

1 Premium Jumper Cable (8' 10 Gauge); 1 Roll Duct Tape; 10 Cable Ties

First Aid Products

DESCRIPTION ITEM#

95-07-64 Premium Auto Safety Kit (Non Pyro)



DELUXE 5 FLARE ROADSIDE EMERGENCY KIT

Kit contains 105 pieces in Nylon Carrying Case - Nonhazardous ● Unit weight 8.21 lbs

5 20-Minute Flares / 2 Light Sticks / 1 Flashlight / 2 Batteries

1 Bright Safety Vest / 1 Rain Poncho / 2 Shop Cloths; 1 Nylon Carrying Case; Automotive Accessories;

1 Premium Jumper Cable (8' 10 Gauge); 1 Combination Tool

Survival Products

2 Emergency Blankets / 4 Handwarmers; 2 Water Pouches / 2 Candles / 10 Matches

First Aid Products

ITEM# **DESCRIPTION**

95-07-65 Deluxe 5 Flare Roadside Emergency Kit





SCHOOL BUS KITS

- Meets CFR49 RequirementsHigh quality plastic box ensures years of use
- Hold down strap and brackets included inside
 *SCHOOL BUS KIT (MINIMUM PURCHASE OF 25 KITS /PALLET)

ITEM#

95-03-006 95-03-007

DESCRIPTION
(3) Triangles in School Bus Box w/(6) 20-min. Flares
(3) Triangles in School Bus Box w/(6) 30-min. Flares





FLARE HOLDERS

- Designed to hold 20 or 30 minute flares
- Constructed from heavy duty Polypropylene
- Easy Grab handle and no roll design

ITEM#	DESCRIPTION
95-07-003	Holder case 12/20 Minute
95-07-004	Holder case 12/30 Minute
95-07-005	Holder case w bracket 3/20 Minute & wire stand
95-07-006	Holder case w bracket 3/30 Minute
95-07-007	Holder case bracket w 3/20 Minute



FLARES

- Available in 20 and 30 minute types
- Moisture resistant
- Spike, nonspike, or wire stand

ITEM#	DESCRIPTION	
95-07-20	20 Min Spike Type 72/case	
95-07-21	20 Min Flare w/o Spike 72/case	
95-07-22	20 Min Flare w Wire Stand - 72/case	
95-07-30	30 Min Flare Spike Type 36/case	
95-07-31	30 Min Flare w/o Spike 36/case	
95-07-32	30 Min Flare w Wire Stand - 36/case	

FLARE KITS



- Heavy duty injection molded plastic boxes hold 4 or 12 minute flares
- Moisture resistant
- Compact design for tight storage space fits conveniently under most seats

ITEM#	DESCRIPTION
95-07-001	4 Flares
95-07-002	12 Flares and Safety Vest

MOTORIST FLARE KITS





- For automotive after market and heavy duty markets
- 6-Pack flare configuration
- Bright orange safety vest for flare deployment
- Storage case with flare pockets and vest holder
- Double zipped 600 Denier Polyester bag keeps flares together
- Velcro on back of bag secures placement in trunk or under seat

ITEM # DESCRIPTION 95-07-25G 20 Minute Flare 95-07-35G 30 Minute Flare

MOTORIST SAFETY KIT



- Meets/exceeds all DOT FMVSS125 Requirements
- Triangle's wire form support guarantees tilt compliance of 40 mph wind test
- Weighted base ensures triangles will not move by wind gusts caused by passing traffic

ITEM # DESCRIPTION
95-02-001 Single (1) Triangle Flare




WORKSITE PRODUCTS













BARGARD[™] protective covers are approved for use as impalement protection (for rebar or similar protruding objects) at grade or above grade when used in accordance with the Installation Instructions. Please contact the manufacturer or distributor if the Installation Instructions are missing or illegible. Failure to properly install protective covers will significantly decrease any impalement protection that may otherwise be provided and may result in serious injury or death. Inspect for damage prior to use; do not use damaged or defective protective covers. Discard protective cover if positioning fins are missing or damaged. Protective coves are not approved for use for fall distances greater than 7 feet 6 inches, or as protection for weights above 250 pounds.



FENCING






- Orange Polyethylene
- Highly visibleUV stabilized
- Rugged and reusable

DESCRIPTION ITEM# 03-900 Orange 4' x 50' 03-901 Orange 4' x 100'

03-902 Orange Lightweight barrier fence- 4' x 100'

KRYPTONITE FENCING



- Lime Polyethylene
- Highly visible
- UV stabilized
- Rugged and reusable

DESCRIPTION ITEM#

03-902-1 Lime Lightweight barrier fence - 4' x 100'

MODULAR BARRICADE SYSTEM




- Polyethylene
- Highly visibleUV stabilized
- Rugged and reusable

ITEM#	DESCRIPTION
02 0050	40" v 40" Orongo

40" x 40" Orange Barrier System 40" x 40" Yellow Barrier System 48" x 48" Green Barrier System 03-906G 03-907G 03-908G 48" x 48" Orange Barrier System

MEDIUM AND HEAVY GRADE FENCING



- Heavier and more visible than light duty diamond fencing
- Medium tensile strength MD: 160 lbs / ft; HD: 100 lbs / ft
- Heavy Duty tensile strength MD: 180 lbs / ft; HD: 176 lbs / ft
- Rugged and reusable

ITEM# **DESCRIPTION**

03-906-MGO 14 lb Diamond 4' x 50' Orange -30 Rolls/Pallet 03-907-5MGO 23 lb Diamond 5' x 50' Orange - 30 Rolls/Pallet





WWW.CORTINACO.COM

UNITED STATES 800.225.5206 WORKZONE@CORTINACO.COM

CANADA 866.757.1900 WORKZONECANADA@CORTINACO.COM

INTERNATIONAL 847.455.2800
WORKZONE@CORTINACO.COM / WORKZONECANADA@CORTINACO.COM

©2018 CORTINA SAFETY PRODUCTS GROUP